

50 LBS (22.68 KG) NET WEIGHT  
**VIGORTONE**  
**BOVOTONE FC "008" MG**  
**With Rabon<sup>®</sup> Oral Larvicide**

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

<b>ACTIVE INGREDIENTS:</b>	<b>BY WEIGHT</b>
* 2-chloro-1-(2,4,5-trichlorophenyl)-vinyl dimethyl phosphate	1.00
<b>INERT INGREDIENTS**</b>	99.00
<b>TOTAL</b>	<b>100.00</b>

\*Each pound contains 4.5 g RABON<sup>®</sup>  
 \*\*Refers only to ingredients which are not larvicidal

EPA REG. NO. 20:1 B

**FEED INGREDIENTS**

Dicalcium Phosphate, Monocalcium Phosphate, Calcium Carbonate, Salt, Yeast Culture, Corn Distillers, Dried Grains with Solubles, Vitamin A Acetate, D Activated Animal Sterol (source of Vitamin D<sub>3</sub>), Vitamin E Supplement, Magnesium Oxide, Magnesium Sulfate, Potassium Sulfate, Calcium Carbonate, Calcium Iodate, Iron Carbonate, Manganous Oxide, Zinc Oxide, Copper Oxide, Iron Oxide, Sodium Selenite and Mineral Oil.

**GUARANTEED ANALYSIS**

Calcium (Ca), maximum	24.00%
Calcium (Ca), minimum	20.00%
Phosphorus (P), minimum	4.00%
Salt (NaCl), maximum	24.00%
Salt (NaCl), minimum	20.00%
Magnesium (Mg), minimum	6.00%
Iodine (I), minimum	0.004
Vitamin A, minimum	USP Units/lb 300,000
Vitamin D <sub>3</sub> , minimum	USP Units/lb 30,000
Vitamin E, minimum	IU/lb 42

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS**

**CAUTION**

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Disposal** - Pesticide or herbicide that cannot be reused or recycled should be disposed of by burning. Follow label directions for disposal. Do not contaminate water, food, or feed by storage or disposal. Follow label directions for disposal. Do not contaminate water, food, or feed by storage or disposal.

**Container Disposal** - Dispose of bags according to approved federal, state or local procedures under the Resource Conservation and Recovery Act.

Manufactured by  
**VIGORTONE AG PRODUCTS**  
 A Division of Beatrice Foods Co.  
 Cedar Rapids, IA 52406, Fremont, NE 68025  
 Made in U.S.A. or Mexico

Page 4 of 4

**DIRECTIONS FOR USE: GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FREE CHOICE USE**

Allow free choice to cattle. Cattle should consume an average of 1/2 lb of the mineral per 100 pounds of body weight per month. This will supply the recommended average daily intake of 70 mg RABON<sup>®</sup> Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide program but OMIT all salt from other feed after the program is started. Do not feed other free choice sources of salt or mineral containing salt in any form. Allow one mineral feeder for each 10-15 head and place near watering and loafing areas. Put out no more than one month's supply at a time, and protect from rain.

If consumption of Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide is above 1/2 lb per 100 lbs of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 1/2 lb per 100 lbs of body weight per month, increase the number of feeding locations. Start feeding Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall.

Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide may be fed up to slaughter and to lactating dairy cows.

Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or sludge on the premises.

In order to achieve optimum fly control Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide should be used in conjunction with other good management and sanitation practices.

**MIXING DIRECTIONS FOR FINISHED FEEDS**

The following table shows the correct amount of Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide to be mixed in to a complete feed ration in order to provide the recommended average daily intake of 70 mg of Rabon<sup>®</sup> Oral Larvicide per hundred pounds of body weight.

Determine the average body weight and this figure in the left column of the table. The average consumption of your feed is shown in the top column. Cross reference these two figures to determine the amount of Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide to be mixed into your ration. Make certain that the mixture is an uniform dispersion. Optimum results can be assured only if Vigortone Bovotone FC "008" MG with Rabon<sup>®</sup> Oral Larvicide is dispersed uniformly throughout the feed. Common feed mixers, horizontal blenders, and other equipment used to prepare formulated feeds.

**CONSUMPTION PER HEAD PER DAY OF FINISHED FEED (Pounds)**

10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

