"COMBUSTIBLE MIXTURE"

Product No. GI-77-A

## Concentrated VAPORIZING INSECTICIDE

## QUICK ACTING-NON-STAINING-ODORLESS

CAUTION — Keep out of the reach of children.

Contains petroleum hydrocarbons. Do not take internally. Harmful if swallowed. Do not induce vomiting. Call physician. Remove or cover fish bowls and aquaria before and for approximately one (1) hour after treatment.

\*Consists of (Butylcarbityl) (6-Propylpiperonyl) ether and related compounds.

## FOR USE IN STEAM, COMPRESSED AIR OR ELECTRIC SPRAYERS

CI-77-A has exceptional efficiency and economy in the killing of ROACHES WATERBUGS, ANTS, GNATS, FLIES, MOSQUITOES, FLEAS, CRICKETS, SPIDERS and certain other insects.

## DIRECTIONS

ROACHES, WATERBUGS, ANTS, CRICKETS, SPIDERS, FLEAS: Use 2 oz. Cl-77-A concentrate to approximately each 1000 cu. ft. of area. For effective results keep doors and windows closed, confining the vapor for at least twenty minutes after spraying. Direct vapor to baseboards, wall cracks, pipe openings and other hiding places. For ANTS; check ant trails, door sills and window frames. FLEAS—treat as for roaches, with special attention to sleeping quarters of animals and surrounding areas.

Net Contents \_\_\_\_ Gallons

FLIES, MOSQUITOES, GNATS: Use ½ oz. of CI-77-A to each 1000 cu. fl. of urea. Close hitested area to confine vapor for at least ten minutes after treatment. Sweep up and destroy fallen insects. REPEAT ALL TREATMENTS AS OFTEN AS NECESSARY.

The mist action of CI-77-A brings many of the insects into the open where they should be swept up and disposed of promptly. Use the product as a <u>space-spray</u> in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. — Do not spray near open flame.

USDA Reg. No. 2044-8

MANUFACTURED BY

PROTEINING LOIS NAMES IN THE PARTY OF THE PA