

**ACTIVE INGREDIENTS**

Pyrethrins.....	0.028%
Technical Piperonyl Butoxide*.....	0.286
Rotenone.....	0.128
Other Cube Extractives.....	0.286
N-Trichloromethyl thiophthalimide**.....	0.700
1-Naphthyl N-Methylcarbamate..	1.000
Petroleum Distillate.....	0.040
<b>INERT INGREDIENTS.....</b>	<b>97.578</b>

\*Equivalent to 0.204% (butyl carbityl) (6-propyl piperonyl) ether and 0.082% of related compounds.  
 \*\*Otherwise known as PHALTAN. (R)

**CAUTION:**

Do not spray closer than 18". Do not spray near open flame. Keep out of reach of children and do not store above 120°F. The manufacturer makes no warranties of any kind, expressed or implied concerning the use of this product. Do not use in a nursery container. Do not use near birds, fish, or aquariums. Avoid breathing or spraying prolonged or repeated contact with skin. Avoid contact with eyes. Avoid contamination of feed and food stuffs. Wash thoroughly after use.

U. S. Pat. Nos. 2,903,478,  
 2,553,770, 2,553,771  
 (R) Reg. U. S. Pat. Off.  
 California Chemical Company

Net Weight 15 oz.

**DIRECTIONS**

**FOR THE CONTROL OF GARDEN INSECTS**  
 —For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles, aphids, exposed thrips and spider mites. Hold container at least 18" from foliage, spray lightly in one-second bursts spraying both top and underside of foliage. Properly treated foliage will be protected from many garden insects for about one week.

This ornamental spray may be used on plants, as a multi-purpose spray in small gardens, and for spot treatment of incipient insect infestations to prevent spreading in large gardens.

This spray may be used on such plants as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, cressels, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, Wandering Jew and zinnias.

As a fungicide, spray before infection occurs for the prevention of powdery mildew and black spot on roses. Spray at five to seven day intervals while danger of fungi infection persists.

**VAUGHAN'S SEED CO.**  
 Downers Grove, Ill., Ovid, Mich.,  
 Bound Brook, N.J.



Vaughan's  
**Rose**

**CAUTION: SPRAY**  
 Keep Out of Reach of Children  
 See Side Panel for Additional Cautions

ACCEPTED WITH COMMENTS