

STICIDE
pplicators or by persons
y for those uses covered

Tar NOTE

% Creosote
% Water

OF CHILDREN

AL TREATMENT

Position: Control Center
... by touching
... vomiting or give any...

Call a physician
and water. Get medical

Medical attention

FOR Y STATEMENTS

By
Co., Inc.

PA Registration No. 2071
S Gallons

Application in:
the act
ling fre
Protect
of cont
in a ge
pestici
Applic
parts c
ment f
moving
treated
Wash
tobacco
Avoid
applic
ter or c
ar...

Includ
respira
Includ
equip
cylindr
must v
imper
Applic
equipr

Applic
able a
where
Launc

Spray
ets g
formu
Applic
on) m
Launc

ACCEPTED
NOV 24 1986
Under the Federal Insecticide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2071-1

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE
For sale and use only by certified applicators or by persons under their direct supervision and only for those uses covered by the certified applicator's certification.

BL Coal Tar CREOSOTE

Active Ingredient 98.5% Creosote
Inert Ingredient 1.5% Water
Total 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Call a physician. If a physician is not available, give 1-2 glasses of water. Do not induce vomiting. Do not give anything to eat or drink until a physician has seen the person.
- IF IN EYES:** Flush with plenty of water. Call a physician.
- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.
- IF INHALED:** Remove to fresh air. Get medical attention.

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

Distributed by

Bernuth Lembcke Co., Inc.
Houston, Texas 77041

EPA Establishment No. _____ EPA Registration No. 207(_____)
Net Contents _____ U.S. Gallons

PRECAUTIONARY STATEMENTS REGARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Do not apply where there may be direct contact with people, animals or live stock, and where there may be contamination of food, feed or drinking and irrigation water.

GENERAL PRECAUTIONS

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process, manually opening cylinder doors and handling freshly treated wood).
Protective clothing or work clothing must be changed when it shows signs of contamination. Dispose of worn-out clothing and workshoes or boots in a general landfill, in the trash or in any other manner approved for pesticide disposal.
Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation. Example: manually opening/closing cylinder doors, moving tanks out of cylinders, mixing chemicals, and handling freshly treated wood.
Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products or using restroom.
Avoid inhaling vapors. If inhalation of vapors cannot be avoided, applicators must wear a properly fitted, well-maintained half mask canister or cartridge respirator which is NIOSH/NIOSH approved for polynuclear aromatics and organic vapors.

PRESSURE TREATMENT

Individuals who manually open cylinder doors must wear gloves and a respirator.
Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with the wood treatment formulation (e.g. cylinders that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls jacket), gloves and boots impervious to the wood treatment formulation and a respirator.
Applicators must leave protective clothing and workshoes or boots and equipment at the plant.

GROUND LINE TREATMENT OF UTILITY POLES

Applicators must wear long sleeved shirts, long pants, and an impervious apron during the application and mixing process and all situations where dermal contact is expected.
Launder work clothing separately from other household laundry.

HOME AND FARM USE

Spray applicators must wear protective clothing (including overalls, jacket, gloves, head covering, and boots) impervious to the wood treatment formulation and a respirator and goggles when spraying.
Applicators who apply creosote by other application process (e.g. brush-on) must wear long sleeved shirts, long pants, and an impervious apron.
Launder work clothing separately from other household laundry.

HOME AND FARM USE (Continued)

Do not apply where there may be direct contact with people, animals or live stock, and where there may be contamination of food, feed or drinking and irrigation water.
Do not apply to wood intended for use as interior or exterior siding, trim, or other decorative woodwork, such as paneling, wainscoting, or similar's and similar's and which will be in direct contact with people, animals or live stock, or where there may be contamination of food, feed or drinking and irrigation water. See also any applicable restrictions on use.
Do not apply to wood intended for use in playground equipment, such as slides, swings, or other equipment, or to wood intended to be used in the vicinity of farm buildings where they may be in direct contact with domestic animals or livestock which may nibble (bite) or lick the wood. Creosote may be used on treated wood intended to be used in the vicinity of farm buildings where domestic animals or livestock are unlikely to nibble or lick the wood. If dog coats of an approved sealant will be applied, the sealant may be applied at the installation site.

Do not apply to wood intended to be used in a manner in which the preservative may become a component of food or animal feed. Examples of such uses would be structures or containers for storing silage or food.
Do not use this product to treat wood intended to be used for cutting boards or counter tops.
Do not use this product to treat wood intended for construction of those portions of beehives which may come into contact with the honey.
Do not use the product to treat wood intended for use where it may come into direct or indirect contact with drinking water for the public and domestic animals or live stock, except for those uses involving incidental contact such as docks and bridges.
Wood to be treated with this product should be cut to size before treatment. If it is necessary to saw or machine wood after treatment, wear goggles to protect your eyes from flying particles and a dust mask to avoid inhaling sand/dust from the treated wood. If any preservatives or sand/dust accumulate on clothes, launder before re-use. Wash work clothes separately from other household laundry.
Contact with treated surfaces should be avoided whenever after the product has dried. This product should not be used to treat wood which will be in frequent or prolonged contact with the skin, unless the wood will be treated with an effective sealer.

USE IN NON PRESSURE TREATMENT PLANTS

Spray applicators must wear protective clothing (including overalls, jacket, gloves, head covering, and boots) impervious to the wood treatment formulation and a respirator and goggles when spraying.
Individuals who enter areas or equipment that are contaminated with the wood treatment formulation (e.g. tanks that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves and boots) impervious to the wood treatment formulation and goggles and a respirator.
Applicators who apply creosote by other application process (e.g. brush-on) must wear disposable coveralls or other suitable impervious protective clothing.
Applicators must leave protective clothing and workshoes or boots and equipment at the plant.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water or wet areas. Do not discharge into lakes, ponds or public water unless in accordance with an NPDES permit. For more information, contact your Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not store near heat or open flame. Do not store above 100°F.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner not consistent with its labeling.

This product is approved for the use of pressure treatment of wood, for nonpressure treatment of wood, for groundline treatment of utility poles, and for home and farm use.

The product is a highly flammable liquid. Do not use for the treatment of wood in areas where there is a fire hazard. Do not use in areas where there is a fire hazard. Do not use in areas where there is a fire hazard. Do not use in areas where there is a fire hazard.

For some applications of treated wood, a sealer is required. Apply a sealer to the wood after treatment, spraying and brushing. The product should not be used until the sealer has dried.

Applicators must complete an EPA approved training program.
NOTE TO USER: As used on this label, the term "respirators" means any respirator which is NIOSH/NIOSH approved for polynuclear aromatics and organic vapors. Examples of acceptable respirable materials for protective clothing (e.g. gloves, overalls, head covering, jacket, and boots) required during application and handling of creosote are: polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Rubber).

STORAGE / END DISPOSAL

Do not contaminate water. Avoid contact with eyes and skin.

STORAGE

Store in original container, only. If container is damaged, do not use. Keep container closed when not in use. Do not move when open.

PESTICIDE DISPOSAL

Pesticide wastes are flammable and toxic. Do not use for any other purpose. Do not discharge into lakes, ponds or public water unless in accordance with an NPDES permit. For more information, contact your Regional Office of the EPA.

CONTAINER DISPOSAL

Type III (empty container). Then offer for recycling, reuse, or other purposes approved by state and local authorities.

FOR HOUSEHOLD DOMESTIC PRODUCTS

Severely damaged pesticide containers should not be reused for any other purpose and should be disposed of in accordance with local, state, and federal regulations.

TREATED WOOD DISPOSAL

Wood which has been treated with this product should not be disposed of by burial or ordinary trash disposal. Do not burn treated wood in an outdoor fire or in stoves or fireplaces. Do not cause toxic chemicals may be produced as part of the burning process.

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE
For use and use only by certified applicators or by persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

BL Coal Tar CREOSOTE

NOT REVISED
In Accordance with FR Notice 62-2,
Based on Draft Labeling Dated 4-15-75
Active Ingredient: 80.5% Creosote
Inert Ingredient: 1.5% Water
Total: 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Call a physician.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove to fresh air. Get medical attention.

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

Distributed By
Bernuth Lambcke Co., Inc.
Houston, Texas 77040

Establishment No. _____ EPA Registration No. 377-1

Net Contents: _____ U.S. Gallons

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS
& DOMESTIC ANIMALS**

DANGER

May be fatal if inhaled, ingested, or absorbed through skin. Causes skin and eye irritation. May cause severe burns. Do not get in eyes, on skin or on clothing. Do not breathe the vapors or spray mist. Use with adequate ventilation. Do not take internally. Wash thoroughly for skin contact, before eating, drinking, use of tobacco products, or using rest room.

GENERAL PRECAUTIONS

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process, manually opening/closing cylinder doors and handling freshly treated wood).

Protective clothing or work clothing must be changed when it shows signs of contamination. Dispose of worn-out clothing and workshoes or boots in a general landfill, in the trash or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during these parts of the application process that may expose them to the wood treatment formulation. Examples: manually opening/closing cylinder doors, moving trays out of cylinders, mixing chemicals, and handling freshly treated wood.

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using rest room.
Avoid inhaling vapors. Inhalation of vapors cannot be avoided. Appl. operators must wear a properly fitting, well-maintained half-mask canister or cartridge respirator which is MSDA/NIOSH approved for polynuclear aromatics and organic vapors.

PRESSURE TREATMENT

Individuals who manually open cylinder doors must wear gloves and a respirator.

Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with the wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves and boots) impervious to the wood treatment formulation and a respirator. Applicators must leave protective clothing and workshoes or boots and equipment at the plant.

GROUND LINE TREATMENT OF UTILITY POLES

Applicators must wear long sleeved shirts, long pants, and an impermeable apron during the application and moving process and all situations where dermal contact is expected.
Laundry work clothing separately from other household laundry.

HOME AND FARM USE

Spray applications in all uses: protective clothing (including overalls, jacket, gloves, head covering, and boots) impervious to the wood treatment formulation, and a respirator and goggles when spraying.
Applicators who apply creosote by other application process (e.g., brush-on) must wear long sleeved shirts, long pants and an impermeable apron. Laundry work clothing separately from other household laundry.

HOME AND FARM USE (Continued)

Do not apply where there are or may be contact with domestic animals or the stock, and where there may be contamination of food, feed, or drinking and irrigation water.

Do not apply in interiors. Do not apply to wood intended for use in interiors except for those support structures which are in contact with the soil in barns, stables, and similar uses and which are subject to decay or insect infestation. Interior surfaces of the treated wood should be sealed with top coats of an appropriate finish. Spatters may be applied at the installation site.

Do not apply creosote to wood intended for framing or brooding facilities. Do not apply creosote to wood intended to be used in the interiors of farm buildings where they may be direct contact with domestic animals or livestock which may crib (suckle) or lick the wood. Creosote may be used to treat wood intended to be used in interiors of farm buildings where domestic animals or livestock are unlikely to crib or lick the wood, if the boots of an approved booter will be applied. Booters may be applied at the installation site.

Do not apply to wood intended to be used in a manner in which the preservative may become a bio-burden of feed or animal feed. Examples of such uses would be structures or containers for storingilage or feed. Do not use this product to treat wood intended to be used for cutting boards or counter tops.

Do not use the product to treat wood intended for construction of those portions of buildings which may come into contact with the hands. Do not use this product to treat wood intended for use where it may come into direct or indirect contact with drinking water for the public and domestic animals or live stock except for those uses involving incidental contact such as decks and bridges.

Wood to be treated with this product should be cut to size before treatment. If it is necessary to saw or machine wood after treatment, wear goggles to protect your eyes from flying particles and a dust mask to avoid inhaling sawdust from the treated wood. If any preservatives or sandblast accumulates on clothes, launder before re-use. Wash work clothes separately from other household laundry.

Contact with treated surfaces should be avoided even after the preservative has dried. This product should not be used to treat wood which will be in frequent or prolonged contact with the skin unless the wood will be treated with an effective booter.

USE IN NON-PRESSURE TREATMENT PLANTS

Spray applications must wear protective clothing (including overalls, jacket, gloves, head covering, and boots) impervious to the wood treatment formulation, and a respirator and goggles when spraying.
Individuals who enter, clean or repair vats, tanks, or other related equipment that is contaminated with the wood treatment formulation (e.g., tanks that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves and boots) impervious to the wood treatment formulation, and a respirator and goggles.

Applicators who apply creosote by other application processes (e.g., brush-on) must wear disposable coveralls or other suitable impermeable protective clothing.
Applicators must leave protective clothing and workshoes or boots and equipment at the plant.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water or streams. Do not discharge into lakes, ponds or public water unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is approved for the use of pressure treatment of wood, for non-pressure treatment of wood, for preservative treatment of utility poles, and for fence and farm use.

This product is very effective for protecting the useful life of wood. Best results are achieved with a pressure treating process using AWWA approved methods (Shubert's spray, brush, or dipping method). For wood, the material to be treated should have a low moisture content to allow penetration of the preservative. When brush or spray methods, a second application may be desirable.

For some applications of treated wood, a sealer is required. Appropriate sealers would include urethane, epoxy, and shears.
This product should not be used until the entire Precautionary Statement is read.

Applicators must complete an EPA-approved training program.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSDA/NIOSH-approved for polynuclear aromatics and organic vapors. Examples of acceptable impermeable materials for protective clothing (e.g., gloves, overalls, head covering, jacket, and boots) required during application and handling of creosote are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Guth-4).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store in original container only. If container is damaged or leaking, contact the manufacturer.
Keep container closed while not in use. Do not move while open.

PESTICIDE DISPOSAL:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray material, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary land fill or by other procedures approved by state and local authorities.

FOR HOUSEHOLD DOMESTIC PRODUCTS:

Securely wrap original pesticide container in several layers of newspaper and discard in the trash. Do not reuse empty container.

TREATED WOOD DISPOSAL:

Wood which has been treated with this product should be disposed of by burial or ordinary trash collection. Do not burn treated wood in an outdoor fire or in stoves or in fireplaces because toxic chemicals may be produced as part of the smoke and ash.

BEST AVAILABLE COPY