

# READY TO USE...SEMI-CONCENTRATED


44

YELLOW

LABEL

a a

for use where foods are processed, prepared, served or stored



E078-OT 3PAGES

### DESCRIPTION

444 Insecticide contains piperonyl butoxide, pyrethrins and a highly refined base oil carrier. It is an effective, text-acting insecticide for control of roaches and many other injurious and annoying insects. 444 is highly useful for controlling exposed stages of stored grain and food products, industrial, institutional and household insect pests in ships holds, boxcars, mills, elevators, granaries, terminate bottling plants, dairies, food processing plants, terminate handling establishments, canneries, packing houses (must, poultry, fish.) bakeries, food markets, restaurants, stores, hotels, theatres, livestock barns, kennels, poultry holums and similar situations.

444 KILLS ON CONTACT THE EXPOSED OR ACCESSIBLE STAGES OF roaches site mish, piders, crickets, ants, mites, mosquitoes, grain mothe bridge, hornets, wasps, clover mites, clothes moths, carpet beetles, fleas, ticks, bedbucs, nouseflies, scapiernes, deernes, normflies,

## DIRECTIONS FOR USE

DO NOT USE OR STORE NEAR OPEN FLAME BEFORE USING THIS PRODUCT, FOOD SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. APPLY ONLY WHEN PLANT IS NOT IN OPERATION. DO NOT REMAIN IN AREA AFTER TREATING.

TO KILL ELIES, MOSOUITOES, GNATS AND CERTAIN OTHER FLYING PESIS - Close all doors, windows and turn off air conditioning and ventilating systems, and fill the area with a light mist, directing it toward ceiling. DO NOT REMAIN IN AREA AFTER TREATING, Allow area

to remain closed for 10 to 15 minutes, then ventilete and sweep up and dispose of fallen insects. Repeat treatment as necessary. The frequent spraying of breeding places, such as stagnant water, garbage and rubbish piles will also aid in controlling these pests.

STORED FOOD PRODUCTS INSECTS INCLUDING EXPOSED OR ACCESSIBLE STAGES OF rice granary weevil, confused flour beetle, cadelle, saw grain beetle, spider beetle, Mediterrariean flour Angoomols grain moth, meal worm, cigarette beetla. store beetle, grain mite - Spray floors, walls and parts in nour and feed mills, elevators, empty grain and feed boxcars, food warehouses and processing plants with sur ficient 444 to wet the surfaces. Pay particular attended cracks and corners where insects may be harbored. mulations of waste grain and dirt should be removed in treatment. Use 444 at the rate of 1 gallon per 750 inquire feet of surface to be treated. Also spray sacked grain and direct a light spray to hit all exposed ends, sides and the of stored bags. Spray unloading, handling and processing and and apply 444 to conveying, processing and handling ment such as inside of reel conveyors, purifier community sifters, roll housings and hoppers, pickup conveyor, etc. Spray thoroughly all areas where insects may be shelving, in storage cupboards, around refrigerators, sink and drainboard and into all cracks back of the woodwork. 444 will drive the insects out into the where they may be sprayed directly. Repeat treatment necessary.

CCEP-3-/6-

ED UNDER NO.

# 2078-01] 3 PAGES

#### 

### DIRECTIONS FOR USE

ROACHES, WATERBUGS, SILVERFISH, CRICKETS, SPYCERS, CLOVER MITES - Control of these pests obtained by spraying thoroughly all areas where insects may be hiding - under shelving, in storage cupboards, around refrigerators, back of sinks and drainboards, and in all cracks back of molding and woodwork, 444 will flush the insects out into the open where they may be spray 2 directly. Repeat treatment as necessary to prevent infestations.

TO KILL ANTS – Spray liberally in cracks and crevices about the infested area, around windows and door sills and frames, on pantry shelves, behind sink and drainboard, and wherever ants are seen. Spray freely their runways and where they enter the premises. Repeat treatment when ante ACCI gre seen.

CLOTHES MOTHS AND CARPET BEETLES - Tak special precautions to see that all cracks in the floors an openings below the back of baseboards are thoroughly wetted with 444. Clothing to be stored should be clean or aired, and sprayed thoroughly, paying particular atten tion to seams and under pleats and folds. Chests and vaulti Fungicipe AN should be sprayed thoroughly before being filled with may terials being stored. Articles not stored in tight containers. closets and wardrobes where clothing is hung, should be sprayed with 444 monthly. Spray rugs on both sides, and furniture uphoistery, to give them a temporary protective coating of 444. If the interior of furniture is infested, loosen upholstery sufficient to permit treatment of interior and spray padding and infested parts.

**BEDBUGS INFESTING PREMISES** – Apply 444 freely to -bud Warne's and springs, forcing the spray into all cracks and joints. Spray mattress and boxed springs on both sides, particularly along seams and under tufts. Also spray back of baseboards, moldings, picture frames, loose wall paper and other places where there are cracks for the bugs to hide.

UNDER THE F FOR E 0.10MI ED UNDER NO

**RED MITES AND BEDBUGS** infesting poultry houses and humaries may be combatted by directing a heavy wet spray into all cracks and crevices, and on floors, walls, roosts, nests and coops.

TO KILL FLEAS AND TICKS INFESTING PREMISES -Spray floors, cracks and around the edges of infested rooms and areas. Fleas lurk in carpets and upholstered furniture. Spray liberally in these areas for direct contact with these posts. Remove and destroy animals' bedding and apply 444 freely to their sleeping quarters, directing the spray into all cracks and crevices. CAUTION: DO NOT SPRAY ANIMAL PETS.

TO PROTECT CATTLE AND HORSES FROM HORM FLIES, HOUSEFLIES, STABLEFLIES, MOSOUTTOE CHEATS AND CENTAIN OTHER FLYING INSECTED Spray 444 once daily using 1 to 2 ounces per head, applied as a light mist.

BLOOD-BUCKING AND BITING LICE OF CATTLE -Apply uniformly 2 ounces of 444 to an adult animal and brush into the base of the hair. DO NOT repeat more often than once every three weeks. A single application is usually sufficient.