Indications: A routine cleansing shampoo to restore natural lustre to the coat of dogs and cats. Kills fleas, lice and ticks.

Caution: Do not treat kittens or puppies under 4 weeks of age.

Wash thoroughly after handling. For external use only. Harmful if swallowed or inhaled.

Do not reuse empty container. Rinse thoroughly with water and discard.

0 BEECHAM ENN. 37620

NDC 0029--3005 --

Directions: Thoroughly wet the entire hair-coat w is warm water and apply enough shampoo to make a lather and work incroughly into the hair-coat. For best effects, allow lather to remain in contact with the skin for five minutes or longer before rinsing. Use no more than once weekly. Do not allow to get into eyes or on scrotum.

.

EPA Reg. No. 2097-8 EPA Est. No. 02097TN01

DIRECTIONS FOR USE

CARZOL SP is completely soluble in water. Preparation of a premix or slurry before adding to the spray tank is not necessary. Add the desired amount of CARZOL directly to the spray tank $\frac{1}{2}$ full of water with the agitator running. Then add the remainder of the water.

NOTICE: CARZOL SP is not stable in alkaline water. Do not prepare the spray mixture until just before application. Do not prepare more spray mixture than will be used within 4 hours.

CROP	PEST	APPLICATION
ORANGES, LEMONS, TAMGERINES, TAMGELOS AND GRAPEFRUIT (California & Arizona only)	THRIPS	Use 8 oz. CARZOL SP per 100 gallons of water when thrips appear. Apply for outside coverage in 100 to 300 gallons of water per acre ($\frac{1}{2}$ to $\frac{1}{2}$ lbs. CARZOL SP per acre) depending on the size of the trees. For aerial application apply 1 to $\frac{1}{2}$ lbs. CARZOL SP per acre in a minimum of 10 gallons of water. Repeat application as needed.
ORANGES, LEMONS AND TANGERINES (California & Arizona only)	RED MITE	Use 8 oz. CARZOL SP per 100 gallons of water. Apply in a full coverage spray in 700 to 1000 gallons of water per acre :3½ to 5 lbs. CARZOL SP per acre) depending on the size of the trees.
ORANGES, LEMONS, TANGERINES AND GRAPEFRUIT (in Florida)	RUST MITE	Use 1 to 2 oz. CARZOL SP per 100 gallons of water, apply in full coverage spray. Use 7 to 20 oz. CARZOL SP per acre depending on the size of the trees. Repeat application as needed.
ORANGES, LEMONS, TANGERINES AND GRAPEFRUIT (in Texas)	RUST MITE	Use 2 to 4 oz. CARZOL SP per 100 gallons of water, apply in full coverage spray. Use 10 to 20 oz. CARZOL SP per acre depending on the size of the trees. Repeat application as needed.
APPLES AND PEARS	EUROPEAN RED MITE, TWO-SPOTTED MITE	Use 4 to 8 oz. CARZOL SP per 100 gallons of water. Apply in full coverage sprays in 400 to 800 gallons of water per acre 1 to 4 lbs. of CARZOL SP per acre) depending on the size of the trees and severity of the mite infestation. Repeat application as needed.
APPLES (Eastern U.S. and Michigan)	WHITE APPLE LEAFHOPPER	Use 2 to 4 oz. CARZOL SP per 100 gallons when leafhoppers appear. Apply by ground in full cover difute spray at 400 gallons per acre. For concentrate sprays, increase the concentration of CARZOL SP in the spray mixture so that the amount of CARZOL SP is ½ to 1 pound per acre in at least 50 gallons per acre. Repeat application as needed.
PEACHES AND NECTARINES (West Coast only)	TWO-SPOTTED MITE EUROPEAN RED MITE McDANIEL MITE	Use 4 oz. CARZOL SP per 100 gallons of water when mites appear. Apply by ground in full cover dilute spray at 400 to 500 gallons per acre. For concentrate spray increase the concentration so that the amount of CARZOL SP is 1 to 134 lbs per acre in at least 50 gallons of spray per acre. Repeat application as needed

ticensed by and Trademark* of Scheing Personal

IMPORTANT: READ BEFORE PURCHASE OR USE

Durchase or use of this product shall con-