

Front Panel

NDC 0029-3025-39

MYCODEX®

FLEA & TICK SPRAY

For rapid kill of fleas on dogs
and cats and ticks on dogs.

ACTIVE INGREDIENTS:

O-Isopropoxyphenyl methylcarbamate*.....0.25%

INERT INGREDIENTS99.75%

TOTAL100.00%

*U.S. Patent No. 3,111,539

This product contains the toxic inert
ingredient Methylene Chloride.

SOLD EXCLUSIVELY THROUGH VETERINARIANS

DANGER
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

AC
NOV 23 1987
EPA Reg. No. 247-9

Net Weight 15 oz

Manufactured for
BEECHAM
laboratories

DIV. OF BEECHAM INC., BRISTOL, TN 37620

Right Side Panel

DIRECTIONS FOR USE
Read entire label before using

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Hold container 6 to 10 inches from the animal and spray lightly over the entire body. Do not spray in eyes or on scrotum. For best penetration of spray to the skin, direct spray against the natural lay of the hair to cause fluffing of the coat.

Treat a 5 pound cat for 3-5 seconds or a 10 pound cat for 5-10 seconds. Apply enough to dampen hair and skin. Keep can in motion while spraying. Wet ticks thoroughly. Controls ticks for up to 1 week and fleas for up to 4 weeks. Treat a 15 pound dog for 10-20 seconds or a 24 pound dog for 20-30 seconds.

Repeat as necessary but not more often than once weekly.

MYCODEX FLEA & TICK SPRAY provides rapid kill of fleas on dogs and cats and of ticks on dogs. For more prolonged insect control, the animal's bedding should also be treated to help prevent re-infestation.

STORAGE AND DISPOSAL

STORAGE: Store at room temperature. Keep away from fire, sparks and heated surfaces.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

NOTICE - Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 2097-9

EPA Est. No. 10807-GA-1

Left Side Panel

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive, causes skin damage and eye irritation. Do not get in eyes, on skin, or on clothing. Wear rubber gloves when handling. Harmful if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Provide adequate ventilation in treatment area. Avoid contamination of food, utensils and food preparation areas. Wash thoroughly with soap and water after handling.

PRACTICAL TREATMENT: If on skin, wash thoroughly with soap and water. Remove contaminated clothing. If irritation persists, consult physician. If in eyes, flush with plenty of water. If irritation persists, consult physician. If ingested do not induce vomiting. Contact physician immediately. If inhaled, remove to fresh air.

TO PHYSICIAN: Large doses of active ingredient will result in cholinesterase depression. Atropine is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

PHYSICAL OR CHEMICAL
HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in use area. After use, relight pilot lights and reconnect electrical current. Do not smoke in use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

3