

NEW LABEL EPA REG. No. 2097-1⁰
Mycodex® '14' Pet Spray
Mycodex® SensiCare LA™ Long Acting Flea Spray

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES

PRECAUTIONS: Hazards to Humans and Domestic Animals

Caution

HUMAN: May cause eye irritation. Harmful if swallowed or inhaled. Avoid breathing mist. Avoid contamination of food. Wash hands thoroughly with soap and water after using.

ANIMAL: Do not use on cats. Do not use on puppies under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not oversaturate. Avoid spraying of genital areas.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not add directly to water. Do not apply where runoff is likely to occur. Do not contaminate water, food or feed by storage or disposal.

FIRST AID

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF SWALLOWED: Call physician or Poison Control Center.

IF ON SKIN: Wash with plenty of soap and water. See physician if irritation persists.

STORAGE AND DISPOSAL

STORAGE: Store in cool, dry area.

DISPOSAL: Do not reuse container. Rinse thoroughly and wrap container in several layers of newspaper and discard in trash.

EPA Est. No. 37425-FL-1

EPA Reg. No. 2097-19

Controls Fleas Up to 14 Days

Kills Flea and Ticks

A water-based flea and tick spray for puppies and dogs.

Effective for up to 14 days.

ACTIVE INGREDIENTS:

*Permethrin (3-phenoxyphenyl)methyl(±)cis/trans

3-(2,2-dichloroethenyl)-2,2

dimethylcyclopropanecarboxylate 0.25%

Pyrethrins 0.10%

**Piperonyl butoxide, technical 1.00%

INERT INGREDIENTS 98.65%

TOTAL 100.00%

*Minimum 35% (±) cis and maximum 65% (±) trans

**Equivalent to 0.8% butylcarbitol (6-propylpiperonyl) ether and to 0.2% of related compounds.

KEEP OUT OF REACH OF CHILDREN

Caution

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents 16 fl. oz. (473 mL)

Pfizer Animal Health

Exton, PA 19341

Div. of Pfizer Inc, NY, NY 10017

Questions or Comments

1-800-MYCODEX (692-6339)

Mon. to Fri. 8:30 am to 5:00 pm Eastern

DIRECTIONS FOR USE:
ON DOGS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover dog's eyes with hand and with a firm, fast stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips rub into face and around mouth, nose and eyes. Then spray neck, middle and hindquarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long-haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Reapply every 14 days.

DOG'S SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and local area of floors. Repeat as needed. The dog's bedding should be sprayed, making sure the area beneath the bedding is sprayed, too. After spray has dried, remove old bedding and replace with fresh bedding. Treat dogs with one of our registered flea and tick control products before allowing them to enter treated area.

This product is restricted for sale exclusively through veterinary clinics, practices and hospitals.

Sold exclusively through veterinarians

