

NOTICE: AFTER EACH USE CLOSE CONTAINER TIGHTLY TO PRESERVE STRENGTH

# EMCO

## FLY BAIT

Contains DDVP

ACTIVE INGREDIENT	% By Wt.
2,2-Dichlorovinyl dimethyl phosphate	0.93
Related Compounds	0.07
INERT INGREDIENTS	99.00
	100.00

**WARNING:** KEEP OUT OF REACH OF CHILDREN  
See side panel for additional precautions

STORE IN COOL, DRY PLACE

Manufactured For

**EMPIRE CHEMICAL COMPANY**

715 LAMAR STREET • LOS ANGELES, CALIF. 90031

Phone (213) 225-4186

Net Contents

EMCO FLY BAIT is especially formulated to kill flies FAST and to provide longer residual fly control. Flies die within seconds after contacting or feeding on a particle of bait. The same bait particle may kill many flies before it loses its effectiveness. Treat only small areas where flies are a problem. 1 lb. covers 4,000 square feet.

**DIRECTIONS:** READ ENTIRE LABEL BEFORE USING. USE ONLY AS DIRECTED.

**PATIOS, DOG RUNS** — Outside use only. Scatter EMCO FLY BAIT lightly on surface areas where flies congregate. Use at the rate of 4 oz. (1/4 lb.) per 1500 square feet. Can be used on dry or slightly moistened surfaces. Repeat as necessary. Repeated use will help to keep fly population below nuisance level.

**GARBAGE CANS** — Apply lightly around and inside garbage can. Repeat as necessary.

**RESTAURANTS, DRIVE-INS, ICE CREAM STANDS, DOG KENNELS, OUTDOOR LATRINES, COMPOST AREAS, FOOD PROCESSING PLANTS, CANNERIES, EATING AREAS** — Outdoor use. Sprinkle EMCO FLY BAIT lightly on floors, walks, alley ways, and other horizontal surfaces where flies frequent. Repeat as necessary.

**DAIRY BARNs, STABLES, LIVESTOCK BARNs** — Clean out manure and apply EMCO FLY BAIT on clean floor areas or empty burlap sacks in areas frequented by flies. Treat areas outside barns where flies congregate. Use 4 oz. (1/4 lb.) per 1,000 sq. feet of area to be treated and repeat as necessary to reduce fly population.

**WARNING:** May be fatal if swallowed, inhaled or absorbed through skin. Induce vomiting if swallowed. Avoid prolonged or repeated contact with skin; wash thoroughly after using. Avoid contamination of feed or foodstuffs. Keep out of reach of children, poultry and domestic animals. Do not use inside homes or where milk is stored or processed. This product contains organic phosphate which is a cholinesterase inhibitor and if poisoning should occur, CALL A PHYSICIAN IMMEDIATELY! ATROPINE IS ANTIDOTAL  
USDA Reg. No. 2098-21