

PM 19

2098-27

1041

ACCEPTED**FEB - 8 1993**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2098-27

SLAYZ RESIDUAL SPRAY

FOR COMMERCIAL, INDUSTRIAL,
AND INSTITUTIONAL USE ONLY -
NOT FOR HOMEOWNER USE

THIS PRODUCT DRIVES INSECTS FROM THEIR HIDING
PLACES, GIVES RAPID KILL AND LONG RESIDUAL
ACTIVITY. INSECT-KILLING POWER LASTS FOR WEEKS

ACTIVE INGREDIENTS:
o-ISOPROPOXYPHENYL METHYL CARBAMATE 1.11%
INERT INGREDIENTS: 98.89%
TOTAL: 100.00%

THIS PRODUCT CONTAINS PETROLEUM
E. P. A. EST. NO. 2098-27-CA-1
EPA REG. NO. 2098-27

KEEP OUT OF REACH OF CHILDREN
CAUTION

PHYSICAL OR CHEMICAL HAZARD:
DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME
(SEE SIDE PANEL FOR ADDITIONAL CAUTIONS)

DIRECTIONS FOR USE
IT IS A VIOLATION OF FEDERAL LAW

TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING
APPLY WITH A LOW-PRESSURE SPRAYER EQUIPPED WITH A COARSE SPRAY NOZZLE.
SPRAY SURFACE ONLY UNTIL WET. DO NOT APPLY THIS PRODUCT USING A TRIGGER
PUMP SPRAYER. AVOID EXCESSIVE RUN-OFF. DO NOT USE IN COMMERCIAL FOOD
PROCESSING AREAS ANY EXPOSED FOOD PRODUCTS, EQUIPMENT, OR PACKAGING
MATERIALS MUST BE REMOVED OR COVERED BEFORE SPRAYING. RINSE ALL
EQUIPMENT WITH WATER BEFORE RESUMING OPERATIONS. TREAT FOOD PROCESSING
PLANTS EARLY IN THE SEASON BEFORE CANNING OR OTHER PROCESSING BEGINS.
REPEAT APPLICATIONS, IF NECESSARY, WHEN PLANT IS NOT IN OPERATION. SPRAYING
UNLOADING DOCKS AND OUTSIDE AREAS WHERE INSECTS CONGREGATE WILL AID IN
PREVENTING RE-INFESTATION. GOOD SANITATION AND PROPER DISPOSAL OF WASTES
IS ESSENTIAL IN ANY EFFECTIVE INSECT CONTROL PROGRAM. DO NOT USE AS A SPACE
SPRAY. PROVIDE ADEQUATE VENTILATION OF AREA BEING TREATED.

COCKROACHES - THOROUGHLY TREAT THE INFESTED AREA. SPRAY BASEBOARDS,
CRACKS AND CREVICES, AROUND WINDOW AND DOOR FRAMES; THE UNDER SURFACES
OF SHELVES, DRAWERS AND WORK TABLES; BEHIND AND BENEATH CABINETS,
REFRIGERATORS, SINKS AND STOVES; IN AND AROUND WASTE CONTAINERS, SWITCH
PANELS, JUNCTION BOXES, FLOOR DRAINS AND OTHER INFESTED AREAS.

ANTS - APPLY TO TRAILS AND PLACES WHERE ANTS ENTER PREMISES SUCH AS WINDOW
AND DOOR SILLS. SPRAY HILLS AND RUNWAYS OUTDOORS.

SILVERFISH, FIREBRATS AND PAPERLICE - APPLY TO LOCALIZED INFESTED AREAS
CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS
AND SPIDERS - THOROUGHLY SPRAY THE INTERIOR AND EXTERIOR PERIMETER OF THE
INFESTED PREMISES. FOR CLOVER MITES GIVE SPECIAL ATTENTION TO WINDOW SILLS.

FLIES, GNATS, MOSQUITOES, PUNKIES AND SANDFLIES (OUTDOORS ONLY) -
SPRAY INFESTED AREAS THOROUGHLY INCLUDING OUTSIDE SURFACES OF SCREENS,
DOORS, WINDOW FRAMES, FOUNDATIONS, PATIOS AND OTHER INSECT ENTRANCE
AREAS.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. BIRDS FEEDING IN TREATED AREAS
MAY BE KILLED. DO NOT APPLY DIRECTLY TO WATER. DO NOT CONTAMINATE WATER
BY CLEANING OF EQUIPMENT OR DISPOSAL OF EQUIPMENT WASHWATERS.

ONE GALLON

**PRECAUTIONARY STATEMENTS: HAZARDS TO
HUMANS AND DOMESTIC ANIMALS**

**CAUTION: HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. AVOID
BREATHING SPRAY. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING.**
DO NOT ALLOW CHILDREN TO CONTACT TREATED AREAS UNTIL SURFACES ARE
THOROUGHLY DRY. DO NOT STORE NEAR FEED OR FOOD PRODUCTS. AVOID
CONTAMINATION OF FEED, FOOD, FOOD PROCESSING EQUIPMENT, AND FOOD
HANDLING SURFACES. DO NOT APPLY TO ANIMALS. REMOVE PETS AND COVER FISH
BOWLS BEFORE SPRAYING. DO NOT SPRAY PLANTS.

STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH IF
VICTIM IS UNCONSCIOUS OR CONVULSING. IMMEDIATELY CONTACT THE POISON
CONTROL CENTER OR PHYSICIAN.**

**IF INHALED: MOVE VICTIM TO FRESH AIR. PROVIDE ARTIFICIAL RESPIRATION IF
NECESSARY. CONTACT PHYSICIAN.**

IF IN EYES: IMMEDIATELY, RINSE WITH PLENTY OF WATER. CONTACT PHYSICIAN.

**IF ON SKIN: WASH AFFECTED AREA WITH WATER. IF IRRITATION PERSISTS CONTACT
PHYSICIAN.**

NOTE TO PHYSICIAN: ATROPINE SULFATE IS ANTIDOTAL. DO NOT GIVE MORPHINE.

STORAGE AND DISPOSAL

**STORAGE: STORE IN A COOL, DRY PLACE OUT OF DIRECT SUNLIGHT. PERIODICALLY
INSPECT STORED MATERIALS. PROVIDE LOCAL VENTILATION. DO NOT CONTAMINATE,
FOOD, OR FEED BY STORAGE AND DISPOSAL.**

**IN CASE MATERIAL IS SPILLED: EVACUATE AREA AND PROVIDE MAXIMUM
VENTILATION. CLEANUP PERSONNEL SHOULD WEAR PROPER PROTECTION TO AVOID
EXPOSURE WITH MATERIAL. ABSORB WITH AN INERT MATERIAL. PUT MATERIAL IN
CLOSED CONTAINER. COVER AREA WITH CAUSTIC SODA. ALLOW TO SOAK ONE HOUR.
WASH WITH WATER AND SCRUB DETERGENT.**

**DISPOSAL: FOR PLASTIC ONE OR FIVE GALLON CONTAINERS: DO NOT REUSE EMPTY
CONTAINER. WRAP CONTAINER AND PUT IN TRASH. FOR METAL 15, 30, AND 55 GALLON
DRUMS: TRIPLE RINSE (OR EQUIVALENT). THEN OFFER FOR RECYCLING OR
RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL, OR BY
OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES.**

**NOTE: PESTICIDE WASTES ARE TOXIC. IMPROPER DISPOSAL OF EXCESS PESTICIDE, SPRAY
MIXTURE, OR RINSE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT
BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE
PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR THE HAZARDOUS WASTE
REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE. DISPOSE OF
WASTES IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS.**

BEST AVAILABLE COPY

11/17/92