USE DIRECTIONS:

Use at 2 ounces per gallon. Use a measuring cup graduated in ounces. This product will provide 500 ppm quaternary to the use solution. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing. If a pseudomonicidal product is required, then 3 ounces per gallon will be required.

For heavy soil, a precleaning step is recommended, before using SC-10.

For best results, use SC-10 with a CLEANER cloth or mop and apply to walls, DEODORANT floors, and other hard surfaces. If used for sanitizing food equipment or other food contact items, limit the level to 200 ppm of quarternaries (0.8 ounces per gallon).

When used as directed, SC-10 will deodorize those areas which generally are hard to keep fresh-smelling, such as GARBAGE PAILS, SINK TOPS, and BATHROOM AREAS which are prone to odors caused by the growth of some microorganisms. Rinse empty container thoroughly with water and discard it.



SC-10

DISINFECTANT FUNGICIDE

ACTIVE INGREDIENTS:	In case of contact, immediately flush eyes or skin with plenty of
Alkyl (60% C14, 30% C18, 5% C12, 5% C18) climethyl benzyl am-	water for at least 15 minutes. For
monium chlorides 1.6% Alkyl (68% C12, 32% C14)	eyes, call a physician. Remove and wash all contaminated clothing be-
dimethyl ethylbenzyl ammonium	fore reuse. If swallowed, do not in-
	duce vomiting. Drink large quanti-
Boulum our boulde	ties of fluid, and call a physician immediatel <i>r</i> .
INERT INGREDIENTS:	PHENOL COEFFICIENTS:
100.0%	S. aureus 28

E.P.A. REG. NO. 2098-28 MANUFACTURED BY EMPIRE CHEMICAL COMPANY 715 LAMAR ST.,

NET CONTENTS

PHONE 225-4186

SC-10 is a cleaner, disinfectant and sanitizer designed for use in Hospitals, Institutions, Food Processing Plants, Public Buildings, Schools, Factories, Theatres, Airplanes, Busses. SC-10 is recommended for use on hard surfaces such as walls, floors, table tops, sinks and toilet bowls.

WARNING

KEEP OUT OF REACH OF CHILD-

REN. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

18 S. typhosa

LOS ANGELES, CALIF. 90031

USE DIRECTIONS:

Use at 2 ounces per gallon. Use a measuring cup graduated in ounces. This product will provide 500 ppm quaternary to the use solution. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing. If a pseudomonicidal product is required, then 3 ounces per gallon will be required.

For heavy soil, a precleaning step is recommended, before using SC-10. For best results, use SC-10 with a CLEANER cloth or mop and apply to walls, floors, and other hard surfaces. If used for sanitizing food equipment or other food contact items, limit the level to 200 ppm of quarternaries (0.8 ounces per gallon). When used as directed, SC-10 will deodorize those areas which generally are hard to keep fresh-smelling, such as GARBAGE PAILS, SINK TOPS, and BATHROOM AREAS which are prone to odors caused by the growth of some microorganisms.



SC_{-10}

DISINFECTANT DEODORANT FUNGICIDE

ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5%	C 18)
dimethyl benzyl am-	
monium chlorides	1.6%
Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium	
chlorides	1.6 %
Sodium Carbonate	3.0%

E.P.A. REG. NO. 2098-28 MANUFACTURED BY EMPIRE CHEMICAL COMPANY 715 LAMAR ST.

NET CONTENTS

Rinse empty container thoroughly

with water and discard it.

PHONE 225-4186



SC-10 is a cleaner. disinfectant and sanitizer designed for use in Hospitals, Institutions, Food Processing Plants, Public Buildings, Schools, Factories, Theatres, Airplanes, Busses. SC-10 is recommended for use on hard surfaces such as walls, floors, table tops, sinks and toilet bowls.

WARNING

KEEP OUT OF REACH OF CHILD-

REN. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes cr skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and 1.6% wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quanti-1.6% 3.0% ties of fluid, and call a physician immediatel r. PHENOL COEFFICIENTS:

- 100.0%
- S. aureus 28
- S. typhosa 18

LOS ANGELES, CALIF. 90031