

NACO

NACO

EPA NO. 2124-11


MAY CAUSE IRRITATION OF EYES, NOSE, THROAT AND SKIN. AVOID BREATHING DUST. AVOID CONTACT WITH EYES, SKIN OR CLOTHING.

In case of contact, flush with plenty of water. For eyes, get medical attention.

This product is toxic to fish. Keep out of lakes, streams, and ponds. Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes, or by burning (Keep out of smoke).

DIRECTIONS FOR USE

TOBACCO PLANT BEDS: To control blue mold begin application when plants are about the size of a dime or when blue mold is first reported in the area. Dust regularly twice a week—increasing to three applications per week during active Blue Mold weather. Repeat applications immediately after rain.



FERBAM DUST

| | | |
|--|-------|--------|
| ACTIVE INGREDIENT: | | By Wt. |
| Ferbam (Ferric dimethyl dithiocarbamate) | | 11.4% |
| INERT INGREDIENTS: (Pyrophyllite) | | 88.6% |
| | TOTAL | 100.0% |

**CAUTION
KEEP OUT OF REACH OF CHILDREN**

(See side panels for additional cautions)

W. R. GRACE & CO.
AGRICULTURAL CHEMICALS
MEMPHIS, TENNESSEE

Amarillo, Tex. • Baltimore, Md. • Cary, N.C. • Charleston, S.C. • Columbus, Ohio • Ft. Pierce, Fla. • Henry, Ill. • Joplin, Mo. • Lansing, Mich.
Nashville, Tenn. • New Albany, Ind. • Ames, Iowa

NET WEIGHT 25 POUNDS

DIRECTIONS Continued—

During normal season, eight to twelve dustings are required. Dusting should be continued until plants are in the field. Spots where Blue Mold has already developed should receive heavier applications. Apply with adequate dusting equipment at the rate of 1 lb. per 100 sq. yds. per application, when the plants are small—increasing to 3 lbs. per 100 sq. yds. per application, when plants are large. Consult your State Agricultural Experiment Station or your State Agricultural Extension Service for additional information consistent with this label cautions and directions.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.