

RESTRICTED USE PESTICIDE

For retail sale, this product must be sold to the buyer by a person who is licensed or otherwise authorized by the state to sell restricted use pesticides, and the buyer must be properly informed of the restrictions on the use of this product.

AMAZE™ 20% Granular

INSECTICIDE

FOR CONTROL OF CERTAIN
INSECTS INFESTING CORN

ACTIVE INGREDIENT

1-Methyl-2-methyl-2-phenyl-2-propanolamine hydrochloride 20

INERT INGREDIENTS

U.S. Patent No. 3,271,862
U.S. Patent No. 3,271,863

AMAZE 20% Granular is a restricted use pesticide. It is not to be used in a manner inconsistent with the label directions.

STOP - READ THE LABEL BEFORE USE

Keep out of reach of children

WARNING

See Side Panel for Statements of Product Characteristics and Other Precautionary Statements

ACCEPTED

JUN 3 1981

U.S. Patent No. 3,271,862
U.S. Patent No. 3,271,863
EPA Reg. No. 2125-334



Möbäy Chemical Corporation
Agricultural Chemicals Division
Box 4913 Hawthorn Rd.
Kansas City, MO 64120

THE DIRECTIONS ON THIS LABEL WERE DEVELOPED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED, OTHER CROPS, ANIMALS, MAN OR THE ENVIRONMENT. MÖBÄY AND THE SELLER OFFER, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MÖBÄY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

AMAZE 20% Granular insecticide controls major species of corn rootworm and other soil-borne pests attacking corn when used as directed.

RECOMMENDED APPLICATION

CROP	PEST	DOSAGE AMAZE 20% G	REMARKS
Corn	Rootworms	100	FOR APPLICATION AT PLANTING Place the granules in a 7-inch band behind the planter shoe directly in front of the press wheel. See NOTE below. FOR APPLICATION AT CULTIVATION (BASAL) Apply as a side dress treatment to 1-1 1/2 inches on both sides of the row after emergence. For maximum incorporation into the soil, drop the granules directly in front of the cultivating equipment. Consult your local Agricultural Extension Service for the proper timing of cultivation applications. See NOTE below. NOTE Make only one application per season, either at planting or at cultivation. See Crop Rotation Recommendations on this label. Do not use for forage, fodder or ensilage or harvest fresh corn, including sweet corn or corn grain within 75 days of application. Cover or incorporate granules which are spread during loading and which are visible on soil surface in turn areas.
	White grub	100	

POUNDS OF AMAZE 20% Granular
TO APPLY PER ACRE USING VARIOUS ROW SPACINGS

Row Spacing	40"	38"	36"	32"	30"
Pounds Acre	5.4	5.1	4.8	4.1	3.6

The following calibration chart has been developed to provide suggested settings on the listed equipment. In order to adequately ensure accurate application, the amount of AMAZE 20% Granular specified per 1000 feet of row on the label should be weighed with an appropriate scale.

Granular applicator settings

Granular applicator	Setting to deliver 6 oz. 1000 feet of row	
	At 5 mph	At 8 mph
Gandy	20	24
New Noble	10	15
Old Noble	14	21
International Harvester	1.9	2.6
Allis Chalmers	5	5
New John Deere	16	24
Old John Deere	1.29	2.11