

NACO

NACO

SEVIN* - PARATHION 10-1 DUST

USDA REG. NO. 2124-364

DANGER


Keep Out of the Reach of Children



POISON



ACCEPTED
 1-27-72
 2124-364
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND MITICIDE ACT
 FOR ECONOMIC PEST CONTROL
 SUBJECT



ACTIVE INGREDIENTS:

1-naphthyl N-methylcarbamate)	10%
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)	1%
INERT INGREDIENTS.	89%
TOTAL	100%

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN! DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WEAR NATURAL RUBBER GLOVES, PROTECTIVE CLOTHING AND GOGGLES. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and hot water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

ANTIDOTE: Atropine is an antidote. Consult physician for emergency supply. For symptoms or poisoning (blurred vision, abdominal cramps and tightness in chest) give 2 atropine tablets (each 1-100 grain) at once. See a physician.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of dust from areas treated. Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be decontaminated with alkali (such as washing soda or lime or household lye) before disposal of containers.

*Trademark of Union Carbide Corporation for 1-naphthyl N-methylcarbamate U.S. Pat. Nos. 2,903,478; 3,009,855.

DIRECTIONS FOR USE

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL.

TOBACCO: For control of hornworms, budworms, aphids, flea beetles, buckfly, grass hoppers and Japanese beetles apply 15 to 25 pounds broadcast per acre depending on size of the plants. Use the highest rate only on large plants. Full coverage is essential. Begin treatment when worms are small and repeat as needed. Heavier applications may cause plant injury. Field applications of parathion dust should be made only with power dusting equipment.

NOTE: If late applications are necessary, treat immediately after pruning. Do not apply within 5 days of pruning or 15 days of cutting. Workers entering a treated field within 5 days of an application should wear protective clothing. Avoid getting wet with plant juices when cutting the crop.

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following application.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

W.R. GRACE & CO.
 AGRICULTURAL CHEMICALS
 MEMPHIS, TENNESSEE

Cary, N. C. • Charleston, S. C. • Columbus, Ohio • Ft. Pierce, Fla. • Baltimore, Maryland • Lansing, Mich. • Nashville, Tenn. • New Albany, Ind. • Perry, Iowa

NET WEIGHT POUNDS