

Wondergro.

RECOMMENDED
Mar. 1, 1972

3124/60

Turf Fungicide

GENERAL DIRECTIONS

Turf Fungicide is a combination of two excellent fungicides that with proper application will prevent or control lawn diseases such as Leaf spot (*Helminthosporium*), Dollar spot, Brown patch, Curvularia, Copper spot and Snow mold in turf grasses (Non-stressed Bluegrass, Bents, Fescues and Zoysia). Do not graze treated areas. Do not feed clippings to livestock.

DIRECTIONS FOR USE

Prevention Rate - Contents of this bag applied to 5,000 sq. ft.
Double Rate - Contents of this bag applied to 2,500 sq. ft.
Do not water or mow lawn area for 24 hours after application. Application will be more effective if made in the early morning when dew is on the grass. Repeat treatments are necessary until fungus diseases disappear. Apply contents of this bag to 5,000 sq. ft. for prevention rate and at double rate (contents of bag to 2,500 sq. ft.) if fungus diseases have already infested lawn area.

SPRING CONTROL

Application should be made immediately at a double rate (contents of this bag applied to 2,500 sq. ft.) if no disease treatments have been made and Dollar spot or Leaf spot have invaded lawn area. For a prevention program against these diseases apply Lawn Fungicide soon after the second mowing in the Spring and repeat every 7 to 10 days for a minimum of five (5) times. This program will prevent fungus activity of Dollar spot and Leaf spot which may kill good grasses.

SUMMER CONTROL

Apply immediately at double rate if Brown patch or Curvularia disease is active in lawn area. Prevention of these diseases may be obtained by an application of Lawn Fungicide every 7 to 10 days during the hot humid months.

FALL CONTROL

Prevent infection of Dollar spot and Copper spot with preventative rate. Make applications at 7 to 10 day intervals during the period of cooler nights.

SNOW MOLD CONTROL

Apply at double rate in the late fall, before the first snowfall and repeat again at double rate in January thaw or as soon as snow melts in the spring.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

SPREADER SETTINGS

Be sure your spreader is properly calibrated so that the Wonder Gro Product is applied according to directions. Also, walk at a normal pace. Too slow or too fast a pace means uneven distribution of product on the lawn.

SPREADERS	SETTING
LAWN BEAUTY	5
SCOTT	6
JACKSON	6
CYCLONE	4½

NOTE:

Consult your dealer for other spreaders and their settings.



... apply Lawn Fungicide soon after the second mowing in the Spring and repeat every 7 to 10 days for a minimum of five (5) times. This program will prevent fungus activity of Dollar spot and Leaf spot which may kill good grasses.

SUMMER CONTROL

Apply immediately at double rate if Brown patch or Curvularia disease is active in lawn area. Prevention of these diseases may be obtained by an application of Lawn Fungicide every 7 to 10 days during the hot humid months.


FALL CONTROL

Prevent infection of Dollar spot and Copper spot with preventative rate. Make applications at 7 to 10 day intervals during the period of cooler nights.

SNOW MOLD CONTROL

Apply at double rate in the late fall, before the first snowfall and repeat again at double rate in January thaw or as soon as snow melts in the spring.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



WONDER GRO. Complete Lawn Care Program

WHEN AND HOW TO USE "WONDER GRO" PRODUCTS—Follow directions for best results

PRODUCT	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
X-IT	X	OR X	OR X					
GREEN	X	X	X	X	X	X	X	X
TRIPLE DUTY		X	OR X	OR X	OR X		X	OR X
LAWN WEEB KILLER		X	OR X	OR X			X	OR X
TURF FOOD	X	X	X	X	X	X	X	X
SUMMER GREEN				X	X	X		
GARDEN PRIME		X	X	X	X	X		
NURISH		X	X	X	X	X		

"X-IT"—Combines a complete lawn fertilizer, and a fungicide preventive.
"GREEN"—A high nitrogen lawn fertilizer rich in iron. Non-burning, imparts a rich dark green color to turf.
"TRIPLE DUTY"—A high nitrogen lawn fertilizer containing weed killers controlling 29 lawn weeds.
"LAWN WEEB KILLER"—Complete weed killer in dry form.

"TURF FOOD"—A good all purpose lawn fertilizer for all grasses.
"SUMMER GREEN"—42% Urea Nitrogen—essential plant food for lawns, trees, shrubs. Supplemental feeding to keep dark green color—excellent for all lawns.

"GARDEN PRIME"—New high potash garden fertilizer, produces outstanding flowers - vegetables - tulips, hydrangea, gladioli.
"NURISH"—Use when planting annuals - perennials - trees - roses - shrubs. Use every 2-3 weeks during growing season.

COVERS 5000sqft | \$6.95

NET WEIGHT 10 LBS



Wondergro®

GRACE

ACCEPTED
MAR 1 1972
UNDER THE FEDERAL INSECT, AC
FUNGICIDE AND FUNGICIDE USE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 1124-1000001
TO ATTACHED COMMENTS

Turf

Fungicide

Fungicide

INGREDIENT STATEMENT

ACTIVE INGREDIENTS:

Thiram (Tetramethylthiuram disulfide) 5.00%
Cadmium Chloride* 0.75%

INERT INGREDIENTS: 94.25%

TOTAL 100.00%

*Total Cadmium 0.75%

EPA REG. NO. 2124-760

WARNING!

KEEP OUT OF REACH OF CHILDREN
(See back panel for additional warnings and directions)

MAY BE FATAL IF SWALLOWED. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. MAY CAUSE SKIN IRRITATION. DO NOT BREATHE DUST.

Consumption of alcoholic beverages increases the possibility of harm. Wash thoroughly after handling and before eating or smoking.

INTERNAL: If swallowed, give raw white of egg and induce vomiting with a mixture of salt, soap or mustard in warm water. Call a physician at once. In case of contact, wash immediately with soap and water. Wash all contaminated clothing with soap and hot water before re-use. Keep children and domestic animals off treated area.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor runoff from area treated. Dispose of bags immediately after use. Do not re-use bags.

FORMULATED FOR

W.R. GRACE & CO., A. S. MONTANA CHEMICALS CO., INC., HELEN, MONTANA, U.S.A.