

WONDER GRO

PRE-EMERGE

CAUTION

Mix with water before use. Do not use on lawns seeded the previous fall. Do not use on lawns seeded the previous spring. Do not use on lawns seeded the previous summer. Do not use on lawns seeded the previous winter.

CONVENIENT & ECONOMICAL

One spray the size of a 10-gallon bucket covers 1/2 acre. This product will kill crabgrass before it starts to grow. It is also effective against other weeds such as Bermuda, St. Augustine and centipede grasses when applied as directed.

PRECAUTION:

Do not apply in spring to bluegrass seeded the previous fall. Do not apply to bentgrass turfs or athletic fields or newly sprigged areas of Bermuda, St. Augustine or centipede grasses.

WHEN TO APPLY:

Apply PRE-EMERGE CRABGRASS KILLER in the spring before crabgrass germinates. Reseeding should be delayed for 4 weeks after application.

HOW TO APPLY:

It is important that PRE-EMERGE CRABGRASS KILLER be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over apply or under apply. The contents of one bag should be applied for every 5000 sq. ft. of lawn area (if your lawn is 50 ft. x 100 ft. = 5000 sq. ft.). If your lawn is less than 100 ft. x 100 ft., the contents of one bag are sufficient.

1. Spread one half of the required amount of product over the lawn at a steady rate in one direction.
2. Spread the other half of the required amount over the same lawn in a different direction or at right angles to the first application. This minimizes skips and overlaps, insures full coverage, and prevents any stopping or stopping after the spreader gate should be closed.

SPREADER SETTINGS

Rate of application is 1/2 lb. per 1000 sq. ft. of lawn area. Rate as directed above. Use the following spreader settings when applying. Settings may vary with type and condition of spreader.

SPREADER	SETTING
Seas	4 1/2
Lawn Beauty	5 1/2
Jackson Model 25CF26	5 1/2
Modern	3
Ace (dial on hopper)	4
Scott models 35 J & 35 B	4 1/2

NOTICE: Follow directions carefully. Type and method of application, weather and temperature measures will affect the effectiveness of the product. Do not use on lawns that are heavily shaded or on lawns that are heavily mowed. Do not use on lawns that are heavily fertilized. Do not use on lawns that are heavily irrigated. Do not use on lawns that are heavily watered. Do not use on lawns that are heavily mowed. Do not use on lawns that are heavily fertilized. Do not use on lawns that are heavily irrigated. Do not use on lawns that are heavily watered.

FIRST DOCUMENT AVAILABLE

32



2124-763
ACCEPTED
APR 2 1972
UNDER THE PROVISIONS OF THE FEDERAL AND STATE FOOD, DRUG AND COSMETIC ACTS FOR ECONOMY OF STORAGE AND DISTRIBUTION OF THIS PRODUCT TO THE CONSUMER

WHEN AND HOW TO USE "WONDER GRO" PRODUCTS—Follow directions for best results


PRODUCT	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
2-4	X	X	X	X	X	X	X	X
GREEN	X	X	X	X	X	X	X	X
TEMP DUTY		X	X	X	X	X	X	X
LAWN WEED KILLER		X	X	X	X	X	X	X
TURF FOOD	X	X	X	X	X	X	X	X
SUMMER GREEN				X	X	X	X	X
GARDEN PRIME		X	X	X	X	X	X	X
PERMANENT			X	X	X	X	X	X

2-4—Combines a complete lawn fertilizer, and a crabgrass preventer.
GREEN—A high nitrogen lawn fertilizer rich in iron. Iron feeding imparts a rich dark green color to turf.
TEMP DUTY—A high nitrogen lawn fertilizer containing weed killers controlling 30 lawn weeds.
LAWN WEED KILLER—Complete weed killer to dry lawn.
TURF FOOD—A good all purpose lawn fertilizer for all grasses.
SUMMER GREEN—475 Iron Nitrogen—essential plant food for lawns, trees, shrubs. Supplemental feeding to keep dark green color—excellent for all lawns.
GARDEN PRIME—New high potash garden fertilizer, produces outstanding flowers - vegetables - tulips, hydrangeas, gladioli.
PERMANENT—Use when planting annuals - perennials - trees - roses - shrubs. Use every 3-6 weeks during growing season.

33

524-763

ACCEPTED
Mar. 3, 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTE-
RED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.





Wonder Gro.

PRE-EMERGE

CAUTION:

May be harmful if swallowed. Avoid contact with skin or eyes. Avoid breathing dust. Avoid contamination of foodstuffs or feeds. Wash thoroughly with soap and water after using.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

CONVENIENT & ECONOMICAL

One springtime application saves time, work and money. This product will not damage established Bluegrass (perennial), Ryegrass (perennial), Fescue, Zoysia, Bermuda, St. Augustine and Centipede grass turfs when applied as directed.

PRECAUTION:

Do not apply in spring to bluegrass seeded the previous fall.

Do not apply to bentgrass turfs or dichondra, or to newly sprigged areas of Bermuda, St. Augustine, or centipede grasses.

WHEN TO APPLY:

Apply PRE-EMERGE CRABGRASS KILLER in the spring before crabgrass germinates. Reseeding should be delayed for 6 weeks after application.

HOW TO APPLY:

It is important that PRE-EMERGE CRABGRASS KILLER be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. The contents of one bag should be applied for every 5000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. = 5000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft.), 2 bags are sufficient.


1. Spread one-half of the required amount for your lawn, moving at a steady rate in one direction.
2. Spread the other half of the required amount over the same area moving across or at right angles to the first application. (This minimizes skips and overlaps, insures good coverage.) When turning or stopping spreader, spreader gate should be closed.

SPREADER SETTINGS

The settings listed below are calculated to apply PRE-EMERGE CRABGRASS KILLER at one half rate, as directed above. Check application rate of your spreader before applying. Settings may vary with type, age and condition of spreader.

SPREADER	SETTING
Sears	4 1/2
Lawn Beauty	5 1/4
Jackson Model 20CP26	5 1/2
Modern	3
Ace (dial on hopper)	4
Scott models 35-3 & 35-8	4 1/2

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given here with.



2124-163
ACCEPTED
APR 2 1972

CONVENIENT & ECONOMICAL

One springtime application saves time, work and money. This product will not damage established Bluegrass (perennial), Ryegrass (perennial), Fescue, Zoysia, Bermuda, St. Augustine and Centipede grass turfs when applied as directed.

PRECAUTION:

Do not apply in spring to bluegrass seeded the previous fall.
Do not apply to bentgrass turfs or dichondra, or to newly sprigged areas of Bermuda, St. Augustine, or centipede grasses.

WHEN TO APPLY:

Apply PRE-EMERGE CRABGRASS KILLER in the spring before crabgrass germinates. Reseeding should be delayed for 6 weeks after application.

HOW TO APPLY:

It is important that PRE-EMERGE CRABGRASS KILLER be applied evenly over your lawn without skips or misses. Determine the correct amount for your lawn area. Do not over-apply or under-apply. The contents of one bag should be applied for every 5000 sq. ft. of lawn area (for example, 50 ft. x 100 ft. = 5000 sq. ft.). If your lawn measures 100 ft. x 100 ft. (or 10,000 sq. ft.), 2 bags are sufficient.

1. Spread one-half of the required amount for your lawn, moving at a steady rate in one direction.
2. Spread the other half of the required amount over the same area moving across or at right angles to the first application. (This minimizes skips and overlaps, insures good coverage). When turning or stopping spreader, spreader-gate should be closed.

CRABGRASS KILLER at one-half rate, as directed above. Check application rate of your spreader before applying. Settings may vary with type, age and condition of spreader.

SPREADER	SETTING
Sears	4 1/2
Lawn Beauty	5 1/4
Jackson Model 20CP26	5 1/2
Modern	3
Ace (dial on hopper)	4
Scott models 35-3 & 35-8	4 1/2

NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given here with.



2124-763
ACCEPTED
MAY 3 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTGENE ACT
FOR ECONOMIC POISON REGISTERED
UNDER 10... SUBJECT
TO ATTACHED COMMENTS

WHEN AND HOW TO USE "WONDER GRO" PRODUCTS—Follow directions for best results

PRODUCT	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
X-IT	X	X	X					
GREEN	X	X	X	X	X	X	X	X
TRIPLE DUTY		X	X	X	X		X	X
LAWN WEED KILLER		X	X	X			X	X
TURF FOOD	X	X	X	X	X	X	X	X
SUMMER GREEN				X	X	X		
GARDEN PRIME		X	X	X	X	X		
NURISH		X	X	X	X	X		

"X-IT"—Combines a complete lawn fertilizer, and a crabgrass preventer.
"GREEN"—A high nitrogen lawn fertilizer rich in iron. Non-burning, imparts a rich dark green color to turf.
"TRIPLE DUTY"—A high nitrogen lawn fertilizer containing weed killers controlling 29 lawn weeds.
"LAWN WEED KILLER"—Complete weed killer in dry lawns.
"TURF FOOD"—A good all purpose lawn fertilizer for all grasses.
"SUMMER GREEN"—42% Urea Nitrogen—essential plant food for lawns, trees, shrubs. Supplemental feeding to keep dark green color—excellent for all lawns.
"GARDEN PRIME"—New high potash garden fertilizer, produces outstanding flowers—vegetables—tulips, hycacinths, gladioli.
"NURISH"—Use when planting annuals—perennials—trees—roses—shrubs. Use every 2-3 weeks during growing season.