

Net Weight 25 Lbs.

# WONDER GRO X-IT®

## 14-4-4

STATEMENT OF INGREDIENTS AS PLANT FOOD  
**GUARANTEED ANALYSIS**

Total Nitrogen (N) ..... 14%  
12.4% Ammoniacal Nitrogen  
1.6% Nitrate Nitrogen

## 14-4-4

STATEMENT OF INGREDIENTS AS PLANT FOOD  
**GUARANTEED ANALYSIS**

Total Nitrogen (N) ..... 14%  
12.4% Ammoniacal Nitrogen  
1.6% Nitrate Nitrogen  
Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) ..... 4%  
Soluble Potash (K<sub>2</sub>O) ..... 4%

Potential Acidity 572 lbs. Calcium Carbonate Equivalent per ton

**W.R. GRACE & CO., AGRICULTURAL CHEMICALS GROUP**  
**MEMPHIS, TENN. 38101**

BEST DOCUMENT AVAILABLE

2000 31 1975

2124-764

ACCEPTED

July 31, 1975

2124-764

39A

## DIRECTIONS

### GENERAL INFORMATION:

This product kills crabgrass, foxtail and barnyard grass at sprouting. One of the most effective grass weed killers available. X-IT must be applied prior to germinating or sprouting of crabgrass seeds. For this reason, it is best to apply anytime prior to May 15. If spring is late, X-IT may be spread as late as June. Consult with your State Turf authorities for additional information regarding specific weed germination times in your area.

### ESTABLISHED LAWNS:

X-IT must be applied evenly and at recommended rates to obtain maximum effect. Since spreaders vary as to their accuracy one should not rely entirely on the suggested spreader settings. Know the approximate area you intend to treat. Buy enough X-IT to cover the area. Do not rake in X-IT after application.

### NEW SEEDINGS:

X-IT should not be applied to new lawns started the previous fall.

### SEEDINGS:

Do not sow grass seed for 42 days after application of X-IT. Water lawn thoroughly 2 to 3 days prior to seeding.

### PRECAUTION:

This product will not damage established bluegrass, ryegrass, fescue, zoysia grass, Bermuda grass, St. Augustine grass and Centipede grass turfs when applied as directed. Do not apply to bentgrass turfs or dichondra, or to newly sprigged areas of Bermuda, St. Augustine, or Centipede grasses.

**CAUTION:** May be harmful if swallowed. Avoid contact with skin or eyes. Avoid breathing dust. Avoid contamination of feedstuffs or feeds. Wash thoroughly with soap and water after using.

### SPREADER SETTINGS

#### NOTE:

Be sure your spreader is properly calibrated so that the Wonder Gro product is applied according to directions. Walk at a normal pace. Too fast or too slow means uneven distribution on the lawn.

SPREADERS	SETTING
SCOTT	4½
JACKSON	4¾
LAWN BEAUTY	3¾
CYCLONE	3¾
SEARS	4¾

#### CAUTION:

Consult your dealer for settings for other spreaders.



Always use spreader settings. Know the approximate area you intend to treat. Buy enough X-IT to cover the area. Do not rake in X-IT after application.

**NEW SEEDINGS:**

X-IT should not be applied to new lawns started the previous fall.

**SEEDINGS:**

Do not sow grass seed for 42 days after application of X-IT. Water lawn thoroughly 2 to 3 days prior to seeding.

**PRECAUTION:**


This product will not damage established bluegrass, ryegrass, fescue, zoysia grass, Bermuda grass, St. Augustine grass and Centipede grass turfs when applied as directed. Do not apply to bentgrass turfs or dichondra, or to newly sprigged areas of Bermuda, St. Augustine, or Centipede grasses.

**CAUTION:** May be harmful if swallowed. Avoid contact with skin or eyes. Avoid breathing dust. Avoid contamination of foodstuffs or feeds. Wash thoroughly with soap and water after using.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not reuse container. Destroy when empty. Apply this product only as specified on this label.

**SEARS**

**CAUTION:**  
Consult your dealer for settings for other spreaders.



BEST DOCUMENT AVAILABLE

**WHEN AND HOW TO USE "WONDER GRO" PRODUCTS—Follow directions for best results**

PRODUCT	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
X-IT	X	X	X					
TURF FOOD		X	X	X	X	X		
TRIPLE DUTY		X	X	X	X		X	X
LAWN WEED KILLER		X	X	X			X	X
TURF FOOD	X	X	X	X	X	X	X	X
SUMMER GREEN				X	X	X		
GARDEN PRIME		X	X	X	X	X		
NURISH		X	X	X	X	X		
WINTER GARD							X	X

**X-IT** - Combines a lawn fertilizer with crabgrass preventer.  
**Ice Grass** - A high nitrogen lawn fertilizer containing iron and manganese. Imparts a rich dark green color to turf.  
**Triple Duty** - "Weed and Feed" - combines a high nitrogen lawn fertilizer with lawn weed killer.

**Lawn Weed Killer** - A dry formulation of lawn weed killers to help overcome weed infestation in lawns.  
**Turf Food** - A good all purpose lawn fertilizer for all grasses.  
**Summer Green** - Contains free nitrogen - essential plant food for lawns, trees and shrubs. A supplemental feeding to keep dark green color. Best used for all lawns.

**Garden Prime** - High phosphorus and potash formula to help produce outstanding flowers, vegetables, tulips, hyacinths, gladioli.  
**Nurish** - Water soluble plant food - excellent to use when planting annuals, perennials, roses, trees, shrubs. Use every three weeks during growing season.  
**Winter Gard** - Protects your lawn through winter. Improves winter hardiness. Use for new seeding or seed in spring or fall.

BEST DOCUMENT AVAILABLE

...this product is used to kill, keep out or control weeds, ... use only apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not reuse container. Destroy when empty. Apply this product only as specified on this label.

BEST DOCUMENT AVAILABLE

**WHEN AND HOW TO USE "WONDER GRO" PRODUCTS—Follow directions for best results**

PRODUCT	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
X-IT	X	OR X	X					
TOP GREEN	X	X	X	X	X	X	X	X
TRIPLE DUTY		X	OR X	OR X	X		OR Y	OR Y
LAWN WEED KILLER		X	OR X	OR X	X		X	X
TURF FOOD	X	X	X	X	X	X	X	X
SUMMER GREEN				X	X	X		
GARDEN PRIME		X	X	X	X	X		
NURISH		X	X	X	X	X		
WINTER GARD							X	OR Y

**X-IT** — Combines a lawn fertilizer with crabgrass preventer.

**Top Green** — A high nitrogen lawn fertilizer containing iron and manganese. Imparts a rich dark green color to turf.

**Triple Duty** — "Weed and Feed" — combines a high nitrogen lawn fertilizer with lawn weed killers.

**Lawn Weed Killer** — A dry formulation of lawn weed killers to help overcome weed infestation in lawns.

**Turf Food** — A good all purpose lawn fertilizer for all grasses.

**Summer Green** — Contains urea nitrogen — essential plant food for lawns, trees and shrubs. A supplemental feeding to keep dark green color. Excellent for all lawns.

**Garden Prime** — High phosphorus and potash formula to help produce outstanding flowers, vegetables, tulips, hyacinths, gladioli.

**Nurish** — Water soluble plant food — excellent to use when planting annuals, perennials, roses, trees, shrubs. Use every three weeks during growing season.

**Winter Gard** — Protects your lawn through winter. Improves winter hardiness. Use for new seeding or sod in spring or fall.

BEST DOCUMENT AVAILABLE

...this product is used to kill, keep out or control weeds, ... use only apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not reuse container. Destroy when empty. Apply this product only as specified on this label.


ACCEPTED  
JUL 31 1975  
U.S. DEPARTMENT OF AGRICULTURE  
PLANT INDUSTRY DIVISION  
WASHINGTON, D.C. 20250

COVERS  
5000 sq ft  
NET WT

**CRABGRASS KILLER / FERTILIZER**  
**KILLS CRABGRASS, FOXTAIL AND**  
**BARNYARD GRASS**  
**14-4-4**

BEST DOCUMENT AVAILABLE

**WOODWARD**  
**GRASS**



**Y-T**

ACCEPTED

JUL 31 1965

U.S. DEPARTMENT OF AGRICULTURE  
NATIONAL CENTER FOR  
CROP ESTIMATION AND  
YIELD RECORDS

COVERS  
5000 sq ft

NET WEIGHT 25 LBS

**/ FERTILIZER**  
**SS, FOXTAIL AND**  
**ASS**

DOCUMENT AVAILABLE

**Roundup**  
40<sup>®</sup>  
GRASS



**Y-T**<sup>®</sup>



**1**

**KILLS CRABGRASS, FOXTAIL, BARNYARD  
MOUND, AND OTHER WEEDS**

**FEEDS WITH AVAILABLE NITROGEN FERTILIZER**

BEST DOCUMENT AVAILABLE

**CAUTION!**  
**KEEP OUT OF REACH OF CHILDREN**  
 (See additional cautions and directions on back panel)

BEST DOCUMENT AVAILABLE

**STATEMENT OF INGREDIENTS FOR WEED CONTROL**

**ACTIVE INGREDIENTS:**


N-butyl-N-ethyl-p,p'-difluoro-2,6-dinitro-p-toluidine	0.31%
INERT INGREDIENTS	99.69%
<b>Total</b>	<b>100.00%</b>

EPA REG. NO. 2124-764

EPA EST. NO. 8378-1N-1

MANUFACTURED FOR

**W. R. GRACE & CO., A DIVISION OF G. HEILBRUNN & CO., INC.,**



**WYAT**®

**KILLS CRABGRASS, FOXTAIL, BARNYARD GRASS & OTHER WEEDS**

BEST DOCUMENT AVAILABLE

**FEEDS WITH A HIGH NITROGEN FERTILIZER**

**CAUTION!**  
 KEEP OUT OF REACH OF CHILDREN  
 (See additional cautions and directions on back panel)

BEST DOCUMENT AVAILABLE

**STATEMENT OF INGREDIENTS FOR WEED CONTROL**

**ACTIVE INGREDIENT:**

N-butyl-N-ethyl-a, a, a-trifluoro-2,6-dinitro-p-teluidine . . . . . 0.69%

**INERT INGREDIENTS** . . . . . 99.31%

(relative to herbicidal content) Total 100.00%

EPA REG. NO. 2124-764

EPA EST. NO. 8378-1N-1


MANUFACTURED FOR  
**ICE & CO., AGRICULTURAL CHEMICALS DIVISION,**

**CRABGRASS KILLER / FERTILIZER**

**KILLS CRABGRASS, FOXTAIL AND  
BARNYARD GRASS**

**14-4-4**

**WOODWARD**







1

THIS PRODUCT IS A PESTICIDE. IT IS TO BE USED ONLY AS DIRECTED ON THE LABEL. IT IS TO BE KEPT OUT OF REACH OF CHILDREN. IT IS TO BE USED ONLY ON THE SPECIFIED PESTS AND PLANTS. IT IS TO BE USED ONLY IN THE SPECIFIED AREAS. IT IS TO BE USED ONLY AT THE SPECIFIED TIMES. IT IS TO BE USED ONLY AT THE SPECIFIED RATES. IT IS TO BE USED ONLY AT THE SPECIFIED INTERVALS. IT IS TO BE USED ONLY AT THE SPECIFIED TIMES. IT IS TO BE USED ONLY AT THE SPECIFIED RATES. IT IS TO BE USED ONLY AT THE SPECIFIED INTERVALS.


CAUTION: This product is highly flammable. It should be stored in a cool, dry place away from heat and open flames. It should be used in a well-ventilated area. It should be used only by trained personnel. It should be used only in accordance with the label directions. It should be used only for the purposes specified on the label. It should be used only in the specified areas. It should be used only at the specified times. It should be used only at the specified rates. It should be used only at the specified intervals.

**CAUTION!**  
 KEEP OUT OF REACH OF CHILDREN  
 (See additional cautions and directions on back panel)

CONTAINS 100% ACTIVE INGREDIENTS FOR WEED CONTROL

ACTIVE INGREDIENTS:

Methyl-N-(1-methyl-2-propylthio)-2,6-dinitro-p-toluidine	100.00%
Inert Ingredients	0.00%
<b>Total</b>	<b>100.00%</b>



1

THIS PRODUCT CONTAINS THE ACTIVE INGREDIENTS LISTED ON THE LABEL. IT IS TO BE USED AS A PESTICIDE TO CONTROL WEEDS AND OTHER UNDESIRABLE PLANTS.

DO NOT APPLY TO CROPS OR OTHER PLANTS WHICH ARE TO BE HARVESTED FOR HUMAN OR ANIMAL CONSUMPTION.

**CAUTION!**  
KEEP OUT OF REACH OF CHILDREN  
(See additional cautions and directions on back panel)

NET WEIGHT 1.0 LBS (453.6 G) FOR A 100% CONTENT

N-butyl-N-(4-chlorophenyl)-2,6-dinitro-p-toluidine	0.75%
2,4-Dichlorophenoxyacetic acid	99.25%
Total	100.00%

EPA REG. NO. 2124-7  
EPA EST. NO. 9378-1M-1

MANUFACTURED BY

Net Weight 25 Lbs.  
**WONDER GRO X-IT®**

**14-4-4**

STATEMENT OF INGREDIENTS AS PLANT FOOD  
**GUARANTEED ANALYSIS**

Total Nitrogen (N) ..... 14%  
    12.4% Ammoniacal Nitrogen  
    1.6% Nitrate Nitrogen  
Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) ..... 4%  
Soluble Potash (K<sub>2</sub>O) ..... 4%  
Potential Acidity 572 lbs. Calcium Carbonate Equivalent per ton

**W. R. GRACE & CO., AGRICULTURAL CHEMICALS GROUP**  
**MEMPHIS, TENN. 38101**

2/24/64

2/24/64

2/24/64

**DIRECTIONS**

**GENERAL INFORMATION:**

This product kills crabgrass, foxtail and barnyard grass at sprouting. One of the most effective grass weed killers available. X-IT must be applied prior to germinating or sprouting of crabgrass seeds. For this reason it is best to apply anytime prior to May 15. If spring is late, X-IT may be spread as late as June. Consult with your State Turf authorities for additional information regarding specific weed germination times in your area.

**ESTABLISHED LAWNS:**

X-IT must be applied evenly and at recommended rates to obtain maximum effect. Since spreaders vary as to their accuracy one should not rely entirely on the suggested spreader settings. Know the approximate area you intend to treat. Buy enough X-IT to cover the area. Do not rake in X-IT after application.

**NEW SEEDINGS:**

X-IT should not be applied to new lawns started the previous fall.

**SEEDINGS:**

Do not sow grass seed for 42 days after application of X-IT. Water lawn thoroughly 2 to 3 days prior to seeding.

**PRECAUTION:**

This product will not damage established bluegrass, ryegrass, fescue, zoysia grass, Bermuda grass, St. Augustine grass and Centipede grass turfs when applied as

**SPREADER SETTINGS**

NOTE:  
Be sure your spreader is properly calibrated so that the Wonder Gro product is applied according to directions. Walk at a normal pace. Too fast or too slow means uneven distribution on the lawn.

SPREADERS	SETTING
SCOTT	4 1/4
JACKSON	4 1/4
LAWN BEAUTY	3 1/4
CYCLONE	3 1/4
SEARS	4 1/4

CAUTION:  
Consult your dealer for settings for other spreaders.



**SEEDINGS:**

Do not sow grass seed for 42 days after application of X-IT. Water lawn thoroughly 2 to 3 days prior to seeding.

**PRECAUTION:**

This product will not damage established bluegrass, ryegrass, fescue, zoysia grass, Bermuda grass, St. Augustine grass and Centipede grass turfs when applied as directed. Do not apply to bentgrass turfs or dichondra or to newly sprigged areas of Bermuda, St. Augustine, or Centipede grasses.

**CAUTION:** May be harmful if swallowed. Avoid contact with skin or eyes. Avoid breathing dust. Avoid contamination of foodstuffs or feeds. Wash thoroughly with soap and water after using.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not reuse container. Destroy when empty. Apply this product only as specified on this label.



**WHEN AND HOW TO USE "WONDER GRO" PRODUCTS**—Follow directions for best results

**WHEN AND HOW TO USE "WONDER GRO" PRODUCTS—Follow directions for best results**

PRODUCT	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER
X-IT	X [ ]	X [ ]	X					
TOP GREEN	X	X	X	X	X	X	X	X
TRIFLE CUTY		X [ ]	X [ ]	X [ ]	X		X [ ]	X
LAWN WEED KILLER		X [ ]	X [ ]	X			X [ ]	X
TRIFLE FEED	X	X	X	X	X	X	X	X
GREEN CARE				X	X	X		
GREEN CARE		X	X	X	X	X		
NITRO		X	X	X	X	X		
WINTER GUARD							X [ ]	X

**X-IT**—Combines a lawn fertilizer with crabgrass preventer.

**Top Green**—A high nitrogen lawn fertilizer containing iron and manganese. Imparts a rich dark green color to turf.

**Trifle Cuty**—“Feed and Feed”—combines a high nitrogen lawn fertilizer with lawn weed killers.

**Lawn Weed Killer**—A dry formulation of lawn herbicide to help overcome weed infestation in lawns.

**Turf Feed**—A broad all purpose lawn fertilizer for all grasses.

**Summer Green**—Contains iron nitrogen green and iron feed for lawns, trees and shrubs. A supplemental feeding to help dark green color. Excellent for all lawns.

**Green Care**—A dry formulation of lawn fertilizer to help overcome weed infestation in lawns.

**Nitro**—Works all the year round. Excellent to use when planting new lawns, trees, shrubs. Use every three weeks during growing season.

**Winter Guard**—Protects your lawn through winter. Improve winter hardiness. Use for new seeding or sod in the spring.