

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Not for use or storage in or around the home. This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

FIRST AID TREATMENT

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet. **CALL A PHYSICIAN.**

INHALATION: Remove patient from contaminated atmosphere.

SKIN: In case of contact, remove contaminated clothing immediately and wash skin thoroughly with soap and water.

EYES: In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN (TREATMENT): Give atropine, preferably by injection, grains 1/30 to 1/15 (2 to 4 mg) at once and every hour or oftener as needed to achieve and maintain full atropinization. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Endrin may result in central nervous system stimulation with hyper irritability, convulsions and/or coma. For convulsions, administer barbiturates as for anti-convulsant therapy.

CONTAINER DISPOSAL

DO NOT re-use the container. Completely empty contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINER: Break container and bury pieces at least 18 inches deep in isolated location away from water supplies.

METAL CONTAINERS:

1-GALLON CANS: Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in isolated location away from water supplies. Punch holes in top and bottom of can, crush can, and bury deeply in an isolated location.

5-GALLON, 30-GALLON and 55-GALLON DRUMS: Pour following mixture into empty containers; **5-GALLON DRUM:** 2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent.

30-GALLON DRUM: 3 gallons water, 1 lb. caustic soda (house

2194-753
ACCEPTED

AUG 3 1973



Azinphosmethyl-Endrin Cotton Spray

(Contains 1 lb. Guthion and 1.6 lb. Endrin per Gallon)


ACTIVE INGREDIENTS:	BY WT
O, O-Dimethyl S-[4-oxo-1, 2, 3-benzotriazin-3 (4H)-ylmethyl] phosphorodithioate*	11.61%
Endrin (Hexachlorocyclooctahydro-endo, endo-dimethanonaphthalene)	18.68%
Aromatic Petroleum Derivative Solvent	63.83%
INERT INGREDIENTS	5.98%
TOTAL	100.00%

* Guthion is a Reg. TM of the German trademark proprietor, I. G. Farbenindustrie AG, Leverkusen

DANGER

KEEP OUT OF REACH OF CHILDREN

(See Antidote and Other Warnings on Side Panel)



DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin.


Do not get in eyes, on skin or on clothing. Do not breathe fumes. Wear natural rubber gloves, waterproof protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Endrin and Guthion protection. Keep all unprotected persons out of the operating areas. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not contaminate feed and foodstuffs.

DO NOT USE THIS CONTAINER FOR ANY PURPOSE

W. R. GRACE & CO.
AGRICULTURAL CHEMICALS
MEMPHIS, TENNESSEE

Amalgamated Inc. - Baltimore, Md. - Cary, N.C. - Charleston, S.C. - Chicago, Ill. - El Paso, Tex. - Haverhill, Mass. -
Nashville, Tenn. - New Albany, Ind. - Omaha, Neb.

NET CONTENTS GALLON(S)



ACCEPTED

8-3-73

2124-783

UNDER THE FEDERAL INSECTICIDE ACT
AND THE FEDERAL FERTILIZER ACT
AND THE FEDERAL POISON REGISTER



EPA REG. NO. 2124-783

DIRECTIONS. continued

hold lye), 1/2 cup detergent. 55-GALLON DRUM—5 gallons water, 2 lb. caustic soda (household lye), 1 cup detergent. Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.
DANGER: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes or on clothing. Read and carefully follow precautions on package. Punch holes in top and bottom of container. Crush container. Bury deeply in isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED
Punch holes in top of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

RECOMMENDATIONS
Application should be made only by experienced personnel using approved protection equipment.
This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton.
For early season control of aphids, thrips, and fleahoppers use 1 pint per acre of this material in sufficient water to give good coverage.
For mid and late season control of boll weevil, bollworm, thrips, aphids, fleahoppers, lygus and other plant bugs and leafworm use 2 1/2 pints per acre of this material in sufficient water to give good coverage.
Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

USAGE CAUTION
Cotton which has received applications of this insecticide should not be grazed by dairy animals or animals being finished for slaughter. Do not feed trash from treated cotton to such animals.
Do not apply within 7 days of hand picking. Workers entering fields within 5 days after treatment should be protected.
Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur.
Dealer should sell in Original Packages Only.

Use only as recommended:
For aircraft application: Use with 3 to 10 gallons of water per acre consistent with crop growth and good coverage.
For ground spray equipment: Use with 10 to 25 gallons of water per acre.
NOTICE: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Regin. Mo. - Emergency Mark

