

Mix 1 tablespoon in 1 quart water. Apply with brush or as a coarse wet spray. Repeat applications as needed to maintain effective control. **Ants** (see section on **Ants**). **Roaches, waterbugs, boxelder bugs, crickets, firebrats, silverfish, centipedes, spiders, scorpions:** apply thoroughly to infested cracks, surfaces and hiding places where these insects are known to crawl such as darkened areas, along waterpipes, baseboards, and infested areas of floors and shelves in closets, undersides of bookshelves, around storage areas, lavatories, sinks. Apply to similar areas in basements. For **spiders** also apply liberally in garages, sheds, to porches, under eaves and crawl spaces of porches and basementless houses. **Brown dog ticks:** spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, localized areas of floors and floor coverings. Place fresh bedding in animal quarters after treatment. Do not treat pets or other animals. **Carpet beetles:** spray infested areas of carpets, localized areas of floors and baseboards, into cracks and under carpets where these insects may be found. **Flies, Mosquitoes, Wasps:** thoroughly apply to doors, around windows, and areas frequented by these insects. Also to screens, window frames, door sills, and selected areas of porches where these pests tend to congregate.

May be fatal if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing of spray mist. In case of contact with skin wash with soap and water. Avoid contamination of feed and food-stuffs. Do not use in areas where food is prepared or processed. Do not use cups or spoons for foods after use with pesticides. Keep children and pets off treated areas until material has been watered into soil and grass is dry. Do not use on pets, humans, newly-seeded lawns.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where run-off is likely to occur. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Rinse empty container with water; discard it in a safe place.

Buyer or User assumes all risks of use, storage, and handling of this material not in strict accordance with directions given on this label.

Manufactured in U.S.A. by

SCIENCE PRODUCTS COMPANY, Inc.
Chicago, Illinois

HOUSEHOLD INSECTS. Mix 2 tablespoons in 1 quart water. Apply with brush or as a coarse wet spray. Repeat applications as needed to maintain effective control. **Ants** (see section on Ants). **Roaches, waterbugs, boxelder bugs, crickets, firebrats, silverfish, centipedes, spiders, scorpions:** apply thoroughly to infested cracks, surfaces and hiding places where these insects are known to crawl such as darkened areas, along waterpipes, baseboards, and infested areas of floors and shelves in closets, undersides of bookshelves, around storage areas, lavatories, sinks. Apply to similar areas in basements. For spiders also apply liberally in garages, sheds, to porches, under eaves and crawl spaces of porches and basementless houses. **Brown dog ticks:** spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, localized areas of floors and floor coverings. Place fresh bedding in animal quarters after treatment. Do not treat pets or other animals. **Carpet beetles:** spray infested areas of carpets, localized areas of floors and baseboards, into cracks and under carpets where these insects may be found. **Flies, Mosquitoes, Wasps:** thoroughly apply to doors, around windows, and areas frequented by these insects. Also to screens, window frames, door sills, and selected areas of porches where these pests tend to congregate.

WARNING. May be fatal if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing of spray mist. In case of contact with skin wash with soap and water. Avoid contamination of feed and foodstuffs. Do not use in areas where food is prepared or processed. Do not use cups or spoons for foods after use with pesticides. Keep children and pets off treated areas until material has been watered into soil and grass is dry. Do not use on pets, humans, newly-seeded lawns.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where run-off is likely to occur. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Rinse empty container with water; discard it in a safe place.

NOTICE. Buyer, or User, assumes all risks of use, storage, and handling of this material not in strict accordance with directions given on this label.

Manufactured in U.S.A. by

SCIENCE PRODUCTS COMPANY, Inc.
Chicago, Illinois

01 100
FOR INFORMATION
UNDER NO.

**READ ENTIRE LABEL CAREFULLY BEFORE USE. OBSERVE ALL
CAUTIONS. USE ONLY ACCORDING TO LABEL INSTRUCTIONS
DIRECTIONS FOR USE**

ANTS. Outdoors. Mix 1 tablespoon in 5 gallons of water and apply thoroughly to 1,000 sq. ft. area. For spot treatments use ½ tablespoon in 1 quart water. Saturate nests thoroughly; spray or sprinkle on lawns, along ant-trails, and wherever ants are seen. **Indoors.** Mix 2 tablespoons in 1 quart water. Thoroughly spray, or brush on, infested surfaces and cracks, ant-trails, areas around doors, window frames, water-pipes, heat ducts, electrical outlets, baseboards, and where ants enter premises. Repeat as needed to maintain effective control.

LAWN INSECTS (and SOIL INSECTS for Ornamentals). Add amount indicated to 5 gallons water and apply thoroughly to 1,000 sq. ft. of lawn. Use sprinkling can, sprayer, or hose-connected spray device. For ants, mosquitoes (1 tablespoon); armyworms, chiggers, crickets, mole crickets, earwigs, boxelder bugs, ticks, grasshoppers (2 tablespoons); water lawn before spraying and again 2-3 days after spraying. For cutworms, Japanese beetle grubs, white grubs, wireworms, soil webworms, (lawn moths), white-fringed beetle larvae (2 to 4 oz., or 4 to 8 tablespoons); night crawlers (4 oz.). Water lawn thoroughly after application.

GARDEN INSECTS on FLOWERS, SHRUBS, ORNAMENTALS. Mix ½ teaspoon in 1 quart water or 2 teaspoons per gallon. Spray thoroughly both upper and lower plant surfaces and on soil around plants. Controls armyworms, ants, bagworms, blister beetles, flea beetles, grasshoppers, lace bugs, leafminers, leaf beetles, spittlebugs, tarnished plant bugs, thrips on Asters, Chrysanthemums, Dahlias, Gladiolus, Marigolds, Roses, Zinnias and other flowers, shrubs, ornamentals and shade trees.

BOXELDER BUGS. Outdoors only. Mix 2 tbsp. in 1 qt. water or 4 oz. per gal. Spray thoroughly base, trunks of boxelder trees, foundations of buildings, other protected places where these bugs congregate.

TERMITES, Subterranean. Mix 1 pint in 12 gallons water. Dig trench 15 inches deep along foundation wall all around building (30 inches for deeper foundations but not below the top of the footing). For foundations not deeper than 18 inches pour mixture into trench at rate of 2 gallons per 5 linear feet. For foundations deeper than 18 inches but not deeper than 30 inches use 4 gallons per 5 linear feet. For an overall treatment (in addition to the trench treatment) apply 1 gallon mix per 10 sq. ft. under the slab and under attached porches. Inspect annually for reinfestations and re-treat, if necessary.

Mix 2 tablespoons in 1 quart water
 y with brush or as a coarse wet spray. Repeat applications
 eeded to maintain effective control. **Ants** (see section on
). **Roaches, waterbugs, boxelder bugs, crickets, fire-**
flies, silverfish, centipedes, spiders, scorpions: apply liberally
 ly to infested cracks, surfaces and hiding places where these
 ts are known to crawl such as darkened areas along water-
 b, baseboards, and infested areas of floors, and shelves in
 ts, undersides of bookshelves around storage areas, lava-
 is, sinks. Apply to similar areas in basements. For **spiders**
 apply liberally in garages, sheds, to porches under eaves
 crawl spaces of porches and basementless houses. **Carpet**
les: spray infested areas of carpets, localized areas of
 ts and baseboards, into cracks and under carpets where these
 ts may be found. **Flies, Mosquitoes, Wasps:** thoroughly
 y to doors, around windows, and areas frequented by these
 ts. Also to screens, window frames, door sills, and selected
 s of porches where these pests tend to congregate.

CAUTION: May be fatal if swallowed. Avoid breathing spray.
 Contact with skin can cause toxic symptoms. In case of skin
 act wash with soap and water. Avoid contamination of feed
 foodstuffs. Do not use in areas where food is prepared or
 essed. Do not use cups or spoons for foods after use with
 cides. Keep children and pets off treated areas until material
 been watered into soil and grass is dry. Do not use on pets.
 ns, newly-seeded lawns.

product is toxic to fish and wildlife. Birds feeding on treated
 s may be killed. Keep out of any body of water. Do not apply
 re runoff is likely to occur. This product is highly toxic to bees
 used to direct treatment or residues on plants. Protective
 mation may be obtained from your Co-operative Agricultural
 nsion Service. Do not apply when weather conditions favor
 from treated areas. Do not contaminate water by cleaning
 quipment or disposal of wastes. Rinse empty container with
 ar; discard it in a safe place.

NOTE: Buyer or user, assumes all risks of use, storage, and
 dling of this material not in strict accordance with directions
 n on this label!



72%

CHLORIX

Kills: ANTS CHIGGERS
Japanese Beetle Grubs, Tagg
ROACHES - MO

in **LAW**
Homes • Ga

WARNING: KEEP OUT OF
 See other cautions o

HOUSEHOLD INSECTS. Mix 2 tablespoons in 1 quart water. Apply with brush or as a coarse wet spray. Repeat applications as needed to maintain effective control. **Ants** (see section on Ants). **Roaches, waterbugs, boxelder bugs, crickets, firebrats, silk weavers, centipedes, spiders, scorpions:** apply thoroughly to infested cracks, surfaces and hiding places where these insects are known to crawl such as darkened areas, along water-pipes, baseboards, and infested areas of floors, and shelves in closets, undersides of bookshelves, around storage areas, lavatories, sinks. Apply to similar areas in basements. For **spiders** also apply liberally in garages, sheds, to porches, under eaves and crawl spaces of porches and basementless houses. **Carpet beetles:** spray infested areas of carpets, localized areas of floors and baseboards, into cracks and under carpets where these insects may be found. **Flies, Mosquitoes, Wasps:** thoroughly apply to doors, around windows, and areas frequented by these insects. Also to screens, window frames, door sills, and selected areas of porches where these pests tend to congregate.

WARNING! May be fatal if swallowed. Avoid breathing spray mist. Contact with skin can cause toxic symptoms. In case of skin contact wash with soap and water. Avoid contamination of feed and foodstuffs. Do not use in areas where food is prepared or processed. Do not use cups or spoons for foods after use with pesticides. Keep children and pets off treated areas until material has been watered into soil and grass is dry. Do not use on pets, humans, newly-seeded lawns.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Co-operative Agricultural Extension Service. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Rinse empty container with water; discard it in a safe place.

NOTICE. Buyer or User, assumes all risks of use, storage, and handling of this material not in strict accordance with directions given on this label.



72%

CHLORDANE

Kills: ANTS - CHIGGERS - LAWN MOTHS - Japanese Beetle Grubs, Bagworms, Boxelder Bugs, ROACHES - MOSQUITOES

in **LAWNS**
Homes • Gardens

WARNING: KEEP OUT OF REACH OF CHILDREN
See other cautions on back panels

DIRECTIONS: Read entire label

ANTS. Outdoors: Mix 1 to 2 tablespoons in 1 quart water. Sprinkle on lawns, along ant-hills. **Indoors.** Mix 2 tablespoons in 1 quart water. Brush or spray on, infested surfaces: doors, window frames, water pipes, baseboards and where ants are known to travel. Repeat applications to maintain effective control.

LAWN INSECTS (and SOIL INSECTS) amount indicated to 5 gallons of water per 1,000 sq. ft. of lawn. Use sprinkler or spray device. For **ants, moths, worms, chiggers, crickets, boxelder bugs, ticks, grasshoppers, Japanese beetle grubs, sod webworms (lawn moths)** (2 to 4 oz., or 4 to 8 tbsps.); re-spray thoroughly after application.

GARDEN INSECTS on FLOWERS. Mix 1/2 teaspoon in 1 quart water. Spray thoroughly both upper and lower surfaces of leaves. Controls **blister beetles, flea beetles, leaf miners, leaf beetles, spittlebugs** on Asters, Chrysanthemums, Dahlias, Zinnias and other flowers, shrubs.

BOXELDER BUGS. Outdoors: Mix 1/2 ounce per gallon. Spray thoroughly foundations of buildings, other structures where these bugs congregate.

Manufacturer
SCIENCE PRODUCTS
Chicago

poons in 1 quart water. Spray. Repeat applications. **Ants** (see section on **bugs, crickets, fire-**, **scorpions**: apply thoroughly in hiding places where these are found, along water-edges of floors, and shelves in and storage areas, lavatories, basements. For **spiders** on porches, under eaves of cementless houses. **Carpet** beetles, localized areas of under carpets where these are found. **Wasps**: thoroughly spray areas frequented by these insects, door sills, and selected areas to congregate.

1. Avoid breathing spray symptoms. In case of skin contact, avoid contamination of food where food is prepared or for foods after use with treated areas until material is dry. Do not use on pets,

Birds feeding on treated areas. Do not apply to water. Do not apply to bees on plants. Protective Co-operative Agricultural weather conditions favor eliminate water by cleaning use empty container with

risks of use, storage, and accordance with directions



72%

CHLORDANE

Kills: ANTS - CHIGGERS - LAWN MOTHS - Japanese Beetle Grubs, Bagworms, Boxelder Bugs - ROACHES - MOSQUITOES

in **LAWNS**
Homes • Gardens

WARNING: KEEP OUT OF REACH OF CHILDREN
See other cautions on back panels

DIRECTIONS: Read entire label first. Use only as directed.

ANTS. Outdoors: Mix 1 tablespoon in 5 gallons water and apply thoroughly to 1,000 sq. ft. area. For spot treatment use 1/2 tablespoon in 1 quart water. Saturate nests thoroughly; spray or sprinkle on lawns, along ant-trails, and wherever ants are seen. **Indoors.** Mix 2 tablespoons in 1 quart water. Thoroughly spray, or brush on, infested surfaces and cracks; ant-trails, areas around doors, window frames, waterpipes, heat ducts, electrical outlets, baseboards and where ants enter premises. Repeat as needed to maintain effective control.

LAWN INSECTS (and SOIL INSECTS for Ornamentals). Add amount indicated to 5 gallons water and apply thoroughly to 1,000 sq. ft. of lawn. Use sprinkling can, sprayer, or hose-connected spray device. For **ants, mosquitoes** (1 tablespoon); **armyworms, chiggers, crickets, mole crickets, earwigs, boxelder bugs, ticks, grasshoppers** (2 tablespoons); water lawn before spraying and again 2-3 days after spraying. For **cutworms, Japanese beetle grubs, white grubs, wireworms, sod webworms (lawn moths), whitefringed beetle larvae** (2 to 4 oz., or 4 to 8 tbsps.); **night crawlers** (4 oz.). Water lawn thoroughly after application.

GARDEN INSECTS on FLOWERS, SHRUBS, ORNAMENTALS. Mix 1/2 teaspoon in 1 quart water or 2 teaspoons per gallon. Spray thoroughly both upper and lower plant surfaces and on soil around plants. Controls **armyworms, ants, bagworms, blister beetles, flea beetles, grasshoppers, lace bugs, leaf-miners, leaf beetles, spittlebugs, tarnished plant bugs, thrips**, on Asters, Chrysanthemums, Dahlias, Gladiolus, Marigolds, Roses, Zinnias and other flowers, shrubs, ornamentals and shade trees.

BOXELDER BUGS. Outdoors only. Mix 2 tbsps. in 1 qt. water or 4 oz. per gal. Spray thoroughly base, trunks of boxelder trees, foundations of buildings, other protected places where these bugs congregate.

**Manufactured in U.S.A. by
SCIENCE PRODUCTS COMPANY, Inc.
Chicago, Illinois**