ISTER. U U

READ ENTIRE LABEL THOROUGHLY BEFORE USE. OBSERVE CAUTIONS. FOLLOW DIRECTIONS CAREFULLY.

Hold spray-can 15-18 inches from plant or foliage and spray in short bursts only. Closer distances or prolonged spraying may result in some foliage damage from the propellant in the can.

ABOUT WONDER-BREL

All the potential uses of Gibberellins have not yet been fully explored. However, many plants, such as those listed on this label, are known to respond to treatment with this growth stimulant.

One thorough spraying of WONDER-BREL, at the recommended time, is effective on many commonlygrown plants such as African Violets, Gloxinia, and Geraniums. However, on certain plants which require a greater concentration, the MULTIPLE SPRAY METHOD is used: the plant is sprayed several times in succession (3 or more) instead of just once, waiting until foliage and stems have dried from previous application before spraying again. Use MULTIPLE SPRAY METHOD only where indicated.

Because WONDER-BREL often produces more rapid branch to determine response. and larger growth, responsive plants may require extra fertilization, preferably with a high-analysis soluble plant food such as 10-52-17 GARDEN-LIFE.

with different plants and even for the same plant OR FEED CROPS. under different conditions. Repeat applications MAY BE NEEDED. If excessive top-growth occurs after application, stop further treatment. Direct application to flowering buds may cause flower modification.

GENERAL DIRECTIONS FOR USE

Spray thoroughly covering all foliage and stems. Use a series of short bursts. On some plants growth response will be seen in 2 to 4 weeks. Other plants may require a longer time.

FOR MORE FLOWERS, BIGGER PLANTS, African Violets, Cyclamen, Oxalis. Spray all leaf surfaces just once at any stage of growth.

BIGGEP BLOOMS. Geraniums, Hydranaea. Spray once, young plants only. Spray buds again just be- SCIENCE PRODUCTS COMPANY, Inc. fore color shows.

GENERAL DIRECTIONS FOR USE (Cont'd.)

BIGGER PLANTS (Increased size, height, leaf area). Ageratum, Coleus, Crassula, Forsythia, Fuschia, Gloxinia, Holly, Lvy, Peperomia, Sedum, Tradescantia, Yucca. Spray 2 or 3 times at weekly intervals, as needed.

EARLIER FLOWERING. Aster, Chrysanthemum, Daisy, Dahlia, Faxalove, Larkspur, Pansies, Petunia, Stocks. Spray 2 or 3 times at weekly intervals as needed. If no response in 10 to 14 days use MULTIPLE SPRAY METHOD.

Use MULTIPLE SPRAY METHOD TO INCREASE SIZE OF

ROSES. For longer stems, spray established bushes when young flower stems are $\frac{3}{4}$ to 1 inch long. POINSETTIA. For longer stems, taller plants, spray once when plants are small. Repeat if necessary.

TREES, SHRUBS, EVERGREENS. Dwarf Azalea, Maple, Poplar, Willow Oak, Rhododendron, Ljaustrum, Thuia, Spray young plants after last frost in Spring. Apply at intervals of 2 to 3 weeks. Stop treatment by August 1st to prevent possible winter injury. WONDER-BREL is a growth-stimulant, not a fertilizer. On larger trees and shrubs first spray only one

CAUTION: CONTENTS UNDER PRESSURE, Flammable mixture. Do not puncture or incinerate container. Do not expose to heat or store at tem-NOTE. Response to WONDER-BREL varies widely peratures above 120° F. DO NOT USE ON FOOD

> NOTICE. Seller makes no warranty or guarantee of any kind, express or implied, concerning effects of use of this product, other than those specified on this label. Buyer, or User, accepts all responsibility for results due to misuse of this product.

ACTIVE INGREDIENT

Potassium	Gibberellate	0.00502%
INERT INGREDIENTS		99.99498%
	Total	100.00000%

USDA Reg. No. 2125-34

Manufactured in U.S.A. 🕊 🕅

Chicago, Illinois

GIBBERELLIC ACID (Potassium Salt)



Push-Button Spray

makes plants grow bigger and faster



African Violets • Gloxinia • Roses HOUSE PLANTS • FLOWERS • TREES • SHRUES

Net Wt.: 15 oz.

CAUTION: KEEP OUT OF REACH OF CHILDREN See other cautions on back panels