

RABBIT and Deer REPELLENT

NURSERY STOCK-FRUIT TREES-ORNAMENTALS

RABBITS -- DEER -- MEADOW MICE

ACTIVE INGREDIENT

..... 80% Total 100%

Contains 1.75 lbs. Thiram Technical per Gallon

Net Contents: 1 pint

READ ENTIRE LABEL BEFORE USE. OBSERVE ALL CAUTIONS

SHAKE WELL BEFORE USING. Keep container tightly closed to prevent evaporation. Keep from freezing. Clean application equipment immediately after use, before it dries.

GENERAL INFORMATION

Science Rabbit and Deer Repellent is a contact repellent containing 20% Thiram. It is a specially formulated, stable suspension which protests shrubs, ornamental plantings, numery stack and apple and peach trees from the feeding damage caused by rabbits, deer, and meadow mice. A single application will protest freated parts for as long as 3 months, depending on weather conditions. Apply only on listed fruit frees (apples and peaches).

₿ DIRECTIONS FOR USE

Shake well before mixing. Mix with equal parts of water. Mix only the quantity to be used and shake the diluted mixture thoroughly before application. The diluted repallent should be used immediately. Apply as a spray dip, or brish application.

SPRAY APPLICATION. Apply as a full coverage spray on tree seedlings before planting, or ornamental plantings, or other established nursery stock. Apply with a hand sprayer or a mechanical sprayer Apply on ornamentals, other nursery stock and on listed fruit trees in late summer or early fall, or when rodent feeding damage is first noticed.

DIP APPLICATION. Apply to seedling ornamental trees or listed seedling fruit trees before planting by dipping in the solution to thoroughly wet the foliage and other parts of the seedling to be pre-tected. Excess repellent should be permitted to run off plants without coming in contact with the roots.

SEEDLING and NURSERY PLANTING STOCK SHOULD BE PERMITTED TO DRY THOROUGHLY BEFORE PLANTING or STOKING

EPA Est. No. 2125-IL-1

BRUSH APPLICATION. Apply on lower trunk of ornamental plantings or listed fruit trees from ground level to a height of approximately 2½ feet to protect plants from injury to trunk.

WHEN TO APPLY. Apply only when surfaces of plant to be treated are dry and when conditions are favorable for drying, preferably during periods of moderate temperature and light winds, to allow the repellent film to form and set properly. Spraying under favorable conditions is also essential to avoid excessive run-off of the diluter repellent. Listed fruit trees are to be treat ad in the Jormont season only.

CAUTION HARMFUL IF SWALLOWED OR INHALED. May cause intation of eyes, nose, throat and skin. May cause illergic skin modified which are allergic skin modified avoid breathing dust or spray mist. A policy of with skin, ayes of othing. Wash thoroughly ofter handing. Consumption of alcohol before or after exposure to Thiram may result in symptoms of nausen, vortilling, fatigue or flushing. In case of contact, flush skill or eyes with plenty of worlder; for eyes, get medicol attention, DO NOT USE ON PLANT PARTS THAT ARE TO DE USED FOR FOOD CRISER.

ENVIRONMENTAL HAZARD. This pesticide is toxic to fish, user with core when applying in areas adjacent to any body of water. Keep out of lokes, streams or ponds. Apply this populationity as specified on this label.

DO NOT REUSE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

NOTICE. Seller makes no warranty or guarantee of any kind, express or implied, concerning effects of use of this product, other than those specified on this label. Buyer, or User accepts all responsibility for results due to misuse of this product.

EPA Reg. No. 2125-41

Manufactured in U.S.A. by

SCIENCE PRODUCTS COMPANY, Inc.

27. 个条件。该国外

ACCEPTED

Under the Federal Insection 96.
Fungicide, and Rodenticale 196.
as amended, for the positicide registored und?
EPA Reg. No.

5 A.

DEC 7 1982