

Science

HEDGE-TRIM

Chemical Hedge Trimmer

Keeps hedges neat and trim
ELIMINATES MUCH CLIPPING

Also Controls Growth of
SHRUBS — TREES — IVY

ACTIVE INGREDIENT

Diethanolamine salt of 1, 2-Dihydro-3, 6-pyridazinedione* . . . 58%
INERT INGREDIENTS 42%

Total 100%

*Equivalent to 30% Maleic Hydrazide

Net Contents: 8 fl. oz.

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BREAKING, PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE.

WHAT HEDGE TRIM DOES

HEDGE TRIM inhibits the growth of certain types of hedges making it easier to maintain a neat, trim-looking hedge with much less mechanical clipping. Also effective on shrubs, ivy, and trees, as listed.

DIRECTIONS FOR USE

DILUTION. Thoroughly mix 4 tablespoons HEDGE TRIM in 1 gallon water equal to 1 1/3 gallons in 100.

WHEN TO APPLY. HEDGE TRIM may be applied any time during the growing season. However, best results are obtained when applied to vigorous new growth.

HOW TO APPLY. Use hand sprayer, compressed air sprayer (knapsack or tank type), or hose-end sprayer. Consult instructions on hose-end sprayer for proper mix equal to 4 tablespoons per gallon. Spray all exposed surfaces of leaves and bark to the drip point.

HEDGES, SHRUBS, IVY. Privet, Pyracantha, Myrtus, Xylocarpus, Viburnum, Euonia, Pittosporum, Cissus, Hahns Ivy, Algerian Ivy, Honeysuckle, Forsythia, Ice Plant. When new growth has reached a height of 2 to 4 inches in Spring, trim as usual to the desired shape and height. Then spray all exposed surfaces to the drip point. For very dense hedges, spread tops apart so that spray will reach the inner surfaces. If these inner surfaces are missed, some shoots will grow taller than the unsprayed areas, requiring occasional

snipping to maintain a neat, trim-looking appearance.

A second application may be advisable a few months later if growth becomes strong and vigorous. Prune to the desired shape and height and apply spray to all exposed surfaces.

TREES. Sycamore, Willow, Alder, Poplar, Oak, Mulberry, Black Walnut, Maple, Sweet Gum, Elm, Tamarack. Apply in Spring as soon as new leaves have expanded. Or prune tree to desired shape, wait until new regrowth is 2-4 inches high then spray. Spray only those parts of tree where growth is to be inhibited. If tree height is to be controlled, spray only top half of tree. If a particular side is to be inhibited, spray only that side of the tree.

CAUTION. May be harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin, eyes, clothing. Use ordinary care in spraying to minimize drift on flowers. Do not use on food or feed crops. Do not use if rain is expected within 12 hours of application.

NON-WARRANTY. Seller makes no warranty of any kind, express or implied, concerning effects of use of this product other than those specified on this label. Buyer, or User, accepts all responsibility for results due to misuse of this product.

Coverage: 8 ozs. will spray a privet hedge approximately 40 ft. long, by 2 ft. wide, by 3 to 4 ft. high.

Distributed by

ACCEPTED
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTGENIC ACT
2/25-44
Comments

ACCEPTED WITH COMMENTS