


Proposed Label Copy For: Science SYSTEMIC Spray (p. 1)

FRONT PANEL



Science

SYSTEMIC SPRAY

Formula

Kills insects 3 ways

SYSTEMIC - RESIDUAL - CONTACT

on ROSES, FLOWERS, TREES, SHRUBS, ORNAMENTALS, LAWN, PATIO

ACTIVE INGREDIENTS: METHA-CYSTOX[®] - METHOXYCHLOR - KILTHANE[®]

ACTIVE INGREDIENTS

*S- [2-(Ethylsulfanyl) ethyl] G,O-dimethyl phosphorothioate	75.0%
**Methoxychlor, technically	1.0%
1,1-Bis (p-chlorophenyl)-2,2,2-trichloroethanol	0.0%
Aromatic Petroleum Distillate	14.0%
INERT INGREDIENTS	10.0%
	Total 100.0%

**Equivalent to 4.4% of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 0.6% of other isomers and related compounds

*Methoxychlor No. 1, 1, 1, 1, 1 used under license from General Corp.

Concentration: 1 pint, 1 quart

WARNING: KEEP OUT OF REACH OF CHILDREN. See other cautions on label.

BACK PANEL

READ ENTIRE LABEL THOROUGHLY BEFORE USE. OBSERVE ALL CAUTIONS. USE ONLY AS DIRECTED.

KILLS INSECTS 3 WAYS

- 1 - SYSTEMICALLY. Insecticide is absorbed into the sap system killing the following sucking insects from within the plant: aphids, red spider and other mites, leaf miners, leaf hoppers, thrips, white flies.
- 2 - RESIDUALLY. Residue on leaves and stems kills the following: armyworms, cucumber beetles, flea beetles, Japanese beetles, lace bug, leaf miners, leaf hoppers, leaf rollers and other insects.

A. S. S.
12-4-68
2125-48
Comments

CONFIDENTIAL
The following information was obtained from
(50%)
(50%)
(40%)
The following information was obtained from
the following sources:
1. [illegible]
2. [illegible]
3. [illegible]
4. [illegible]
5. [illegible]
6. [illegible]
7. [illegible]
8. [illegible]
9. [illegible]
10. [illegible]
11. [illegible]
12. [illegible]
13. [illegible]
14. [illegible]
15. [illegible]
16. [illegible]
17. [illegible]
18. [illegible]
19. [illegible]
20. [illegible]
21. [illegible]
22. [illegible]
23. [illegible]
24. [illegible]
25. [illegible]
26. [illegible]
27. [illegible]
28. [illegible]
29. [illegible]
30. [illegible]
31. [illegible]
32. [illegible]
33. [illegible]
34. [illegible]
35. [illegible]
36. [illegible]
37. [illegible]
38. [illegible]
39. [illegible]
40. [illegible]
41. [illegible]
42. [illegible]
43. [illegible]
44. [illegible]
45. [illegible]
46. [illegible]
47. [illegible]
48. [illegible]
49. [illegible]
50. [illegible]
51. [illegible]
52. [illegible]
53. [illegible]
54. [illegible]
55. [illegible]
56. [illegible]
57. [illegible]
58. [illegible]
59. [illegible]
60. [illegible]
61. [illegible]
62. [illegible]
63. [illegible]
64. [illegible]
65. [illegible]
66. [illegible]
67. [illegible]
68. [illegible]
69. [illegible]
70. [illegible]
71. [illegible]
72. [illegible]
73. [illegible]
74. [illegible]
75. [illegible]
76. [illegible]
77. [illegible]
78. [illegible]
79. [illegible]
80. [illegible]
81. [illegible]
82. [illegible]
83. [illegible]
84. [illegible]
85. [illegible]
86. [illegible]
87. [illegible]
88. [illegible]
89. [illegible]
90. [illegible]
91. [illegible]
92. [illegible]
93. [illegible]
94. [illegible]
95. [illegible]
96. [illegible]
97. [illegible]
98. [illegible]
99. [illegible]
100. [illegible]

ALL PARTS cont'd.

Apply to the undersides of leaves, stems, wet foliage, and other parts as indicated.

Apply directly to the insects indicated on the label, or directly by the spray.

APPLICATIONS FOR USE

ORNAMENTALS. Roses, azaleas, rhododendron, Larkspur, other flowers, shrubs, evergreens, shade trees. Use 2 tablespoons (1 oz.) per gallon of water. Apply spray when insects first appear; spray directly on as many insects as possible. Wet all plant surfaces thoroughly. Repeat weekly on flowers, and as often as needed to maintain effective control on other plants. For leaf miners on birches, boxwood, and holly spray in early May. Repeat in 10 days.

LAWNS. For ants, clover, grubs and other lawn insects. Use 2 tablespoons per gallon of water. Apply evenly at the rate of 1 gallon per 100 sq. ft. of lawn. Water area thoroughly to work in solution into soil. Keep children and pets off treated area until lawn is dry.

PATIO, PICNIC AREA. For beetles, flies, and other insects. Use 5 tablespoons per gallon of water and spray thoroughly and evenly over all surfaces of lawn, shrubs, and other plants. Use brush around solar hot water panels, but not spray on surfaces directly. Wash children and pets off treated area immediately.

OBSERVE PRECAUTIONS ON LABEL

WARNING: May be fatal if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, clothing. After use wash hands thoroughly with soap and water. Do not eat, drink, or use tobacco while using. Wash thoroughly with soap and water after use. Avoid contamination of food and feeding areas. Not to be used on vegetables or other edible plants. Keep away from water or children.

If you contact poison, call your doctor or poison control center. Always use face and eye protection.

KEEP THIS CONTAINER CLOSED. Do not reuse empty container. Bury or discard in a safe place.

Toxic to fish. Keep out of any body of water.

WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME!

ACCEPTED
12-4-68
UNDER THE FEDERAL INSECTICIDE
ACT AND STATE ACTS
FOR THE CONTROL OF PESTS
REGISTERED
2/25-48

Comments