

ONE PINT TREATS UP TO 2,500 SQUARE FEET
USE ONLY AS DIRECTED

Dallisgrass in Bermuda lawns. Use double the amount Crab Grass Killer recommended and apply as for young Crab Grass. Apply any time after lawn has come out of dormancy. Apply again a week later.

HOW TO APPLY

Use hose-end sprayer or pressure-type sprayer. Place proper amount Crab Grass Killer in jar or tank and fill with water. Spray uniformly over measured area to be treated, wetting grass thoroughly.

RESULTS. Allow 3 to 4 weeks for complete kill. Usually no results are visible after first treatment. About time of second application, Crab Grass turns light yellow. Later it browns, withers and dies. Be sure to make 3 applications, as directed. Keep grass well-watered during treatment period (3 to 4 weeks). Re-seed when crab grass is dead.

CAUTION. Harmful if swallowed. Avoid breathing of spray mist. Do not get in eyes or on skin. If in eyes, flush with clear water. If spilled, wash skin immediately with soap and warm water. Wash thoroughly after using. Avoid contamination of feed, foodstuffs, streams, other water sources. Keep children and animals off treated areas until this material is washed into the soil. Keep container tightly closed when not in use.

ANTIDOTE. If taken internally induce vomiting and call a doctor at once.

NOTICE. Seller makes no warranty of any kind, express or implied concerning effects of use of this product other than those specified on this label. Buyer, or User, accepts all responsibility for results due to misuse of this product.

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BREAKING, PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE.
Distributed by

SCIENCE PRODUCTS COMPANY, Inc.
Chicago, Illinois

Science

CRAB GRASS KILLER

Also Kills
DALLISGRASS
in Bermuda grass lawns

For use on DICHONDRA lawns, too

CAUTION: KEEP OUT OF REACH OF CHILDREN
See other cautions on back panel

READ ENTIRE LABEL CAREFULLY BEFORE USE.
OBSERVE ALL CAUTIONS. USE ONLY AS DIRECTED.

IMPORTANT. Soil should be moist before treating. During dry spells water grass well before treating. Accurate application of the proper amount is important for effective control.

NOTE. This product kills crab grass and Dallisgrass without injury to Dichondra, Kentucky Blue, Merion Blue, Zoysia and Bermuda grasses when used as recommended. Temporary discoloration may occur on fescue and bent grass; and on Dichondra over 80° F. Do not use on St. Augustine or Centipede lawns; nor on Dichondra at temperatures over 85°. On newly-seeded lawns apply only after the third mowing.

DIRECTIONS FOR USE

Measure carefully the exact area to be treated and apply correct amount evenly over this area.

Young Crab Grass. Late Spring or Early Summer. Add 1 pint to 12 gallons water and apply evenly over 2,500 sq. ft. of lawn. Make 2 more applications, 7 days apart. Repeat, if necessary, to control new growth later in the season. Consult table below for other size areas to be treated.

Mature Crab Grass. Apply one pint in 12 gallons water to 2,000 sq. ft. of lawn. Make 2 more applications, 7 days apart. For other size areas, see table below.

Amount Crab Grass Killer	Add to Water	Sq. Ft. of Lawn to be Treated	
		Young Crab Grass	Mature Crab Grass
6½ oz.	5 gals.	1,000	800
8 oz.	5 gals.	1,250	1,000
1 Pint	12 gals.	2,500	2,000
1 Quart	25 gals.	5,000	4,000

TEMPERATURE. If temperature is over 80° F. apply to lawns as directed under Young Crab Grass in table above.