

DIAZINON® SPRAY

CONTROLS: CERTAIN LAWN, GARDEN, SOIL & NURSERY INSECTS • ANTS • SOD WEBWORMS • EARWIGS • WHITEFLIES • SPIDERS • BROWN DOG TICKS | A C C E P T E |

ACTIVE INGREDIENTS: Diazinor* (0.0 Diethyl 0-(2-Isopropyl-6-methyl-4-pyrinddinyl) phosphorothioate)]	BY WEIGHT APR 2 8 1987
Aromatic Petroleum Solvent	
TOTAL	100.0 Amonded, for the perties

EPA Reg. No. 2125-58

EPA Est. No. 72-PA-1

DANGER PELIGRO

PRECAUCION AL USUARIO: SI ustad no les ingles, no use este producto hasta que la stiqueta haya sido explicado ampliamenta.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water, Get medical treatment immediately. IF SWALLOWED: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, intravenous injection of atropine surface is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. IF INHALED: Remove victim to fresh air. Apply respiration if indicated. IF ON SKIN: Remove contaminated ciothing and wash affected area with soap and water. Launder clothing before reusing.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

SCIENCE PRODUCTS DIVISION
MILLER CHEMICAL & FERTILIZER CORPORATION
Hanover, Pennsylvania 17331

NET CONTENTS: 1 QUART LIQUID

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals.-

DANGER: Corrosive, causes eye damage. Do not get in eyes. Wear goggles or face shield when handling. Harmful if swallowed, inhaled or absorbed through the skin. Do not breather spray mist or vapors. Avoid contact with skin; eyes, or clothing. Wash thoroughly after handling. Do not contaminate food or feed. Keep children and pets off treated areas until spray has dried. Do not use on humans or household pets. Utensils such as teaspoons and cups used to measure pesticides should not be used for food products. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Birds fueding on treated areas may be killed. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur or when weather conditions favor drift from treated areas. Cover bird baths and lish ponds. This product is highly toxic to bees exposed to direct treatment or to residues remaining on treated areas. Do not apply when honey bees are actively visiting the crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next Interval period of bee activity. PHYSICAL OR CHEMICAL HAZARD: Do not use, pour or store near heat or open fieme.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner incon-

STORAGE AND DISPOSAL: Store this product in its tightly closed, original container. For disposal, securely wrap original container in several layers of newspaper and discard in trash, or at an approved waste disposal facility.

DIRECTIONS—GENERAL: Unless otherwise directed, mix 4 teaspoons this product in 1 gal, water and apply full amount evenly over a 40 sq. ft. area. For lawns, vegetables measure size of area to be sprayed $(20^{\circ} \times 50^{\circ} = 1,000 \text{ sq. ft.})$. Then mix proper amount of solution and spray as directed. Use coarse spray for lawns, fine mist spray for plants, trees, shrubs. Application remains effective for 2 weeks. Repeat if necessary.

LAWNS: Merion, Bluegrass, Fescue, Dichondra, St. Augustine, Bent, Bermuda, Lippia varieties. Controls chinch-bugs, sod webworms (lawn moths), Bermuda mites, ants, brown dog ticks, earwigs, billbugs, chiggers, clover mites, leafhoppers, cutworms, armyworms, digger wasps. When treating for digger wasps, make application at dusk when wasps are not as active. Thoroughly wel grass a few hours before applying; for billbugs, water tawn after treatment. For millipedes use 8 teaspoons per gallon for each 40 sq. it. of lawn. Do not permit children or pets to go onto the sprayed grass until the spray has completely dried.

ORNAMENTALS: Annual and perennial flowers, roses, evergreens, trees, shrubs. Controls aphids, bagworms, leafnoppers, leaf miners, mites, red spiders, scale crawlers, tent caterpiliars, thrips, webworms, whitefiles. Spray top and underside of leaves and branches to dripping point. On trees, shrubs, try to penetrate dense foliage. Do not use on ferns, poinsettias, hibisous, gardenias, orchids.

DO NOT TREAT CROPS within the number of days of hervest shown in parentheses after

FRUITS: Apples (14), oranges (21), peaches (21), plums (10), strawberries (5), grapes (10). Controls aphids, mites, codling moth, leaf rollers, grape leaf folder, scale crawlers. Start spraying after blooming and repeat at 10 to 14 day intervals if needed. Apply as full cover spray.

VEGETABLES: Beans (7), cabbage (7), cantaloupes (3), carrots (10), cucumbers (7), onions (10), peppers (5), tomatoes (1). Controls aphids, bean beetles, imported cabbage worms, diamond back moth larvae, leaf miners, leafhoppers. Apply 3 gals. per 1,000 sq. ft. Cover leaves and fruits with a line mist.

NUISANCE PESTS: Outside areas only. Ants, boxelder bugs, chiggers, clover mites, earwigs, illes, roaches, spiders, brown dog ticks. Add 16 il. oz. per 3 gallons water. Thoroughly spray window frames, doors, sills, screens, porch and patio walls and cellings, foundations, walks, garbage cans, into cracks and other places where insects hide. Do not treat plants with this dosage rate. Do not use in the home.

LIMITED WARRANTY: BUYER ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

86M MP

sistent with its label.

Batch No.

Prod. No. 82063

©Copyright-1983-Miller Chemical & Fertilizer Corporation