BEST AVAILABLE COPY

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES OR SOD FARMS.



CCEPTE

ANGER: Corrosive, causes eye damage. Do not get in eyes. Waar googles or face shield the handling. Harmful if swallowed, inhaled or absorbed through the skin. Do not breather mist or vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Do not contaminate food or feed. Keep children and pets off treated areas until spray has dried. Do not use on humans or household pets. Utensitis such as leaspoons and cups used to measure pesticides should not be used for food products. ENVIRONMENTAL HAZINDS: This pesticide is toxic to fish and wildlife. Birds feeding on treated areas may be dilled Do not apply directly to water or wellands. Do not apply where runoff is likely to occur for when weather conditions favor drift from treated areas. Cover bird baths and flish ponds. This induct is highly toxic to bees exposed to direct treatment or to residues remaining on treated areas. Do not apply when honey bees are actively visiting the crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval may be the product of the product in a manner inconsiderable and the product in a manner inconsi

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its label.

IAZINON° SPRAY

CONTROLS: CERTAIN LAWN, GARDEN, SOIL & NURSERY INSECTS • ANTS • SOD WEBWORMS • **EARWIGS • WHITEFLIES • SPIDERS • BROWN DOG TICKS**



STORAGE AND DISPOSAL: Store this product in its tightly closed, original container. For disposal, securely wrap original container in several layers of newspaper and discard in trash, or at an approved waste disposal facility.

DIRECTIONS—GENERAL: Unless otherwise directed, mix 4 teaspoons this product in 1 gal, water and apply full amount evenly over a 40 sq. ft. area. For lawns, vegetables measure size of area to be sprayed (20' x 50' = 1,000 sq. (t.). Then mix proper amount of solution and spray as directed. Use coarse spray for lawns, fine mist spray for plants, trees, shrubs. Application remains effective for 2 weeks. Repeat if necessary.

LAWNS: Merion, Bluegrass, Fescue, Dichondra, St. Augustine, Bent, Bermuda, Lippia varieties. Controls chinch-bugs, sod webworms (lawn moths), Bermuda mites, ants, brown dog ticks, earwigs, billbugs, chiggers, clover mites, leafhoppers, cutworms, armyworms, digger wasps. When treating for digger wasps, make application at dusk when wasps are not as active. Thoroughly wet grass a few hours before applying; for billbugs, water lawn after treatment. For millipedes use 8 teaspoons per gallon for each 40 sq. ft. of lawn. Do not permit children or pets to go onto the sprayed grass until the spray has

ORNAMENTALS: Annual and perennial flowers, roses, evergreens, trees, shrubs. Controls aphids, bagworms, leafhoppers, leaf miners, mites, red spiders, scale crawlers, tent caterpillars, thrips, webworms, whiteflies. Spray top and underside of leaves and branches to dripping point. On trees, shrubs, try to penetrate dense foliage. Do not use on ferns, poinsettias, hibiscus, gardenias, orchids.

DO NOT TREAT CROPS within the number of days of harvest shown in parentheses after each crop.

FRUITS: Apples (14), oranges (21), peaches (21), plums (10), strawberries (5), grapes (10). Controls aphids, mites, codling moth, leaf rollers, grape leaf folder, scale crawlers. Start spraying after blooming and repeat at 10 to 14 day intervals if needed. Apply as full cover

VEGETABLES: Beans (7), cabbage (7), cantaloupes (3), carrots (10), commerce (7), onions (10), peppers (5), tomatoes (1). Controls aprilds, bean beetles, imported cubbage worms, diamond back moth larvae, leaf miners, realhoppers. Apply 3 gals. per 1,000 sq. ft. Cover leaves and fruits with a fine mist.

NUISANCE PESTS: Outside areas only. Ants, boxelder bugs, chiggers, clover mites, earwigs, Illes, roaches, spiders, brown dog ticks. Add 16 II. oz. per 3 gallons water. Thoroughly spray window frames, doors, sills, screens, porch and patio walls and cellings, foundations, walks, garbage cans. Into cracks and other places where insects hide. Do not treat plants with this dosage rate. Do not use in the home.

LIMITED WARRANTY: BUYER ASSUMES ALL RISKS OF USE, STORAGE AND HAND-LING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

97M1.5MP

Batch No.

Frod. No. 82063

© Copyright-1983-Miller Chemical & Fertilizer Corporation