



Net Contents
1 Pint

READ ENTIRE LABEL CAREFULLY BEFORE USE.
OBSERVE ALL CAUTIONS. USE ONLY AS DIRECTED.

VEGETABLES. BEANS (7), CUCUMBERS (7): aphids, cucumber beetles, flea beetles, Mexican bean beetles, leafhoppers, leaf miners, mites, thrips. CANTALOUPE (3), MELONS (3), SUMMER SQUASH (7), WINTER SQUASH (3): aphids, leafhoppers, leaf miners, mites, thrips. PEPPERS (5), use 3 teaspoons per gallon. TOMATOES (2): aphids, cucumber beetles, flea beetles, leaf miners, fall and southern armyworms, mites.

ORNAMENTALS. Annual and perennial flowers, roses, evergreens, trees, shrubs: aphids, bagworms, leafhoppers, leaf miners, mites, red spider, scale crawlers, tent caterpillars, thrips, webworms, whiteflies. Spray plants to dripping point. Try to penetrate dense foliage of shrubs, trees. Do not use on ferns, gardenia, hibiscus, orchids, poinsettias or on other sensitive varieties or on tender foliage which may not tolerate emulsion sprays.

WARNING. May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, clothing as it may be absorbed. Wash all exposed skin surfaces after spraying. Avoid contamination of feed, foodstuffs, food utensils. Do not feed any crop residue to livestock.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated; nor where runoff is likely to occur. Rinse equipment and containers after use; dispose of wastes by burying in non-crop lands away from water supplies. Destroy container by breaking; bury it with waste.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING — FLAMMABLE: KEEP AWAY FROM HEAT OR OPEN FLAME.

NOTICE. Buyer, or User, assumes all risks of use, storage, or handling of this material not in strict accordance with directions given on this label.

Manufactured in U.S.A. by

SCIENCE PRODUCTS COMPANY, Inc.

Chicago, Illinois

FRUIT, NUT & GARDEN SPRAY

Controls many insects on
Fruit Trees • Nut Trees
Garden Plants • Berry Plants

contains

DIAZINON* & KELTHANE**

ACTIVE INGREDIENTS

*0,0-diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate	8.30%
**1,1-bis (chlorophenyl)-2,2,2-trichloroethanol	3.20%
Xylene	79.26%
INERT INGREDIENTS	9.24%

TOTAL 100.00%

*DIAZINON, Reg. trademark of CIBA-GEIGY Corporation
U.S. Patent No. 2,754,243

**KELTHANE, Reg. trademark of Rohm & Haas Company

DIRECTIONS FOR USE.

Unless otherwise directed mix 4 teaspoons this product in 1 gallon water. Apply spray for thorough coverage. Start spraying when insects first appear in early Spring. Spray at 7 to 10 day intervals, as needed. Controls the insects listed after each crop shown. Do not spray food crops within the number of days of harvest shown in parentheses for each crop.

FRUIT TREES. APPLES (14): aphids, apple maggot, codling moth, eye spotted bud moth, fruit tree leaf roller, mealy bug, mites, pear psylla, scale crawlers. APRICOTS (14), NECTARINES (14), PEACHES (21), PLUMS (10), PRUNES (10): aphids, mites, scale crawlers. CHERRIES (14): aphids, cherry fruit fly, eye spotted bud moth, fruit tree leaf roller, mites, scale crawlers. FIGS (10) dried fruit beetle, vinegar flies. LEMONS (21), ORANGES (2): citrus aphids, cottony cushion scale crawlers, fruit tree leaf roller. PEARS (14): aphids, apple maggots, codling moth, mealy bug, mites, pear psylla, scale crawlers.

CANE BERRIES (7). 1 oz. (2 tablespoons) per gallon. Black berries, boysenberries, dewberries, loganberries, raspberries. Spray crowns and canes thoroughly in early Spring before fruit forms. Aphids, leafhoppers, mites, raspberry root borer.

STRAWBERRIES (5). Spray crowns and all leaves. Aphids, cyclamen mites, leafhoppers, leafrollers, spider mites, spittlebugs.

NUTS. Berries (2 teaspoons per gallon), pecans, walnuts (3 teaspoons per gallon). Spray only up to the time husks split open, or after harvest. Aphids, codling moth, leafhoppers, leaf rollers, mites, pecan nut casebearer, walnut caterpillar.

WARNING: KEEP OUT OF REACH OF CHILDREN

See other cautions on back panel.

EPA Reg. No. 2125-59-AA



Net Contents
1 Pint

READ ENTIRE LABEL CAREFULLY BEFORE USE.
OBSERVE ALL CAUTIONS. USE ONLY AS DIRECTED.

DIRECTIONS FOR USE.

Unless otherwise directed mix 4 teaspoons this product in 1 gallon water. Apply spray for thorough coverage. Start spraying when insects first appear in early Spring. Spray at 7 to 10 day intervals, as needed. Controls the insects listed after each crop shown. Do not spray food crops within the number of days of harvest shown in parentheses for each crop.

FRUIT TREES. APPLES (14): aphids, apple maggot, codling moth, eye spotted bud moth, fruit tree leaf roller, mealy bug, mites, pear psylla, scale crawlers. APRICOTS (14), NECTARINES (14), PEACHES (21), PLUMS (10), PRUNES (10): aphids, mites, scale crawlers. CHERRIES (14): aphids, cherry fruit fly, eye spotted bud moth, fruit tree leaf roller, mites, scale crawlers. FIGS (10) dried fruit beetle, vinegar flies. LEMONS (21), ORANGES (2): citrus aphids, cottony cushion scale crawlers, fruit tree leaf roller. PEARS (14): aphids, apple maggots, codling moth, mealy bug, mites, pear psylla, scale crawlers.

CANE BERRIES (7). 1 oz. (2 tablespoons) per gallon. Blackberries, boysenberries, dewberries, loganberries, raspberries. Spray crowns and canes thoroughly in early Spring before fruit forms. Aphids, leafhoppers, mites, raspberry root borer.

STRAWBERRIES (5). Spray crowns and all leaves. Aphids, cyclamen mites, leafhoppers, leafrollers, spider mites, spittlebugs.

NUTS. Filberts (2 teaspoons per gallon), pecans, walnuts (3 teaspoons per gallon). Spray only up to the time husks split open, or after harvest. Aphids, codling moth, leafhoppers, leaf rollers, mites, pecan nut casebearer, walnut caterpillar.

VEGETABLES. BEANS (7), CUCUMBERS (7): aphids, cucumber beetles, flea beetles, Mexican bean beetles, leafhoppers, leaf miners, mites, thrips. CANTALOUPE (3), MELONS (3), SUMMER SQUASH (7), WINTER SQUASH (3): aphids, leafhoppers, leaf miners, mites, thrips. PEPPERS (5), use 3 teaspoons per gallon. TOMATOES (2): aphids, cucumber beetles, flea beetles, leaf miners, fall and southern armyworms, mites.

ORNAMENTALS. Annual and perennial flowers, roses, evergreens, trees, shrubs: aphids, bagworms, leafhoppers, leaf miners, mites, red spider, scale crawlers, tent caterpillars, thrips, webworms, whiteflies. Spray plants to dripping point. Try to penetrate dense foliage of shrubs, trees. Do not use on ferns, gardenia, hibiscus, orchids, poinsettias or on other sensitive varieties or on tender foliage which may not tolerate emulsion sprays.

WARNING. May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, clothing as it may be absorbed. Wash all exposed skin surfaces after spraying. Avoid contamination of feed, foodstuffs, food utensils. Do not feed any crop residue to livestock.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated; nor where runoff is likely to occur. Rinse equipment and containers after use; dispose of wastes by burying in non-crop lands away from water supplies. Destroy container by breaking; bury it with waste.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING — FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

NOTICE. Buyer, or User, assumes all risks of use, storage, or handling of this material not in strict accordance with directions given on this label.

Manufactured in U.S.A. by

SCIENCE PRODUCTS COMPANY, Inc.

Chicago, Illinois

FRUIT, NUT & GARDEN SPRAY

Controls many insects on
Fruit Trees • Nut Trees
Garden Plants • Berry Plants

contains

DIAZINON* & KELTHANE**

ACTIVE INGREDIENTS

*0,0-diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate 8.30%

**1,1-bis (chlorophenyl)-2,2,2-trichloroethanol 3.20%

Xylene 79.26%

INERT INGREDIENTS 9.24%

TOTAL 100.00%

*DIAZINON, Reg. trademark of CIBA-GEIGY Corporation
U.S. Patent No. 2,754,243

**KELTHANE, Reg. trademark of Rohm & Haas Company

WARNING: KEEP OUT OF REACH OF CHILDREN
See other cautions on back panels

EPA Reg. No. 2125-59-AA