



Reg # 2125-59  
PM 15  
p. 1013

FRUIT, NUT & GARDEN SPRAY

Controls Many Insects On  
FRUIT TREES • NUT TREES  
GARDEN PLANTS • BERRY PLANTS

Contains

\*DIAZINON® & \*\*KELTHANE®

ACTIVE INGREDIENTS:	BY WEIGHT
*DIAZINON® [O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....	8.30%
**1,1-bis (p-chlorophenyl)-2,2,2-trichloroethanol.....	3.20%
Xylene.....	79.26%
INERT INGREDIENTS:.....	9.24%
TOTAL.....	100.00%

\*DIAZINON® - Registered Trademark of Ciba-Geigy Corporation, U.S. Patent No. 2,754,243  
\*\*KELTHANE® - Registered Trademark of Rohm & Haas Company

EPA Reg. No. 2125-59

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, intravenous injection of atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.

IF IN EYES: Wash eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS


MILLER CHEM. & FERTILIZER CORPORATION  
Hanover, Pennsylvania 17331

ACCEPTED

AUG 1 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2125-59

NET CONTENTS: 8 OUNCES LIQUID  
1 PINT LIQUID  
1 QUART LIQUID



Reg # 2125-59  
PM 15  
p 2 of 3

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** WARNING--Harmful if swallowed, inhaled or absorbed through the skin. Do not take internally. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Wear gloves and long sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating or smoking. Do not contaminate food or feed. Avoid storage near food or feed products. Avoid contamination of feed, feeding troughs and watering receptacles. Food utensils such as teaspoons or tablespoons should not be used for food purposes after use in measuring pesticides. Do not use on humans or household pets. Keep children and pets off treated areas until spray has dried. Do not feed any crop residue to livestock.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur or when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover bird baths and fish ponds. This product is highly toxic to bees exposed to direct treatment or to residues remaining on treated areas. Do not apply when honey bees are actively visiting the crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next interval period of bee activity. **MAY KILL HONEYBEES IN SUBSTANTIAL NUMBERS.** Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control.

### PHYSICAL OR CHEMICAL HAZARD

Do not use, pour or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in tightly closed, original container in a locked area away from children and domestic animals. Do not reuse empty container. Securely wrap closed container in several layers of newspaper and discard in trash.

### DIRECTIONS

Unless otherwise directed mix 4 teaspoons this product in 1 gallon water. Apply spray for thorough coverage. Start spraying when insects first appear in early Spring. Spray at 7 to 10 day intervals, as needed. Control the insects listed after each crop shown. Do not spray feed crops within the number of days of harvest shown in parentheses for each crop.

**FRUIT TREES:** APPLES (14): aphids, apple maggot, codling moth, eye spotted bud moth, fruit tree leaf roller, mealy bug, mites, pear psylla, scale crawlers. APRICOTS (14), NECTARINES (14), PEACHES (21), PLUMS (10), PRUNES (10): aphids, mites, scale crawlers. CHERRIES (14): aphids, cherry fruit fly, eye spotted bud moth, fruit tree leaf roller, mites, scale crawlers. FIGS (10) dried fruit baskets, vinegar flies. LEMONS (21), ORANGES (21): citrus aphids, citrus cushion scale crawlers, fruit tree leaf roller. PEARS (14): aphids, apple maggots, codling moth, mealy bug, mites, pear psylla, scale crawlers.

**CANE BERRIES (7):** 1 oz. (2 tablespoons) per gallon. Blackberries, boysenberries, dewberries, loganberries, raspberries. Spray crowns and canes thoroughly in early Spring before fruit forms. Aphids, leafhoppers, mites, raspberry root borer.

**STRAWBERRIES (5):** Spray crowns and all leaves. Aphids, cyclamen mites, leafhoppers, leaf-miners, spider mites, springtails.

**NUTS:** Filberts (2 teaspoons per gallon), pecans, walnuts (3 teaspoons per gallon). Spray only up to the time husks split open, or after harvest. Aphids, codling moth, leafhoppers, leaf rollers, mites, pecan nut casebearer, walnut caterpillar.

