

[2125-66]

ACCEPT
7-17-72
THE FEDERAL INSECTICIDE
ACT AND FERTILIZER ACT
7-17-72

THURICIDE

Gypsy Moth, Oakmoth larvae
Cankerworm, Tent Caterpillar
on
SHADE TREES, ORNAMENTALS

Cabbage looper, imported cab-
bage worm, tomato hornworm
on VEGETABLES listed

ACTIVE INGREDIENTS	
Bacillus thuringiensis Berliner	0.5%
Spores of B. thuringiensis	2.0%
Other inactive ingredients	97.5%
INERT INGREDIENTS	
Petroleum hydrocarbon solvent	97.5%
Other inactive ingredients	2.5%
Total	100.0%

THURICIDE is a biological insecticide. It is a spray-on product that kills insects by acting on their digestive system. It is effective against a wide range of insects, including Gypsy Moth, Oakmoth larvae, Cankerworm, Tent Caterpillar, Cabbage looper, imported cabbage worm, tomato hornworm, and others. It is safe for use on shade trees and ornamentals. It is also safe for use on vegetables listed on the label. It is a natural product that does not harm the environment. It is a safe and effective way to control insects on your plants.

CAUTION. STORE IN A COOL PLACE. Insect activity may be impaired by storage at temperature over 90°F. PROTECT FROM FREEZING. Diluted spray should be used within 12 hours of mixing. Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

NOTICE. Buyer, or User, assumes all risks of use, storage, or handling of this material not in strict accordance with the directions given on this label.

THURICIDE, registered trademark of International Chemical & Chemical Corporation.

Read label carefully before use.
Do not use on food crops.
Use only as directed on label.

How THURICIDE Works
THURICIDE enters through the digestive tract of the insect, acting on the lining of the gut to destroy the cells. The insect then starves to death. THURICIDE does not harm other insects or plants. It is safe for use on shade trees and ornamentals. It is also safe for use on vegetables listed on the label.

DIRECTIONS FOR USE
Shake well before use. Mix 1 tablespoon per gallon of water. Apply at first sign of infestation. Repeat at weekly intervals when needed to maintain effective control. Apply spray thoroughly to upper, lower, and under side of foliage. Good coverage is essential. The insect must eat THURICIDE to be killed. Use a SPREADER-STICKER if the spray does not keep the THURICIDE on the foliage. Maintaining its effectiveness is important. Do not reuse.

USE ON VEGETABLES
Control insects on vegetables listed on label. Great results can be obtained on (cabbage, cauliflower, broccoli, Brussels sprouts, etc.). Do not use on other vegetables. Do not use on food crops. Do not use on ornamentals. Do not use on shade trees. Do not use on lawns. Do not use on flowers. Do not use on fruit trees. Do not use on shrubs. Do not use on vines. Do not use on ground covers. Do not use on mulch. Do not use on compost. Do not use on manure. Do not use on other organic matter.