

ACCEPTED

JAN 16, 1973

2125-68

Science

DURSBAN

Insecticide

Kills **CHINCH BUGS**
Sod Webworms (Lawn Moths), Ants, Cutworms,
Earwigs, Grasshoppers, other insects listed

Infesting

LAWNS

and other ornamental turf areas

ACTIVE INGREDIENTS

Chlorpyrifos (100 percent Dursban Base)	60.0%
Diazinyl phosphate (100 percent)	3.4%
Aromatic Petroleum Hydrocarbons (100 percent)	84.3%
Other Inert Ingredients	6.1%
TOTAL	100.0%

DURSBAN is a registered trademark of Science Products Company, Inc.
U.S. Pat. Nos. 3,024,556

Net Contents: 1 pint

READ ENTIRE LABEL CAREFULLY BEFORE USE. OBSERVE ALL CAUTIONS. USE ONLY AS DIRECTED ON THIS LABEL.

DIRECTIONS FOR USE

Dursban Insecticide controls ants, chinch-bugs, sod webworms (lawn moths), cutworms, earwigs, grasshoppers, brown dog ticks infesting lawns and other ornamental and recreational turf grass areas. For best results water lawn before application to make it moist. Carefully measure area to be treated and apply proper amount of this product uniformly over this area. Mix with water according to table below and apply as a coarse spray (large droplets) using a low-pressure sprayer such as knapsack-type, or hose-end sprayer or similar equipment. Spray when insects first appear. Retreat as needed. Important! Keep children and pets off treated areas until spray has dried.

DOSAGES and DILUTIONS for LAWNS and TURFS

Area to be Treated	Amount of DURSBAN Insecticide	Dilute with water to make
100 sq. ft.	4 fl. oz. 4 teaspoons	3 gals.
150 sq. ft.	1 fl. oz. 2 tablespoons	5 gals.
500 sq. ft.	3 fl. oz. 2 teaspoons	15 gals.
1,000 sq. ft.	6 fl. oz. 4 teaspoons	30 gals.
1,200 sq. ft.	8 fl. oz.	40 gals.
2,400 sq. ft.	1 pint	75 gals.
	1 fluid ounce	6 teaspoons (3 tsp.) or 2 tablespoons (3 tsp.)

WARNING! MAY BE FATAL IF SWALLOWED! Do not take internally. Do not smoke while using. May be absorbed through skin. Avoid breathing spray mist or vapors. Do not get in eyes or on skin as it may be poisonous. If in eyes, flush with plenty of water and get medical attention. Wash thoroughly after handling or after skin contact. Wash contaminated clothing before using again. Do not spray on garden or other edible crops. Keep away from food, feedstuffs, domestic water supplies. Handle only in a ventilated area.

Hazard to Fish: Active ingredient is a cholinesterase inhibitor. Aconitine is an antidote. Treat symptomatically. This product is highly toxic to fish. Do not expose to direct treatment of ponds or plants. Prevent contamination from your Cooperative Agricultural Extension Office.

Hazard to Birds: Toxic to fish, birds and wild life. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated area. Do not contaminate water by cleaning of equipment or emptying of containers.

First Aid: If inhaled, get fresh air. If swallowed, induce vomiting. If on skin, wash with plenty of water. If in eyes, flush with plenty of water. If on clothing, remove clothing and wash separately.

HAZARD TO FLAMMABLES: KEEP AWAY FROM FLAME OR OPEN FLAME. Keep container closed.

NOTICE: See label for directions and risks of use. Storage or handling of this material not in strict accordance with directions on this label.

Manufactured in U.S.A.

SCIENCE PRODUCTS COMPANY, Inc.

Chgo. Ill. 60611

WARNING: KEEP OUT OF REACH OF CHILDREN
See other cautions on back panels

EPA Reg. No. 2125-68-AA

Science

DURSBAN

Insecticide

CHINCH BUGS

Lawns (Lawn Moths), Ants, Cutworms, Grasshoppers, other insects listed

Infesting

LAWNS

other ornamental turf areas

ACTIVE INGREDIENTS

Chlorpyrifos [O,O-diethyl O-(2,5,6-trichloro-2-pyridyl) phosphorothioate]	6.0%
Aromatic Petroleum derivative solvent	3.4%
Xylene	84.5%
INERT INGREDIENTS	6.1%
Total	100.0%

DURSBAN®—Trademark of the Dow Chemical Co
U.S. Patent No. 3,244,596

Net Contents: 1 pint

READ ENTIRE LABEL CAREFULLY BEFORE USE. OBSERVE ALL CAUTIONS. USE ONLY AS DIRECTED ON THIS LABEL.

DIRECTIONS FOR USE

Dursban Insecticide controls ants, chinch-bugs, sod webworms (lawn moths), cutworms, earwigs, grasshoppers, brown dog ticks infesting lawns and other ornamental and recreational turf grass areas. For best results water lawn before application to make it moist. Carefully measure area to be treated and apply proper amount of this product uniformly over this area. Mix with water according to table below and apply as a coarse spray (large droplets) using a low-pressure sprayer such as knapsack-type, or hose-end sprayer or similar equipment. Spray when insects first appear. Retreat as needed. Important! Keep children and pets off treated areas until spray has dried.

DOSAGES and DILUTIONS for LAWNS and TURFS

Area to be Treated	Amount of DURSBAN Insecticide	Dilute with water to make
100 sq. ft.	$\frac{1}{4}$ fl. oz. (4 teaspoons)	3 gals.
150 sq. ft.	1 fl. oz. (2 tablespoons)	5 gals.
500 sq. ft.	3 fl. oz. + 2 teaspoons	15 gals.
1,000 sq. ft.	6 fl. oz. + 4 teaspoons	30 gals.
1,200 sq. ft.	8 fl. oz.	40 gals.
2,400 sq. ft.	1 pint	75 gals.

1 fluid ounce = 6 teaspoons (tsp.) or 2 tablespoons (tbsp.)

WARNING: KEEP OUT OF REACH OF CHILDREN
See other cautions on back panels

EPA Reg No 2125-68-AA