

SPECIMEN LABEL

DU-O-SAN
(NAME)

Cold Disinfection

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1½ ounce (Name) per gallon of water for 10 minutes.

FOR ROOM FOGGING

DIRECTIONS:

To minimize the danger of cross-contamination from environmental surfaces apply solution of (Name) as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal, and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet FOG-MASTER TRI-JET MODEL 6208 or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1.5 oz. of (Name) to 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Rinse empty container thoroughly with water and discard.

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. Statements concerning the use of these products are not to be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such use is assumed.

12/73

DISINFECTANT

DEODORIZER

SANITIZER

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides..... 5%
n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS:..... 90% DU-O-SAN 100%

↑(Name) is a concentrate and should be diluted before using.

NET CONTENTS: _____ EPA Reg. No. _____

DANGER


KEEP OUT OF REACH OF CHILDREN.
(See other precautionary and first aid statements on left side panel.)

COMPANY NAME

AND

ADDRESS

DUMONT SALES COMPANY
4400 GARFIELD STREET
DENVER, COLORADO 80216



WARRANTY

USE DIRECTIONS:

Household

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pail, Sink Tops, Corridors, Classrooms, Offices and shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce (Name) to 4 gallons of water. Disinfect with 3 ounces (Name) to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Hospitals

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use (Name) at 3½ ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level (Name) will be effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Food Processing Equipment

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce (Name) per 4 gallons of water to provide 200 ppm of active quaternaries. At this level, No Potable Water Rinse is required.

Dairies

To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce (Name) to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

Restaurant and Bar Rinse

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce (Name) to 4 gallons of water. No Terminal Potable Water Rinse Required.

This product when used on environmental, inanimate hard surfaces at 3½ ounces per 5 gallons of water is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.