

Established 1884

## HOFFMAN'S ROOST PAINT

Active Ingredients:—Malathion (O, O Dimethyl dithiophosphate of diethyl mercaptosuccinate) 4%, Methylated Naphthalene 3%, Petroleum Oil 50.8%, Kerosene 21.4%, Xylene 20.8%.

### DIRECTIONS

#### SHAKE WELL BEFORE USING

To kill the large body louse, the shaft louse and the fluff louse on poultry and turkeys, scrape the roosts free of droppings and paint a strip about two inches wide on the top side about a half-hour before the birds go to roost. A pint should be brushed on 150 ft. of roost. Repeat in 8 to 10 days, if necessary to kill lice that may hatch later.

To kill red mites and Northern Fowl Mites, proceed as above but in addition, paint all cracks and crevices in the roost structure, the underneath parts of the roost structure, the inside and the outside of the nests and all adjacent areas with this product diluted with 3 parts of kerosene or fuel oil. Repeat applications if found to be necessary. Treated nests should be replaced with new nesting material.

**CAUTION:** Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes and clothing. Avoid inhaling fumes. Avoid contamination of feed and foodstuffs. Wash with soap and water after handling and before eating or smoking.

**CAUTION:** DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

USDA Reg. No. 2136-15

Net fluid contents 1 U.S.

Formulated by  
J. L. HOFFMAN CO., Inc.  
Allentown, Pa. 18102