Established 1884

HOFFMAN'S

Household Fly

(Grade AA)

An efficient spray, when used as directed, deadly to flies, mosquitoes, moths, lice, and silverfish, their eggs and larvae.

DIRECTIONS

FOR FLIES AND MOSQUITOES:

Close the room tightly. Spray upward in all directions and especially toward the doors and windows. Use enough spray to get a heavy mist all over the room. Leave the room closed for 10 or 15 minutes, then sweep up and burn the dead and dying insects.

FOR FLIES ON STOCK

To protect from norn flies, house flies and stable flies, spray the animal two times daily using 1 to 2 ounces each time. Try to catch the flies leaving the animal in a cloud of spray mist.

FOR LICE ON STOCK:

Spray the hair of the animal thoroughly, paying special attention to the neck, shoulders and the area around the tail, using about 21/2 ounces of this product per animal. Do not wet the hide of the animal or blistering may result.

Petroleum Distillates

FOR CLOTHES MOTH:
Remove clothing from the closet and spray same thoroughly, including the seams and folds. Avoid striking light-colored garments made of silk, rayon, linen or other spottable material. Clean and spray all parts of the closet thoroughly. Repeat monthly unless treated articles are stored in mothtight containers.

For moth in overstuffed furniture, the covering of which is damageable by moth, brush thoroughly and spray into all dark and hidden crevices, as such places are liable to harbor moth. Repeat several times during the moth season.

FOR SILVERFISH: Spray their hiding places: underneath rugs, in closets, around bookshelves, etc. Repeat at monthly intervals for as long as deemed necessary.

FOR BED BUGS: Spray their hiding places thoroughly and wet them with the spray when they come out. Repeat daily for several days, then weekly to prevent breeding. In case the bugs are in the bed, take the bed apart and spray all cracks and joints. Spray the mattress thoroughly. Repeat weekly.

USDA Reg. No. 2136-20

CAUTION: Do not remain in treated areas and ventilate the area after treatment is completed.

CAUTION: Keep out of reach of children.

CAUTION: Harmful or fatal if swallowed. Do not induce vomiting and call a physician immediately. Avoid prolonged contact with the skin or prolonged inhalation of the spray mist. Do not spray on feed or foodstuffs nor on plants or vegetables. In case anyone is sensitive to the spray, they should not use it. Keep tightly closed when not in use.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ACTIVE INGREDIENTS 100%

99 297%

ACCEPTED

UNUER THE FEDERAL INSECTIONS FUNGICIDE AND RODENTICIDE ACT FOR ECONUMIC PUISON REGISTER-ED UNDER NO 2/3/2 2 SUBJECT 10 ATTACHED COMMENTS.

21.36. 20

DIRECTIONS

FOR FLIES AND MOSQUITOES:
Close the room tightly. Spray upward in all directions and especially toward the doors and windows. Use enough spray to get a heavy mist all over the room. Leave the room closed for 10 or 15 minutes, then sweep up and burn the dead and dying insects.

FOR FLIES ON STOCK

To protect from norn flies, house flies and stable flies, spray the animal two times daily using 1 to 2 ounces each time. Try to catch the flies leaving the animal in a cloud of spray mist.

FOR LICE ON STOCK:

Spray the hair of the animal thoroughly, paying special attention to the neck, shounders and the area around the tail, using about 21/2 ounces of this product per animal. Do not wet the hide of the animal or blistering may result.

FOR CLOTHES MOTH:
Remove clothing from the closet and spray same thoroughly, including the seams and folds. Avoid striking light-colored garments made of silk, rayon, linen or other spottable material. Clean and spray all parts of the closet thoroughly. Repeat monthly unless treated articles are stored in mothtight containers.

For moth in overstuffed furniture, the covering of which is damageable by moth, brush thoroughly and spray into all dark and hidden crevices, as such places are liable to harbor moth. Repeat several times during the moth season.

FOR SILVERFISH: Spray their hiding places: underneath rugs, in closets, around bookshelves, etc. Repeat at monthly intervals for as long as deemed necessary.

FOR BED BUGS: Spray their hiding places thoroughly and wet them with the spray when they come out. Repeat daily for several days, then weekly to prevent breeding. In case the bugs are in the bed, take the bed apart and spray all cracks and joints. Spray the mattress thoroughly. Repeat weekly.

USDA Reg. No. 2136-20

CAUTION: Do not remain in treated areas and ventilate the area after treatment is completed.

CAUTION: Keep out of reach of children.

CAUTION: Harmful or fatal if swallowed. Do not induce vomiting and call a physician immediately. Avoid prolonged contact with the skin or prolonged inhalation of the spray mist. Do not spray on feed or foodstuffs nor on plants or vegetables. In case anyone is sensitive to the spray, they should not use it. Keep tightly closed when not in use.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ACTIVE INGREDIENTS 100%

Petroleum Distillates	99,2970
2.2-Dichlorovinyl Dimethyl Phosphate	.2850%
Related Compounds	112200
*Technical Piperonyl Butoxide	257
Pyrethrins	.011%
Perfume	trace
*Equivalent to .285% (butylearbityl) (6-propylpiperon	y1)

Net Fluid Contents

1 U.S. Gallon

Prepared by J. L. HOFFMAN CO., Inc.

ether and .072% related compounds.

Allentown, Pa. 18102

ACCEPTED

UNULR THE FEDERAL INSECTIONS FUNGICIDE AND RODENTICIDE ACT FOR ECONUMIC PUISON REGISTER-ED UNDER NO. 2136 SUBJECT ID ATTACHED COMMENTS.

2136 20