

DIRECTIONS



IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL.

FOR BEEF AND DAIRY CATTLE:

To protect from horn flies, house flies and stable flies, spray the animal two times daily using 1 to 2 ounces each time. Do not wet the hide or soak the skin as blistering may result.

For milking dairy animals: Apply spray 20 to 30 minutes before beginning to milk or after milking has been completed. Do not spray udders of lactating dairy animals.

To protect from lice: Spray the hair of the animal thoroughly, paying special attention to the neck, shoulders and the area around the tail. Use about 2 1/2 ounces per animal. Do not wet the hide of the animal as blistering may result.

DO NOT APPLY IN EXCESS OF RATES STATED PER ANIMAL

Stables and Barns
To control House Flies in stables, dairy barns, or livestock barns apply as a fog or mist at the rate of 2 fluid ounces per 1,000 cubic feet uniformly distributed throughout the area. Before fogging close doors, windows and other openings to reduce air movement as much as possible. Leave closed for 10 minutes after application is complete, then ventilate the area. May be repeated twice daily, morning and afternoon, as needed. Do not apply as barn spray if animals which have received direct application within eight hours remain in the barn.

CAUTION: Do not remain in treated areas and ventilate the area after treatment is completed.

EPA EST. No. 2136-PA-1 EPA Reg. No. 2136-32

HOFFMAN'S

ACCEPTED

MAY 6 1981

Fogging Spray

Knocks 'em down and keeps 'em down!

An efficient spray, when used as directed, deadly to horn flies, house flies, stable flies, lice.

- Active Ingredients 100%
- Petroleum
- Distillates 99.6195%
- 2,2-Dichlorovinyl Dimethyl Phosphate190%
- Related Compounds .0105%
- Piperonyl Butoxide
- *Technical150%
- Pyrethrins030%
- Perfume trace
- *Equivalent to .120% (butyl-carbityl) (6-prophylpiperonyl) ether and .030% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

see side panel for additional precautionary statements.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.



J.L. HOFFMAN

SERVING THE FARM CO., INC. COMMUNITY SINCE 1884 Allentown, Pa.

1 FLUID CONTENTS 5 U.S. GALLON

PRECAUTIONARY STATEMENTS

Hazards to Humans
Caution

For animal use only. Do not use on humans. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid inhalation of vapor. Do not spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate water, feed, foodstuffs, milk or milk equipment.

STATEMENT OF PRACTICAL TREATMENT

If swallowed —
Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled —
Remove victim to fresh air. Apply respiration if indicated.

If on skin —
Wash contaminated skin with soap and water.

If in eyes —
Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately. Atropine is antidotal and may be administered in conjunction with 2-PAM.

Environmental Hazards

Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Do not use, pour, spill or store near heat or open flame.

STORAGE & DISPOSAL

Keep container tightly closed when not in use. Do not reuse empty container. Destroy it by perforating or crushing, wrap and throw in trash.