

**BLACK DISINFECTANT**  
**(Phenol Coefficient 3)**

PHENOL COEFFICIENT 3 vs. S. TYPHOSA  
(A.O.A.C. Test Method)

For Use In Hotels, Motels, Schools, Office Buildings, and Industrial Plants.

ACTIVE INGREDIENTS:	
Coal Tar Neutral Oils . . . . .	59.4%
Sodium Soap . . . . .	18.7
Cresylic Acid . . . . .	5.3
Coal Tar Acids . . . . .	6.6
	<u>90.0%</u>
INERT INGREDIENTS, Water . . . . .	10.0%
	<u>100.0%</u>

A High Grade Disinfectant. Does Not Deteriorate With Age.  
Effective to the Last Drop.

USE DILUTIONS  
(Via A.O.A.C. Method)

Pseudomonas aeruginosa . . . . .	1-20
Salmonella choleraesuis . . . . .	1-100
Salmonella typhosa . . . . .	1-100
Staphylococcus aureus . . . . .	1-20

**DANGER:** KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.  
SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

For Institutional or Industrial Use Only.  
Sold by:

**I. SCHNEID, INC.**  
1429 FAIRMONT AVE., N. W.  
ATLANTA 18, GEORGIA

**DIRECTIONS**

For disinfecting floors, walls, and woodwork, mix 20 ounces (2½ cups) in a pail of water (12 quarts). Mop or swab solution so as to wet all surfaces.

For scrubbing, mix 8 ounces (1 cup) in a pail of water (12 quarts). Apply so as to wet all surfaces.

For 1 and 5-gallon containers: rinse empty container thoroughly with water and discard. For larger containers: return empty container to drum reconditioner or destroy by perforating or crushing and bury in safe place.

**DANGER:**

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.  
May be fatal if swallowed or absorbed through the skin.  
Do not get in eyes, on skin, or on clothing. May produce severe burns.  
Wash thoroughly after handling.  
Avoid contamination of feed and foodstuffs.  
FIRST AID: In case of contact, wash thoroughly with plenty of water. For eyes, get medical attention. If swallowed, drink milk, egg white, rice, gruel or cornstarch paste. Call a physician immediately.

CONTROL NUMBER  
E.P.A. Reg. No. 2155-7

CONT. GAL.

ATED  
72