DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR CLEANING AND DISINFECTING: Pour 8 ounces of cleanerdisinfectant into a bucket. Then add 10 quarts of warm water. Wet floors with the solution. Allow to remain thereon for about 5 minutes. Mop up loosened dirt. Rinse freely.

FOR DISINFECTING RESTROOMS, URINALS, SINKS, SICK ROOMS, BED PANS AND GARBAGE CANS In HOMES, HOTELS, MOTELS, SCHOOLS AND PUBLIC PLACES: Remove dirt from surface to be disinfected. Pour 2 ounces of this product into a 1 gallon pail and fill with water. Stir before using. With this solution, you can wash or rinse using a rag or sponge. This same solution can be used to spray or mop floors.

FOR DISINFECTING TOILET BOWLS: Add 11/2 ounces of this product to water in bowl. Stir and swab entire inner surface of bowl.

The use of all cleaning compounds in federally inspected meat and poultry establishments must be followed by a potable water rinse.

KEEP OUT OF REACH OF CHILDREN

COMBINE(Phenol Coefficient 4.5)

Phenol Coefficient 4.5 vs. S. typhosa (A.O.A.C. Test Method)

CLEANS AND DISINFECTS IN ONE APPLICATION SAFE FOR USE ON ALL SURFACES

F(i') , S(i')

CAUTION

See right side panel for additional precautions.

For commercial and industrial use only, or for sale to, use and storage by service persons.

MANUFACTURED BY
I. SCHNEID, INC
1429 FAIRMONT AVE., NW
ATLANTA, GA 30381

STORAGE A

PESTICIDE DISPOSA!: Pesticid of excess pesticide, spray mintur Law. If these wastes cannot be d instructions, contact your State Agency, or the Hazardous Wasti Regional Office for guidance. Do by storage or disposal.

CONTAINER DISPOSAL: Me equivalent). Then offer for recyclin dispose of in a sanitary fundfill, c state and local authorities. Pla equivalent). Then offer for recyclin dispose of in a sanitary landfill, o

STORAGE: Keep container clos

FIR

In case of contact, immediately flifter at least 15 minutes. For eyes, contaminated clothing before relarge quantity of milk, egg whites available, drink large quantities of timmediately.

and local authorities, by burning

CAUTION: Avoid getting concern Avoid contact with skin. In case of It irritation persists, get medical att Rinse empty container with wate

Not Reviewed. Registrant claims to the Registration of Pesticide Product Grand Response, Page 2.12, Active to Inertification of Pesticide Product Grand Pesticide Product Gran

CONTROL NUMBER

E.P.A. Reg. No. 2155-22-E.P.A. Est. No. 2155-GA.-1

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR CLEANING AND DISINFECTING: Pour 8 ounces of cleaner-disinfectant into a bucket. Then add 10 quarts of warm water. Wet floors with the solution. Allow to remain thereon for about 5 minutes. Mop up loosened dirt. Rinse freely.

FOR DISINFECTING RESTROOMS, URINALS, SINKS, SICK ROOMS, BED PANS AND GARBAGE CANS in HOMES, HOTELS, MOTELS, SCHOOLS AND PUBLIC PLACES: Remove dirt from surface to be disinfected. Pour 2 ounces of this product into a 1 gallon pail and fill with water. Stir before using. With this solution, you can wash or rinse using a rag or sponge. This same solution can be used to spray or mop floors.

FOR DISINFECTING TOILET BOWLS: Add 11/2 ounces of this product to water in bowl. Stir and swab entire inner surface of bowl.

The use of all cleaning compounds in federally inspected meat and poultry establishments must be followed by a potable water rinse.

KEEP OUT OF REACH OF CHILDREN

COMBINE (Phenol Coefficient 4.5)

Phenol Coefficient 4.5 vs. S. typhosa (A.O.A.C. Test Method)

CLEANS AND DISINFECTS IN ONE APPLICATION SAFE FOR USE ON ALL SURFACES

ACTIVE INGREDIENTS 4.57%
Sodium o-benzyl p-chlorophenate
INERT INGRED.ENTS 95.43%
Water
Tetrapotassium pyrophosphate
Propylene glycol
Veyetable oil soap
Trivithanolamine dodecyl benzene sulfonate
Sodium dodecyl benzene sulfonate

Hydroxyethylenediamine triacetic acid trisodium salt

CAUTION

See right side panel for additional precautions.

For commercial and industrial use only, or for sale to, use and storage by service persons.

MANUFACTURED BY
I. SCHNEID, INC
1429 FAIRMONT AVE., NW
ATLANTA, GA 30381

STORAGE AN

STORAGE: Keep container clorad PESTICIDE DISPOSAL: Pesticide of excess pesticide, spray mixture, Law. If these wastes cannot be dispinstructions, contact your State Peagency, or the Hazardous Waste in Regional Office for guidance. Do not by storage or disposal.

container disposal. Meta equivalent). Then offer for recycling dispose of in a sanitary landfill, or state and local authorities. Plast equivalent). Then offer for recycling dispose of in a sanitary landfill, or it

and local authorities, by burning.

FIRST

In case of contact, immediately flus for at least 15 minutes. For eyes, calcontaminated clothing before reus large quantity of milk, egg whites, gavailable, drink large quantities of was immediately.

CAUTION: Avoid getting concentre Avoid contact with skin. In case of co if irritation persists, get medical atter Rinse empty container with water

Not Reviewed. Registrant claims to Reregistration of Pesticide Product (Response, Page 2.12, Active to Ine

CONTROL NUMBER

E.P.A. Reg. No. 2155-22-E.P.A. Est. No. 2155-GA -1

5295 02:039 1