FOGGING SPRAY CONCENTRATE

FOR CONTROL OF FLOUR BEETLES, GRAIN MITES, GRAIN MOTHS AND GRAIN WEEVILS (Accessible States.) ALSO FLIES, MOSQUITOES AND GNATS.

ACTIVE INGREDIENTS:

Pyrethrins

Petroleum Distillate N-Octyl Bicycloheptene Dicarboximide *Technical Piperonyl Butoxide

0 15 0 15 0 37

FOR INDOOR FOGGING: Adjust nozzle to position for a verfine mist. Close all openings, air conditioning and ventilating systems. Cover all foodstuffs to prevent contamination from falling insects. Sweep up and destroy all dead insects.

Use 1 gallon FOGGING SPRAY CONCENTRATE for each 50,000 cubic feet of space. Or wet surfaces thoroughly and treat all infested surface areas, insect hiding places and runways at the rate of 1 gallon to 750 square feet.

Repeat when reinfestation occurs.

FOR FOOD PROCESSORS: Cover or remove all food before applying above treatments. Thoroughly clean all exposed

food processing surfaces before re-using. Apply as a space spray, only when plant is not in operation.

Do not re-use empty drum. Destroy by perforating or crushing and burying in a safe place.

FOR INDUSTRIAL OR INSTITUTIONAL USE ONLY

CAUTION: Keep out of reach of children.

Do not spray on or near open flame. Harmful if swallowed. Avoid contamination of food.

EPA Registration No. 2155-24

CONTROL NUMBER

GAL

SOLD BY

1. CCHNEID, INC.
1429 FAIRMONT AVE., N. W.
ATLANTA 18 GEORGIA

ACCEPTED

DEC 1 2 1372

TOP A POST OF HELDER MARKET AND A SOLETAR OF HELD AND A SOLETAR OF HELD AND HE AND HELD AND HELD AND HELD AND HELD AND HELD AND HELD AND HELD

^{*}Consists of (Butylcarbityl) (6-Propylpiperonyl ether and relater compounds