




Left Panel

DIRECTIONS

GENERAL: In food processing plants, cover or remove exposed food and feed stuffs during spraying. After spraying wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. When using product apply only when plant is not in operation. Keep containers closed.

SPACE SPRAY TO KILL FLIES, MOSQUITOES, GNATS AND FLYING MOTHS: Shake container gently to be sure contents are uniformly mixed. Pour in sprayer. Close doors and windows and turn off ventilating equipment. Mist all parts of the room or area at a dosage of one fluid ounce of spray per 1000 cubic feet of space. Repeat as needed. CAUTION: Do not remain in treated areas. Ventilate the area after treatment is completed.

(continued on other side panel)



Right Panel

(Continued From Other Side Panel)

CONTACT SPRAY TO KILL ROACHES, WATERBUGS, CRICKETS AND Cadelles, Mediteranean Flour Moth, Anqoumois Grain Moth, Indian Meal Moth, Grainary Weevil, Rice Weevil, Confused Flour Beetle, Rust Red Flour Beetle, Saw-toothed Grain Beetle, Cigarette Beetle and Drug Store Beetle: Shake container gently as above. Apply as a coarse spray to all cracks and crevices in woodwork, beneath sinks, dark places behind pipes and in all places where these insects rest, contacting as many insects as possible with the spray. Repeat applications as often as necessary to gain control. For Cadells, Mediteranean flour moth, Anqoumois grain moth, Indian meal moth, Grainary weevil, Rice weevil, Confused flour beetle, Rust red flour beetle, Saw-toothed grain beetle, Cigarette beetle and Drug store beetle, apply as a coarse spray to all infested surfaces, insect hiding places and insect runways at the rate of 1 gallon of spray on 750 square feet of area. Repeat when necessary.

CAUTION: Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas. Ventilate the area after treatment is completed.

E.P.A. Reg. No. 2155-40

NET CONTENTS  
GALS.

