JACK 24 1910 2135 4

#### DIRECTIONS FOR USE

GENERAL CLEANING AND DISINFECT-ING: Remove gross filth and heavy soil deposits from all surfaces prior to application of disinfecting solution. Use  $5^{1/2}$  ozs. of disinfectant per 1 gallon of water. Mop liberally on surface to be disinfected.

SCHOOLS, FACTORIES, INSTITUTIONS, PUBLIC BUILDINGS: Remove gross filth and heavy soil deposits from all surfaces prior to application of disinfecting solution. Use a solution of 51/2 ozs. of disinfectant to 1 gallon of water for mopping and spraying all rooms, hallways, stairs and lockers.

SURGICAL INSTRUMENTS: Pre-clean to remove all adhering blood and serous exudates. Immerse instruments in a solution containing 10 ozs. of disinfectant per l gallon of water.

REST ROOMS: Remove gross filth and heavy soil deposits from all surfaces prior to application of disinfecting solution. Use 51/2 ozs. of disinfectant to 1 gallon of water. Scrub bathtub, seats, urinals, sinks, floors and baseboards with the solution at least twice a day. In disinfecting toilet bowls, flush toilet, then pour 5 oz. of disinfectant in bowl water and scrub interior completely.

GARBAGE CANS, REFUSE PAILS, CEL-LARS, CHEMICAL TOILETS: Remove gross filth and heavy soil deposits from all surfaces prior to application of disinfecting solution. Thoroughly saturate by sprinkling or spraying with a solution of 51/2 ozs. of disinfectant in 1 gallon of water.

STEAMSHIPS, AIRPLANES AND PUBLIC TRANSPORTATION: Remove gross filth and heavy soil deposits from all surfaces

(Continued on Other Side Panel)

# MINTERENE

A BROAD SPECTAUM LISINFECTANT
WITH A MINT-FRESH COOR
CLEANS AND DISINFECTS
IN ONE OPERATION

ACTIVE INGREDIENTS	23.20%
Isopropanol	
Methyl Salicylate	
N-Alkyl (60%- $C_{14}$ , 30%- $C_{16}$ , 5%- $C_{12}$ , 5%- $C_{18}$ )	
Dimethyl Benzyl Ammonium Chlorides N-Alkyl (50%-C <sub>12</sub> , 30%-C <sub>14</sub> , 17% <sub>16</sub> , 3%-C <sub>18</sub> )	
Dimethyl Ethylbenzyl Ammonium Chlorides	
Mint Essential Oils	
INERT INGEDIENTS*	76.80%
Water	• •
Polyethoxylated Nonyl Phenol	
Total	, •
Phenol Coefficient (AOAC) 6.0 vs S. typhosa	<b>l</b>
*Includes compatible detergents	
U.S.D.A. REGISTRATION NO. 2155-42	
CALITION. KEEP OUT OF THE REACH OF CHILDR	RFN

See right panel for other precautions.

DISTRIBUTED BY

1. SCHNEID, INC. 1429 FAIRMONT AVE., N. W. ATLANTA 18, GEORGIA

### (Continued from Other Side Panel)

prior to application of disinfecting solution. Use a solution of 51/2 ozs. of disinfectant to 1 gallon of water to scrub floors, wipe seats, woodwork, toilets, to clean pantries, passageways and cabins.

Guaranteed PHENOL COEFFICIENTS

We guarantee this product to have the following minimums:

9.0 vs. S. aureus 6.0 vs. S. typhosa

### RECOMMENDED FOR THE DISINFECTING AND DEODORIZING OF:

Floors Desks Sinks
Walls Fixtures Toilets
Surgical Instruments

## RECOMMENDED AS A DISINFECTANT AND DEODORIZER IN:

Clinics Farms Isolation Wards
Nurseries Lounges Operating Rooms
Gyms Food Mills Diet Kitchens
Offices Restaurants Class Rooms
ALL PUBLIC PLACES WHERE CLEANLINESS AND BACTERIAL CONTROL
ARE VITAL ASPECTS OF ENVIRONMENTAL SANITATION.

### **CAUTION**

KEEP OUT OF REACH OF CHILDEN.

This disinfectant is a concentrate—dilute before using.

Avoid contact with eyes. In case of contact wash with plenty of water.

Do Not bring in contact with food. Do Not take internally.

Do Not mix with soap or anionic detergents.

CONTROL NUMBER

GALS.

458-1268