

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT — Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, or drain or flush equipment on or near desirable trees or other plants or on areas where their roots may extend or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of product to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides, and seeds. Thoroughly clean all traces of this concentrate from application equipment immediately after use. Flush tank, pump, hoses and boom with several changes of water after removing tips and screens (clean these parts separately).

This weed killer is a ready-to-use solution designed to be applied undiluted as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of product used, soil type, rainfall and other conditions.

Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform cover of the area to be treated, measure out the proper amount and apply. Coarse sprays are less likely to drift.

GENERAL WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply 2 to 5 gallons per 1,000 sq. ft. treated (80 to 220 gallons per acre).

To control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lambsquarter and turkey mullein, apply 1 to 2 gallons per 1,000 sq. ft. (40 to 80 gallons per acre).

For other hard to kill perennial weeds and grasses such as Johnson grass, saltgrass, brome, quack, bracken fern and horsetail, apply 3 to 5 gallons per 1,000 sq. ft. (120 to 220 gallons per acre).

EQUIPMENT: Power sprayers, compressed air hand sprayers, knap sack sprayers or an ordinary sprinkler can be used to apply. No dilution or agitation is required.

Notice of Warranty. The manufacturer makes no warranties expressed or implied concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

E.P.A. Reg. No. 2155-52-
E.P.A. EST 2155-GA-1.

PROP. D Weed-O No. 5
JANUARY 27, 1983

ACCEPTED
FEB 9 1983

D-WEED-O

FORMULA No. 5

NON-SELECTIVE WEED KILLER

CONTROLS WEEDS AND GRASSES BY CONTACT AND ROOT ACTION

ACTIVE INGREDIENTS

| | |
|---|--------------|
| Petroleum Oil | 96.88% |
| 2, 4 Dichlorophenoxyacetic acid isooctyl ester* | 1.00% |
| Bromacil (5-bromo-3-methyl-6-methyluracil) | 0.98% |
| Pentachlorophenol | 0.80% |
| Other chlorophenols | 0.09% |
| INERT INGREDIENTS | 0.16% |
| Total | 100.00% |
| *2, 4 Dichlorophenoxyacetic acid equivalent | 0.70% |

FIRST!!! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATION.

Harmful if swallowed or absorbed through skin. Cause skin irritation.

KEEP OUT OF REACH OF CHILDREN.

WARNING:

See Side Panels for additional precautions.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.

Manufactured For

PREC. HAZARDS TO I

May be fatal if swallowed. Skin irritation.

Use waterproof gloves or concentrate. Do not breathe. Wash thoroughly after handling. Keep out of reach of domestic pets or livestock. Kill material is washed into the

IF SWALLOWED: Do not use of gastric lavage.

IF IN EYES: Flush with

IF ON SKIN: Wash with attention.

IF INHALED: Remove victim if indicated.

ENVIR:

This product is toxic to fish. Treated areas may be killed. Equipment or disposal of waste favors drift from areas

STOR:

1. Prohibition — DO NOT FEED BY STORAGE, DISPOSE OPEN DUMPING PROHIBITED
2. Pesticide Disposal — Pesticide be used according to label in accordance with Federal, State or local Pesticide Control and Recovery Act.
3. Container Disposal — a) Triple rinse (or equivalent) or b) Triple rinse (or equivalent) and dispose of in accordance with local procedures.

CONTROL NUMBER

to use this product in a manner incon-

loss of desirable trees or other plants may be the following. Do not apply, or drain or pour in locations where the chemical may contact with their roots. Do not use on lawns, tennis courts, or similar areas. Prevent drift of spray to contaminate domestic water. Keep from insecticides, fungicides, and seeds. Thoroughly clean concentrate from application equipment tank, pump, hoses and boom with several rinsing tips and screens clean these parts

Use solution designed to be applied on upland areas where bare ground is desired. Duration of effect will vary with the soil type, rainfall and other conditions. Do not apply when the ground is frozen. Best results on persistent species are well established in late fall. Before treating, calibrate equipment to insure proper application. Measure out the proper amount to be treated, measure out the proper amount. Sprays are less likely to drift.

USE: To control most weeds for an extended period on upland areas such as parking lots, fence line, sidings, storage yards, around buildings. Apply 2 to 5 gallons per 1,000 sq. ft. treated

weeds such as foxtail, ryegrass, wild oat, pigweed, ragweed, lambsquarter and turkey foot. Apply 2 to 5 gallons per 1,000 sq. ft. (40 to 80 gallons per acre)

perennial weeds and grasses such as Johnson grass, crabgrass and horsetail, apply 3 to 5 gallons per acre.

Use compressed air hand sprayers, knapsack sprayer or backpack sprayer. No other type of sprayer can be used to apply. No other

Manufacturer makes no warranties expressed or implied of this product other than those indicated. User assumes all risks of use and handling of this product. If use and handling are contrary to label

PROP. D Weed-O No. 5
JANUARY 27, 1983

RECEIVED
FEB 9 1983

D-WEED-O

FORMULA No. 5
NON-SELECTIVE WEED KILLER

CONTROLS WEEDS AND GRASSES BY CONTACT AND ROOT ACTION

| ACTIVE INGREDIENTS | |
|---|--------|
| Petroleum Oil | 96.8 |
| 2,4-Dichlorophenoxyacetic acid (sodium salt) | 1.00 |
| Bromacil (5-bromo-3-methyl-4-isopropyl-1H-imidazole-2-thione) | 1.30 |
| Penta-chlorophenol | 0.80 |
| Other chlorophenols | 0.10 |
| INERT INGREDIENTS | 0.16 |
| Total | 100.00 |
| *2,4-Dichlorophenoxyacetic acid equivalent | 0.70 |

FIRST!!! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATION.

Harmful if swallowed or absorbed through skin. Cause skin irritation.

KEEP OUT OF REACH OF CHILDREN.
WARNING:
See Side Panels for additional precautions.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.
- Manufactured For

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS (AND DOMESTIC ANIMALS). WARNING:

May be fatal if swallowed, absorbed through skin, or inhaled. Cause skin irritation.

Use waterproof gloves and face shield or goggles when handling concentrate. Do not breathe spray mist. Do not get in eyes, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets or livestock. Keep children and pets off treated areas until material is washed into the soil and grass is dry.

IF SWALLOWED: Do not induce vomiting. Get medical attention. **NOTE TO PHYSICIAN:** Aspiration hazard may counterindicate the use of gastric lavage.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to water.

STORAGE AND DISPOSAL:

1. Prohibition - DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING PROHIBITED.

2. Pesticide Disposal - Pesticide, spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

3. Container Disposal - a) Reseal drum and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in sanitary landfill or by other approved State and local procedures.

CONTROL NUMBER
NET CONTENTS GALLONS