

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use of this weed killer in their particular area.

IMPORTANT: Do not apply directly to, or otherwise permit this weed killer to contact susceptible plants as this product may injure cotton, beans, peas, grapes, flowers, fruit trees, ornamentals, or other desirable plants. Avoid spray drift to such susceptible plants (coarse sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (do not use same equipment for other purposes). Do not store near fertilizers, seeds, insecticides and fungicides.

GENERAL WEED CONTROL

To control most weeds and grasses for extended periods on non-crop land areas such as industrial plant sites, parking lots, loading ramps and around storage buildings and similar non-crop areas, apply 1 to 4 gallons of weed killer per 1,000 square feet after most predominant weeds have emerged. No agitation is required. This weed killer can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkler can be used. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions.

To control annual weeds and grasses such as Bitterweed (amarum), Fall panic (dichotomiflorum), Foxtail (tutescens), Horseweed (Carro-densis), Ragweed (artemisifolia), White smoke root (Eupatorium) and Yellow Flower, apply 1 to 2 gallons per 1,000 square feet (40 to 80 gallons per acre).

To control perennial weeds and grasses such as Aster, Bermuda Grass (dactylon), English weed (Laucofolen), and Lespedeza (augustifolia), apply 2 to 4 gallon per 1,000 square feet (80 to 160 gallons per acre).

For other hard to kill perennial weeds and grasses such as Cudzu, (la-bata), dandelion (erythrasterum), Fescue (arundinacea), Johnson grass (halpense), Kentucky 31, and Plume grass (giganteus) apply 3 to 4 gallons per 1,000 square feet (120 to 160 gallons per acre).

Notice of Warranty: The manufacturer makes no warranties expressed or implied concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

E.P.A. Reg. No. 2155-53
E.P.A. EST. 2155-GA-1

PROP. D Weed O No. 6
JANUARY 27 1983

ACCEPTED
FEB 9 1983
for the Federal Insecticide, Fungicide and Rodenticide Act

D-WEED-O FORMULA No.6

NON-SELECTIVE WEED KILLER

Controls Weeds and Grasses By Contact & Root Action

ACTIVE INGREDIENTS

Petroleum Oil	98.06%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.97%
Pentachlorophenol	0.79%
Other chlorophenols	0.09%

INERT INGREDIENTS	0.09%
TOTAL	100.00%

FIRST!!! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

Harmful if swallowed or absorbed through skin. Causes skin irritation.

KEEP OUT OF REACH OF CHILDREN.

WARNING:

See Side Panels for additional precautions.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.
Manufactured For, INC.

**PRECAUTION
HAZARDS TO HUMANS**

May be fatal if swallowed, skin irritation.

Use waterproof gloves and concentrate. Do not breathe spray. Wash thoroughly after handling. Keep out of reach of domestic animals, birds, and livestock. Keep material from being washed into the water.

IF SWALLOWED: Do not induce vomiting. **NOTE TO PHYSICIAN:** As a precaution, use of gastric lavage.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing.

IF INHALED: Remove victim to fresh air. If breathing is difficult, use artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and aquatic life. Do not apply to water bodies. Treated areas may be killed. Do not use equipment or disposal of waste materials favor drift from areas.

STORAGE

1. Prohibition - DO NOT FEED BY STORAGE, DISPOSE BY OPEN DUMPING PROHIBITED.
2. Pesticide Disposal - Pesticide should be used according to label instructions. Do not use in violation of Federal, State or local Pesticide Control and Recovery Act.
3. Container Disposal - a) If empty, triple rinse for equivalent of disposal in accordance with local procedures.

CONTROL NUMBER

DIRECTIONS

General law to use this product in a manner incon-

consult State Agricultural Experiment Stations or
Specialists for recommendations as to use of
particular area.

Apply directly to, or otherwise permit this weed
killing plants as this product may injure cotton,
flowers, fruit trees, ornamentals, or other desirable
plants to such susceptible plants (coarse sprays, etc.)
Vapors from this product may injure plants in the
vicinity. Thoroughly clean spray equipment
before using for other purposes (do not use for
other purposes). Do not store near ferti-
lizers and fungicides.

CONTROL

and grasses for extended periods on non-crop
industrial plant sites, parking lots, loading ramps and
roads and similar non-crop areas, apply 1 to 4 gal-
lons per 1,000 square feet after most predominant weeds
have been removed. This weed killer can be applied
with any type of spray equipment. For treating small areas, a tank type
sprayer can be used. The degree of weed control and
herbicide varies with the amount of chemical applied, soil
conditions.

and grasses such as Bitterweed (amarum), Fall
chickweed (Rumex crispus), Foxtail (Lolium), Horseweed (Car-
olinianum), White smoke root (Eupatorium) and
1 to 2 gallons per 1,000 square feet (40 to 80

and grasses such as Aster, Bermuda Grass
(Cynodon), and Lespedeza (augustifolia),
1 to 2 gallons per 1,000 square feet (80 to 160 gallons per acre).

Perennial weeds and grasses such as Cudzu, (La-
zearia), Fescue (Lolium), Johnson
grass (Sporobolus), and Plume grass (Lolium), apply 3
to 4 gallons per 1,000 square feet (120 to 160 gallons per acre).

The manufacturer makes no warranties expressed
or implied. The user assumes all risks of use and handling of
this product. Use and handling are contrary to label

ACCEPTED
FEB 9 1983
for the Federal Insecticide
and Fungicide Act

D-WEED-O FORMULA No.6

NON-SELECTIVE WEED KILLER

Controls Weeds and Grasses By Contact & Root Action

ACTIVE INGREDIENTS	
Petroleum Oil	98.06%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.97%
Pentachlorophenol	0.79%
Other chlorophenols	0.09%
INERT INGREDIENTS	0.09%
TOTAL	100.00%

FIRST!!! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

Harmful if swallowed or absorbed through skin. Causes skin irritation.

KEEP OUT OF REACH OF CHILDREN.
WARNING:
See Side Panels for additional precautions.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.
Manufactured For

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
WARNING:**

May be fatal if swallowed, absorbed through skin, or inhaled. Causes skin irritation.

Use waterproof gloves and face shield or goggles when handling concentrate. Do not breathe spray mist. Do not get in eyes, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets or livestock. Keep children and pets off treated areas until material is washed into the soil and grass is dry.

IF SWALLOWED: Do not induce vomiting. Get medical attention. **NOTE TO PHYSICIAN:** Aspiration hazard may counterindicate the use of gastric lavage.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding in treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to water.

STORAGE AND DISPOSAL:

1. Prohibition - DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING PROHIBITED.
2. Pesticide Disposal - Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.
3. Container Disposal - a) Reseal drum and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in sanitary landfill or by other approved State and local procedures.

CONTROL NUMBER

NET CONTENTS GALLONS