



A violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use of weed killer in their particular area.

IMPORTANT: Do not apply directly to or otherwise permit this weed killer to contact susceptible plants as this may injure cotton, beans, grapes, flowers, fruit trees, ornamentals or other desirable plants. Avoid spray drift to such susceptible plants (coarse sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes). Do not store near fertilizers, seeds, insecticides or fungicides. Apply any time of year except when ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform coverage of the area to be treated. Measure out the proper amount and apply. Coarse sprays are less likely to drift.

GENERAL WEED CONTROL: To control most weeds and grasses for extended periods on non-cropland areas, such as industrial plant sites, parking lots, loading ramps and around storage buildings and similar areas, apply 1-4 gallons of weed killer per 1,000 sq. ft. after predominant weeds have emerged. No agitation is required. This weed killer can be applied with standard spray equipment. For treating large areas, a tank type hand sprayer or sprinkler can be used. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions. To control annual weeds and grasses, such as Bitterweed (amarum), Fall panic (phytolobium), Foxtail (setaceus), Horseweed (carthagenensis), Yellow dock (artemisiifolia), White smoke root (eupatorium) and Yellow nutsedge, apply 1-2 gallons per 1,000 sq. ft. (40-80 gallons per acre). To control perennial weeds and grasses, such as Aster, Bermuda Grass (dactyloctenium), English weed (Lauceolatum) and Lespedeza (augustifolia), apply 1-4 gallons per 1,000 sq. ft. (80-160 gallons per acre). For other hard to control perennial weeds and grasses, such as Kudzu (labata), Dandelion (thrastrerium), Fescue (arundinaceae), Johnsongrass (halapense), Sticky 31 and Plume grass (giganteus), apply 3-4 gallons per 1,000 sq. ft. (80-160 gallons per acre).

NOTE OF WARRANTY: The manufacturer makes no warranties, expressed or implied, concerning the use of this product other than those stated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

A REG NO 2155-53
A EST 2155-GA-1
6677/081286

D-WEED-O

FORMULA NO. 6 NON-SELECTIVE WEED KILLER

CONTROLS WEEDS AND GRASSES
BY CONTACT AND ROOT ACTION

ACTIVE INGREDIENTS	
Petroleum Oil	98.97%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	0.05%
Total 100.00%	

FIRST READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS

WARNING: KEEP OUT OF REACH CHILDREN
Harmful if swallowed or absorbed through skin. Causes skin irritation.
See side panels for additional precautions.

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS

Manufactured By:
I. SCHNEID, INC.
1429 Fairmont Avenue, N.W.
Atlanta, Georgia 30381-4601

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, absorbed through skin or inhaled. Causes skin irritation. Use waterproof gloves and face shield or goggles when handling concentrate. Do not breathe spray mist. Do not get on eyes or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets or livestock. Keep children and pets off treated areas until material is washed into the soil and grass is dry.
IF SWALLOWED: Do not induce vomiting. Get medical attention.
NOTE TO PHYSICIAN: Aspiration hazard may counterindicate the use of gastric lavage.
IF IN EYES: Flush with plenty of water. Get medical attention.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to water.

STORAGE AND DISPOSAL:

Pesticide wastes are toxic. Improper disposal or excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

1. PROHIBITION DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING PROHIBITED.
2. Pesticide Disposal: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.
3. Container Disposal: a) Reseal drum and offer for reconditioning or triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and local procedures.

REGISTERED
EPA REG NO 2155-53
2155-53

CONTROL NUMBER

NET CONTENTS GALLONS

BEST AVAILABLE COPY

2155-53

PM 122

1-1-1