

PM-25

Reg # 2155-53

192

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use of this weed killer in their particular area.

IMPORTANT: Do not apply directly to or otherwise permit this weed killer to contact susceptible plants as this may injure cotton, beans, peas, grapes, flowers, fruit trees, ornamentals or other desirable plants. Avoid spray drift to such susceptible plants (coarse sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes). Do not store near fertilizers, seeds, insecticides or fungicides. Apply any time of year except when ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform coverage of the area to be treated. Measure out the proper amount and apply. Coarse sprays are less likely to drift.

GENERAL WEED CONTROL: To control most weeds and grasses for extended periods on non-cropland areas, such as industrial plant sites, parking lots, loading ramps and around storage buildings and similar non-crop areas, apply 1-4 gallons of weed killer per 1,000 sq. ft. after most predominant weeds have emerged. No agitation is required. This weed killer can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkler can be used. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions. To control annual weeds and grasses, such as Bitterweed (amarum), Fall panic (dichotomiflorum), Foxtail (lutescens), Horseweed (carro-densis), Ragweed (artemisifolia), White smoke root (eupatorium) and Yellow Flower, apply 1-2 gallons per 1,000 sq. ft. (40-80 gallons per acre). To control perennial weeds and grasses, such as Aster, Bermuda Grass (dactylon), English weed (Lauceoloton) and Lespedeza (augustifolia), apply 2-4 gallons per 1,000 sq. ft. (80-160 gallons per acre). For other hard to kill perennial weeds or grasses, such as Kudzu (labata), Dandelion (erythrasternum), Fescue (arundinacae), Johnsongrass (halepense) Kentucky 31 and Plume grass (giganteus), apply 3-4 gallons per 1,000 sq. ft. (120-160 gallons per acre).

NOTICE OF WARRANTY: The manufacturer makes no warranties, expressed or implied, concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

E.P.A. REG. NO. 2155-53-1
E.P.A. EST. 2155-GA -1

0683042187

T.B.H.

FORMULA NO.

ACCEPTED
OCT 25 1990
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2155-53

NON-SELECTIVE WEED KILLER

CONTROLS WEEDS AND GRASSES
BY CONTACT AND ROOT ACTION

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	99.02%
Total 100.00%	

FIRST! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

WARNING: KEEP OUT OF REACH CHILDREN

Harmful if swallowed or absorbed through skin. Causes skin irritation. See side panels for additional precautions.

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS

MANUFACTURED BY
I. SCHNEID, INC
1429 FAIRMONT AVE., NW
ATLANTA, GA 30381

PRECAUTIONARY STATEMENTS: DOMESTIC USE

WARNING: May be fatal if swallowed. Causes skin irritation. Use waterproof clothing when handling concentrate. Do not breathe dust, fumes, or vapors. Wash thoroughly after use. Keep out of reach of children, humans, household pets or livestock. Do not allow material to be washed into the water supply.

IF SWALLOWED: Do not induce vomiting. Seek medical attention immediately.

NOTE TO PHYSICIAN: Aspiration hazard. Gastric lavage.

IF IN EYES: Flush with plenty of water.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air. If symptoms persist, seek medical attention.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish, birds and aquatic life. Do not apply to areas where birds or other animals may be present. Do not use in areas where drift may occur.

STORAGE AND DISPOSAL

Pesticide wastes are toxic. Improper disposal is a violation of Federal law. Dispose of by use according to label directions or by use according to label directions at the nearest EPA registered disposal site.

1. PROHIBITION-DO NOT CONTAMINATE WATER BY STORAGE, DISPOSAL OR CLEANING.

2. Pesticide Disposal-Pesticide, spray or other material should be disposed of according to label instructions or Federal, State or local procedures and Recovery Act.

3. Container Disposal-a) Reseal drum Triple rinse (or equivalent) and offer for recycling or reuse in a sanitary landfill or by other means.

CONTROL NUMBER

BEST COPY AVAILABLE

192

292

to use this product in a manner

Agricultural Experiment Stations or
for recommendations as to use of
ea.

to or otherwise permit this weed killer
this may injure cotton, beans, peas,
ntals or other desirable plants. Avoid
(coarse sprays are less likely to drift).
susceptible plants in the immediate
equipment with a suitable chemical
oses (or do not use same equipment
near fertilizers, seeds, insecticides or
except when ground is frozen. Best
ant species are well established in late
ating, calibrate equipment to insure
be treated. Measure out the proper
are less likely to drift.

control most weeds and grasses for
areas, such as industrial plant sites,
und storage buildings and similar non-
weed killer per 1,000 sq. ft. after most
1. No agitation is required. This weed
spray equipment. For treating small
sprinkler can be used. The degree of
will vary with the amount of chemical
r conditions. To control annual weeds
varum), Fall panic (dichotomifcarum),
tro-densis), Ragweed (artemisifolia),
1 Yellow Flower, apply 1-2 gallons per
re). To control perennial weeds and
de Grass (dactylon), English weed
justifolia), apply 2-4 gallons per 1,000
r other hard to kill perennial weeds as
Dandelion (erythrasterium), Fescue
pense) Kentucky 31 and Plume grass
,000 sq. ft. (120-160 gallons per acre).
manufacturer makes no warranties,
he use of this product other than those
assumes all risks of use and handling
and handling are contrary to label

6683/042187

T.B.H.

FORMULA NO. 0

NON-SELECTIVE WEED KILLER

ACCEPTED
OCT 25 1990
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2155-53

CONTROLS WEEDS AND GRASSES BY CONTACT AND ROOT ACTION

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	99.02%
Total 100.00%	

**FIRST! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND
FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN
CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.**

WARNING: KEEP OUT OF REACH CHILDREN
Harmful if swallowed or absorbed through skin. Causes skin irritation. See side
panels for additional precautions.

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS

MANUFACTURED BY
I. SCHNEID, INC
1429 FAIRMONT AVE., NW
ATLANTA, 30381

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

WARNING: May be fatal if swallowed, absorbed through skin or inhaled
Causes skin irritation. Use waterproof gloves and face shield or goggles
when handling concentrate. Do not breathe spray mist. Do not get in eyes
or on clothing. Wash thoroughly after handling. Avoid contamination of
food and feed. Keep out of reach of domestic animals. Do not use on
humans, household pets or livestock. Keep children and pets off treated
areas until material is washed into the soil and grass is dry.

IF SWALLOWED: Do not induce vomiting. Get medical attention.
NOTE TO PHYSICIAN: Aspiration hazard may counterindicate the use of
gastric lavage.
IF IN EYES: Flush with plenty of water. Get medical attention.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if
indicated.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding on
treated areas may be killed. Do not contaminate water by cleaning of
equipment or disposal of wastes. Do not apply when weather conditions
favor drift from areas treated. Do not apply directly to water.

STORAGE AND DISPOSAL:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray
mixture or rinsate is a violation of Federal law. If these wastes cannot be
disposed of by use according to label instructions, contact your State
Pesticide or Environmental Control Agency, or the Hazardous Waste
representative at the nearest EPA Regional Office for guidance.

1. PROHIBITION-DO NOT CONTAMINATE WATER, FOOD OR FEED
BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN
DUMPING PROHIBITED.
2. Pesticide Disposal-Pesticide, spray mixture or rinsate that cannot be
used according to label instructions must be disposed of according to
Federal, State or local procedures under the Resource Conservation and
Recovery Act.
3. Container Disposal-a) Reseal drum and offer for reconditioning or b)
Triple rinse (or equivalent) and offer for recycling or reconditioning or
dispose of in a sanitary landfill or by other approved State and local
procedures.

CONTROL
NUMBER

NET CONTENTS
GALLONS

BEST COPY AVAILABLE