

PM-25

Reg # 2155-53

172

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown: for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
For use on plants in non-crop and non-forest areas only. Not for use on crops, timber, or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use of this weed killer in their particular area.

IMPORTANT: Do not apply directly to or otherwise permit this weed killer to contact susceptible plants as this may injure cotton, beans, peas, grapes, flowers, fruit trees, ornamentals or other desirable plants. Avoid spray drift to such susceptible plants (coarse sprays are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes). Do not store near fertilizers, seeds, insecticides or fungicides. Apply any time of year except when ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before treating, calibrate equipment to insure uniform coverage of the area to be treated. Measure out the proper amount and apply. Coarse sprays are less likely to drift.

GENERAL WEED CONTROL: To control most weeds and grasses for extended periods on non-cropland areas, such as industrial plant sites, parking lots, loading ramps and around storage buildings and similar non-crop areas, apply 1-4 gallons of weed killer per 1,000 sq. ft. after most predominant weeds have emerged. No agitation is required. This weed killer can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkler can be used. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions. To control annual weeds and grasses, such as Bitterweed (amarum), Fall panic (dichotomiflorum), Foxtail (setosum), Horseweed (caro-densis), Ragweed (altemisifolia), White smoke root (eupatorium) and Yellow Flower, apply 1-2 gallons per 1,000 sq. ft. (40-80 gallons per acre). To control perennial weeds and grasses, such as Aster, Bermuda Grass (dactylon), English weed (Laucaoloten) and Lespedeza (augustifolia), apply 2-4 gallons per 1,000 sq. ft. (80-160 gallons per acre). For other hard to kill perennial weeds and grasses, such as Kudzu (labata), Dandelion (erythrastrum), Fescue (arundinaceae), Johnsongrass (halepense) Kentucky 31 and Plume grass (giganteus), apply 3-4 gallons per 1,000 sq. ft. (120-160 gallons per acre).

NOTICE OF WARRANTY: The manufacturer makes no warranties, expressed or implied, concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.



**FORMULA NO. 6
NON-SELECTIVE WEED KILLER
CONTROLS WEEDS AND GRASSES
BY CONTACT AND ROOT ACTION**

ACTIVE INGREDIENTS:	
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	99.02%
	Total 100.00%

FIRST READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

WARNING: KEEP OUT OF REACH CHILDREN
Harmful if swallowed or absorbed through skin. Causes skin irritation.
See side panels for additional precautions.

FOR COMMERCIAL/INDUSTRIAL ONLY. NOT FOR USE ON AGRICULTURAL ESTABLISHMENTS.

**PRECAUTIONARY STATEMENTS: H/
DOMESTIC ANNI**

WARNING: May be fatal if swallowed, absorbed through skin, gloves and face shield or goggles when handling concentrate on clothing. Wash thoroughly after handling. Avoid contact with animals. Do not use on humans, household pets or livestock. Ke is washed into the soil and grass is dry.

IF SWALLOWED: Do not induce vomiting. Get medical attention. **NOTE TO PHYSICIAN:** Aspiration hazard may counterindicate. **IF IN EYES:** Flush with plenty of water. Get medical attention. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if necessary.

ENVIRONMENTAL: This product is toxic to aquatic invertebrates, birds and other wildlife. Drift or runoff may adversely affect aquatic invertebrates and birds. Do not apply to water, or to areas where surface water is present or likely to be present. Do not apply when weather conditions favor drift from areas treated.

STORAGE AND DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, they must be disposed of by use according to Environmental Control Agency, or the Hazardous Waste Reporting Agency.

1. PROHIBITION-DO NOT CONTAMINATE WATER, FOOD, FEED, OR EQUIPMENT. OPEN DUMPING PROHIBITED.
2. Pesticide Disposal-Pesticide, spray mixture or rinsate that cannot be disposed of according to Federal, State or local procedures must be disposed of according to Federal, State or local procedures.
3. Container Disposal-a) Reuse drum and offer for recycling, reconditioning or disposal in a sanitary landfill or other approved facility. b) Do not burn or incinerate. E.P.A. REG. NO. 2155-53-1

**MANUFACTURED BY
I. SCHNEID, INC.
1429 FAIRMONT AV
ATLANTA, GEORGIA**


CONTROL NUMBER

REGISTERED
MAR 28 1995
Under U.S. Patent 2,811,000
Fungicide, and Herbicide
as amended, for the pesticide
registered under
EPA Reg. No. 2155-53

BEST COPY AVAILABLE

192

292



FORMULA NO. 6 NON-SELECTIVE WEED KILLER CONTROLS WEEDS AND GRASSES BY CONTACT AND ROOT ACTION

ACTIVE INGREDIENTS:	
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	99.02%
Total	100.00%

FIRST! READ ENTIRE LABEL. OBSERVE ALL WARNINGS AND FOLLOW DIRECTIONS CAREFULLY. USE ONLY IN CONFORMANCE WITH FEDERAL AND STATE REGULATIONS.

WARNING: KEEP OUT OF REACH CHILDREN
Harmful if swallowed or absorbed through skin. Causes skin irritation.
See side panels for additional precautions.

FOR COMMERCIAL/INDUSTRIAL ONLY. NOT FOR USE ON AGRICULTURAL ESTABLISHMENTS.

DO NOT USE
In a manner inconsistent with its labeling.
For commercial use as sod, or for commercial seed production, or

for any other purpose. Not for use on crops, timber, or other plants being grown for seed production, or for research purposes.

Consult your Extension Station or Extension Service Weed Specialists for information on use in your particular area.
Do not use this weed killer to contact susceptible plants as this may injure ornamentals or other desirable plants. Avoid spray drift to other plants (or to drift). Vapors from this product may injure susceptible plants (or other plants) by equipment with a suitable chemical cleaner before using for other purposes). Do not store near fertilizers, seeds, or other plant material. Do not apply when ground is frozen. Best results are obtained after application in late spring or early summer. Before treating, calibrate equipment to assure that the proper amount is applied. Coarse sprays are

recommended for weeds and grasses for extended periods on non-cropland areas, such as around storage buildings and similar non-crop areas. Use only on most predominant weeds have emerged. No agitation is required for spray equipment. For treating small areas, a tank type hand sprayer is recommended. Control and duration of effect will vary with the amount of application. To control annual weeds and grasses, such as Annual Galium, Foxtail (Setaria), Horseweed (Conyza), Ragweed, Yellow Flower, apply 1-2 gallons per 1,000 sq. ft. (40-80 gallons per acre), such as Aster, Bermuda Grass (Cynodon), English Plantain, apply 2-4 gallons per 1,000 sq. ft. (80-160 gallons per acre), such as Kudzu (Pueraria), Dandelion (Taraxacum), Fescue, and Plume grass (Panicum), apply 3-4 gallons per 1,000 sq. ft. (120-160 gallons per acre).

No warranties, expressed or implied, concerning the use of this product. Purchaser assumes all risks of use and handling of this product. See label instructions.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, absorbed through skin or inhaled. Causes skin irritation. Use waterproof gloves and face shield or goggles when handling concentrate. Do not breathe spray mist. Do not get in eyes or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets or livestock. Keep children and pets off treated areas until material is washed into the soil and grass is dry.
IF SWALLOWED: Do not induce vomiting. Get medical attention.
NOTE TO PHYSICIAN: Aspiration hazard may counterindicate the use of gastric lavage.
IF IN EYES: Flush with plenty of water. Get medical attention.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates, birds and other wildlife. Birds feeding on treated areas may be killed. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

1. PROHIBITION-DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING PROHIBITED.
 2. Pesticide Disposal-Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.
 3. Container Disposal-a) Recycle drum and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and local procedures.
- E.P.A. REG. NO. 2155-53-
E.P.A. EST. 2155-GA-1

MANUFACTURED FOR:
I. SCHNEID, INC.
1429 FAIRMONT AVENUE NW
ATLANTA, GEORGIA 30318-4153

3610766/102094

CONTROL NUMBER

NET CONTENTS GALLONS

ED
side
53

BEST COPY AVAILABLE