

193

**I. SCHNEID, INC.**

January 20, 1993

Joanne I. Miller, Product Manager 23
U.S. Environmental Protection Agency
Office of Pesticide Programs
Registration Division (H7505C)
401 M St., S.W.
Washington, D.C. 20460

Dear Ms. Miller:

This is a response in reference to the letter pertaining to the products which contain 2, 4-D. We are submitting two (2) copies of the appropriately revised labels for each of our products containing 2, 4-D. Each label is accompanied by a certification of compliance which has been requested.

"I, being an authorized representative of I. Schneid, Inc., certify that all containers of Disappear EPA Reg. 2155-62 produced by June 15, 1994 will bear revised labeling in accordance with the revised labeling required for the Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products."

If there are any questions concerning this information, please feel free to contact me at your convenience at (404) 351-4705.

Sincerely,

Lee R. Hanson

Lee R. Hanson
Director of Regulatory Affairs

enclosures

ST-2

DIRECTIONS FOR USE: GENERAL INFORMATION - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This broadleaf weed killer is specifically formulated for maximum safety to seeding grasses and 2,4-D sensitive grasses such as St. Augustine grass, bentgrass and buffalo grass. Sprays should be applied when broadleaf weeds are small and tender for best results. If weeds are older and hard to kill, the higher rates should be used. Avoid spraying St. Augustine grass under conditions of high temperature and moisture. Under these conditions or in cases of accidental overdose, some slight temporary discoloration of the St. Augustine foliage might occur. To insure that weeds are growing and able to absorb this product, irrigate the lawn 2-3 days prior to spraying. Do not water for 24 hours after treatment. Although spray works faster with temperatures above 70°F, sprays can be applied any time plants are growing. Spray when air is calm to avoid drift. Spray will injure or kill clover, dichondra and most ornamental and vegetable crops. Amount of water in spray is not important, except to evenly distribute this product. If directions call for 16 oz. in 2 gallons per 1,000 square feet, it may be more convenient to use 16 oz. in 4 gallons, depending on the sprayer. Generally, large volumes of water result in more uniform coverage.

WEED CONTROL: This product is especially effective against weeds such as Sheep Sorrel, Knotweed, Spotted Spurge, Chickweed, Oxalis and Henbit. In addition, it kills virtually all broadleaf weeds, some of which are listed below.

BEDSTRAW	GALINSOGA	PEPPERGRASS	SPURGE
BLACK MEDIC	GROUND IVY	PIGWEEED	VELVET LEAF
BUCKHORN	HAWKWEED	PLANTAINS	WILD CARROT
BULL THISTLE	HEAL-ALL	POISON IVY	WILD GARLIC
BURDOCK	HENBIT	POISON OAK	WILD LETTUCE
BUTTERCUP	KNOTWEED	PURLANE	WILD ONION
CHICORY	LAMBSQUARTER	RAGWEED	YARROW
CHICKWEED	LESPEDEZA	SHEEP SORREL	
CLOVER	MALLOW	SHEPHERD'S PURSE	
COCKLEBURR	MORNING GLORY	SPEEDWELL	
DANDELION	MUSTARD	TANSY MUSTARD	AND MANY
DOCK	OXALIS	THISTLE	MORE

HOW TO MIX: 1. For use on St. Augustine grass, bentgrass and buffalo grass, mix 16 oz. in 2-4 gallons of water and uniformly spray 1,000 square feet. For example, an area 10 feet long and 100 feet wide. If necessary, repeat treatment in 2-3 weeks. 2. For use on most other grasses, such as bermuda, bahia, bluegrass, centipede, fescue and rye, mix 20 oz. in 2-4 gallons of water and spray uniformly over 1,000 square feet. On hard-to-kill species, older weeds or under poor growing conditions, mix 32 oz. in 2-4 gallons of water and spray on 1,000 square feet with special attention to thorough coverage.

ENVIRONMENTAL HAZARDS

When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to water.

E.P.A. Reg. No. 2155-82-13256
E.P.A. Est. No. 2155-GA-1

6667777777

CONTROL NUMBER

NET CONTENTS GALLONS

Disappear Broadleaf Herbicide

Contains Trimec® Herbicide (1)

Kills: Dandelions - Knotweed - Henbit - Chickweed - Plantains - Spurge - and many other broadleaf weeds.
ONE QUART COVERS UP TO 2,000 SQUARE FEET
KEEP FROM FREEZING

ACTIVE INGREDIENTS:

- * Dimethylamine salt of 2, 4-dichlorophenoxyacetic acid
- ** Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid
- *** Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)

INERT INGREDIENTS:

TOTAL

- *2,4-dichlorophenoxyacetic acid equivalent 0.044 pounds per gallon or 0.528%
- **2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.145 pounds per gallon or 1.7%
- ***3,6-dichloro-o-anisic acid equivalent 0.018 pounds per gallon or 0.213%.

(1) Trimec® is a registered trademark of PBI-Gordon Corporation, U.S. Patent No. 3,284

FIRST!! READ ENTIRE LABEL. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS CAREFULLY. USE IN CONFORMANCE WITH FEDERAL AND STATE REGULATION.

KEEP OUT OF REACH OF CHILDREN.
CAUTION:
SEE RIGHT SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS
Manufactured For:

SAN-MAR LABORATORIES
P.O. Box 93188 • Martech Station
Atlanta, Georgia 30381

BEST AVAILABLE COPY

Disappear Broadleaf Herbicide

Contains Trimec® Herbicide (1)

Kills: Dandelions - Knotweed - Henbit - Chickweed - Plantains - Spurge - and many other broadleaf weeds.

ONE QUART COVERS UP TO 2,000 SQUARE FEET
KEEP FROM FREEZING

ACTIVE INGREDIENTS:

* Dimethylamine salt of 2, 4-dichlorophenoxyacetic acid	0.63%
** Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	2.08%
*** Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.25%

INERT INGREDIENTS:	97.04%
TOTAL	100.00%

- *2,4-dichlorophenoxyacetic acid equivalent 0.044 pounds per gallon or 0.528%
 **2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.145 pounds per gallon or 1.720%.
 ***3,6-dichloro-o-anisic acid equivalent 0.018 pounds per gallon or 0.213%.

(1) Trimec® is a registered trademark of PBI-Gordon Corporation, U.S. Patent No. 3,284,186.

FIRST!! READ ENTIRE LABEL. OBSERVE ALL CAUTIONS AND FOLLOW DIRECTIONS CAREFULLY. USE IN CONFORMANCE WITH FEDERAL AND STATE REGULATION.

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

SEE RIGHT SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

NOT FOR SALE TO OR USE BY HOMEOWNERS OR RESIDENTIAL USERS
Manufactured For:

SAN-MAR LABORATORIES
P.O. Box 93188 • Martech Station
Atlanta, Georgia 30381

PRECAUTIONS FOR USAGE

Most cases of groundwater contamination involving phenoxy herbicides such as MCPP and 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP and 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination. Drift or run-off may adversely affect nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. Only use lawn sprayers. Avoid drifts of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Coarse spray is less likely to drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not contaminate domestic or irrigation water.

For containers over 1 gallon and less than 5 gallons in capacity: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron. For containers of 5 gallons or more in capacity: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron. A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

Clothing Requirement Statements: Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant rubber gloves when mixing, loading or applying this product. Wear face shield or goggles when mixing, loading or applying this product.

Personal Hygiene Statements: After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried or dust has settled.

IF SWALLOWED: Drink 1-2 glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious person. Call a physician.

IF IN EYES: Flush with plenty of water. Call a physician.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

STORAGE AND DISPOSAL

STORAGE: Do not store with fertilizers, seeds, insecticides or fungicides.

PROHIBITION: Do not contaminate water, food or feed by storage or disposal or cleaning of equipment. Open dumping prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

BEST AVAILABLE COPY