

### WARNING

Treatment of dense weed areas can result in oxygen loss from decomposition of dead weeds. This loss can cause fish suffocation. Therefore, to minimize this hazard, treat 1/3 to 1/2 of the water area in a single operation and wait at least 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult your State Fish and Game Agencies before applying this product to public waters. (Do not apply to muddy water.)

### GENERAL INFORMATION

#### USES

- 1. GENERAL WEED CONTROL IN NON CROP AREAS** Controls broadleaf weeds, brush, and grasses. Kills most annuals and top kills perennials. It kills through the leaves only.
- 2. GENERAL WEED CONTROL IN SHRUB AREAS** Chemical will not injure desirable plants as long as spray does not come in contact with leaves of these plants. Chemical becomes inactive on contact with the soil, therefore, plant roots do not take up chemical and chemical does not build up and become toxic at a later date.
- 3. GENERAL VEGETATION CONTROL** Around buildings and other installations, ornamental gardens, walkways, patios, storage areas beneath greenhouse benches, fence lines, golf courses (sand traps), parkways, driveways, ditches, and similar areas where any type of vegetation is undesirable.
- 4. AQUATIC WEED CONTROL** Both surface and subsurface, in ponds, lakes and ditches.

#### DIRECTIONS

**NON CROP OR NON PLANTED AREAS** To kill above ground weed growth around buildings and other installations, ornamental gardens, walkways, patios, beneath greenhouse benches, fence lines, golf courses (sand traps), parkways and driveways for control of undesirable broadleaved and grass type weeds. 2 1/2 gals. per 20 gal. water (16 oz. per gal. water). Apply for full coverage and thorough weed contact. Apply preferably to young growth and up to seedling of weeds. Repeat applications necessary to maintain control, particularly on grasses and established weeds. Avoid spray contact with foliage of food crops or ornamental plants. Do not water treated areas for 24 to 36 hours after application.

#### STORAGE AND DISPOSAL

- 1. Prohibition** DO NOT CONTAMINATE, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT, OPEN DUMPING IS PROHIBITED.
- 2. Pesticide Disposal** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.
- 3. Container Disposal** a) Reuse drum and offer for reconditioning or dispose of in sanitary landfill or by other approved State and local procedures.

**NOTICE OF WARRANTY** The manufacturer warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of materials, or the manner of use, application, all of which are beyond the control of the manufacturer. In no case shall the manufacturer be liable for consequential, special or indirect damages resulting from the use or handling of this product. All risks shall be assumed by the user. **MANUFACTURER MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

## CLEAN-UP

### Non Selective Weed Killer

#### ACTIVE INGREDIENTS

Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-c) pyrazinidium dibromide] \*

1.85 %

#### INERT INGREDIENTS

98.15 %

Total 100.00 %

\*Contains 0.10 lbs. Diquat Cation per gal. as 0.12 lbs. salt per gal.

This herbicide when used as directed, will kill most all forms of plant growth without damage to the soil. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. This product is inactivated on contact with soil.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL WARNINGS AND DIRECTIONS, AND IN CONFORMITY WITH FEDERAL AND STATE REGULATION. NEVER RE-USE CONTAINER.

### KEEP OUT OF REACH OF CHILDREN.

#### WARNING

##### STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** - Call a Physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED:** - Remove victim to fresh air. Apply respiration if indicated.
- IF ON SKIN:** - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES:** - Flush eyes with plenty of water. Call physician immediately.
- SEE RIGHT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.

**FOR COMMERCIAL AND INDUSTRIAL USE ONLY. OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.**  
Manufactured For

EPA Reg No 2155-64 -  
EPA EST No 2155 GA - 1

6663  
032581

PROP C-UP 5/11/82

# CLEAN-UP

## Non Selective Weed Killer

### ACTIVE INGREDIENTS:

Diquat dibromide [6,7 dihydrodipyrido (1,2-a:3',1'-c) pyrazine-2,6-dibromide] \*

1.85 %

### INERT INGREDIENTS:

98.15 %

Total 100.00 %

\* Contains 0.10 lbs. Diquat Cation per gal. as 0.12 lbs. salt per gal.

This herbicide when used as directed, will kill most all forms of plant growth without damage to the soil. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. This product is inactivated on contact with soil.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL WARNINGS AND DIRECTIONS, AND IN CONFORMITY WITH FEDERAL AND STATE REGULATION. NEVER RE-USE CONTAINER.

KEEP OUT OF REACH OF CHILDREN.

### WARNING

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a Physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Call physician immediately.

SEE RIGHT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.  
Manufactured For

### AQUATIC USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For application only to ponds, lakes, and drainage ditches where there is little or no outflow of water and which are totally under the control of the product's user. Do not use the treated water for animal consumption, swimming, spraying, irrigation, or domestic purposes for 14 days after treatment. Do not apply to aquatic sites in Florida.

Water Treatment	Gals./ Surface Acre	ppm**
*Algae (Spirogyra and Pithophora spp.)		1/2 to 1 1/2
Bladderwort (Utricularia spp.)	20 to 40 gals.	1/2 to 1 1/2
Coontail (Ceratophyllum Demersum)		1 1/2 to 2 1/2
Elodea (Elodea spp.)		1 1/2 to 2 1/2
Najas (Najas spp.)	20 gals.	1/2
*Pondweed (Potamogeton spp.)	40 gals.	1/2
Watermilfoil (Myriophyllum spp.)	20 to 40 gals.	1/2 to 1 1/2

WATER TREATMENTS: Make application from a boat or other suitable craft either by injecting this product below the water surface, or by pouring it directly from the container into the water while moving slowly over the water surface.

\* Repeat application may be necessary under conditions of heavy infestations or where reinfestation may readily occur from seed, fragmentation or escape.

\*\* This product cation by weight. (See Dilution Chart)

### DILUTION CHART

Depth of Water and Gallons to Use per Acre at Indicated PPM (test)

	1/2 ppm	1 ppm	1 ppm	2 ppm	2 ppm
1	7 gal.	14 gal.	28 gal.	42 gal.	70 gal.
2	14 gal.	28 gal.	56 gal.	84 gal.	140 gal.
3	21 gal.	42 gal.	84 gal.	126 gal.	210 gal.
4	28 gal.	56 gal.	112 gal.	168 gal.	280 gal.
5	35 gal.	70 gal.	140 gal.	210 gal.	350 gal.

### Foliage Spray Treatments

	Amt./Acre
Sakania (Salvinia rotundifolia)	10 to 15 gal.
Water hyacinth (Eichhornia crassipes)	10 to 15 gal.
Water lettuce (Pistia stratiotes)	10 to 15 gal.

FOLIAGE SPRAY TREATMENTS should be applied in sufficient water (150-200 gals. per acre) to thoroughly wet foliage. As the season progresses and vegetation increases in mass, the higher dosage indicated should be used and more uniform distribution is necessary. Local conditions may affect the use of this chemical. Consult agricultural experiment station or extension service weed specialist for specific recommendations as to dosage and time of application, and for control of other weeds. Do not apply at rates higher than specified on this label. Check with state authorities for necessary permits.

### PRECAUTIONARY STATEMENTS:

#### HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

May be fatal if swallowed. May be absorbed through skin. Concentrate may cause skin damage. Use waterproof gloves and face shield or goggles when handling concentrate. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of domestic animals. Do not use on humans, household pets, or livestock. Keep children and pets off treated areas until material has washed into the soil and grass is dry.

Do not store with or near feed and foodstuffs or drinking water. During application, avoid drift to adjacent food and forage plants that might be damaged or the crops thereof rendered unfit for sale, use or consumption. Do not use treated water for human or animal consumption, swimming, spraying or irrigation, within 14 days after treatment. Wash sprayer immediately after application with detergent and water, then rinse with clean water.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Do not apply directly to water except as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Application should be timed to provide maximum possible interval.

CONTROL  
NUMBER

NET CONTENTS  
GALLONS

PROP C-UP 5/11/82