

DIRECTIONS

For **CLEANING** and **DISINFECTING** floors, walls, surfaces as found in hospitals, institutions, public rooms, homes, industrial areas, and conveyances:

1. Apply by mop or cloth a solution of at least 2 ozs. in one gallon of water.
2. In instances where surfaces are heavily contaminated with soil and/or organic matter, apply solution twice to insure disinfection.
3. If surfaces are very porous use a solution of at least 4 ozs. in one gallon of water.


For **CLEANING** and **SANITIZING** food handling equipment, apply by mop or cloth a solution of at least 2 oz. in one gallon of water. After sanitizing thoroughly, rinse with potable water before reuse.

For **CLEANING** and **DEODORIZING** apply by mop or cloth a solution of at least 1 oz. in one gallon of water.

NOTE: Product is a concentrate and must be diluted before use. Do not mix this product with soap or anionic detergents.

This product has been tested in accordance with the N. F. P. A. booklet 56, section 6-2 that outlines the testing procedure for testing the resistance of conductive floors. When used as directed, it will pass these requirements and is safe to use on conductive flooring in hospital operating rooms.

8020-473



DUAL - 27

DISINFECTANT - CLEANER

THE MULTI-PURPOSE CLEANER, DISINFECTANT SANITIZER AND DEODORANT

Phenol Coefficient: 27 vs. *S. aureus*
(AOAC Test Method) 16.7 vs. *S. typhosa*

ACTIVE INGREDIENTS:

n-Alkyl (60% C12, 30% C14, 5% C16, 5% C18) dimethyl benzyl ammonium chlorides	1.65%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	1.65
Trisodium phosphate	1.52
Tetrasodium ethylenediamine tetraacetate	1.00
Ethyl alcohol	0.83
	6.65%

INERT INGREDIENTS:

Total Ingredients 100.00%

DANGER:

KEEP OUT OF REACH OF CHILDREN.
See Right Panel for Additional Precautions.

FOR INSTITUTIONAL OR INDUSTRIAL USE ONLY.

SOLD BY:

1425 PARKWAY AVE. N.W.
ATLANTA, GEORGIA 30318

ACCEPTED WITH COMMENTS

ACCEPTED
6-7-73
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 2155-67

DUAL - 27

DISINFECTANT - CLEANER

Comments
THE MULTI-PURPOSE CLEANER, DISINFECTANT SANITIZER
AND DEODORANT

Phenol Coefficient: 27 vs. *S. aureus*
(AOAC Test Method) 16.7 vs. *S. typhosa*

ACTIVE INGREDIENTS:

n-Alkyl (60% C12, 30% C14, 5% C16, 5% C18) dimethyl benzyl ammonium chlorides	1.65%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	1.65
Trisodium phosphate	1.52
Tetrasodium ethylenediamine tetraacetate	1.00
Ethyl alcohol	0.83
	6.65%

INERT INGREDIENTS:	93.35%
Total Ingredients	100.00%

DANGER: KEEP OUT OF REACH OF CHILDREN.
See Right Panel for Additional Precautions.

FOR INSTITUTIONAL OR INDUSTRIAL USE ONLY.

SOLD BY:

1420 PARKWAY
ATLANTA, GEORGIA 30318

RECOMMENDED for cleaning, disinfecting and deodorizing in hospitals on hard surfaces such as floors, walls, ceilings, equipment and fixtures in areas such as operating rooms, clinics, isolation wards, nurseries, diet kitchens, and rest rooms.

RECOMMENDED for cleaning, disinfecting and deodorizing in schools and public institutions all hard surfaces such as corridors, classrooms, offices, rest rooms, locker rooms, showers; in fact, in all public places where cleanliness and bacterial control of environmental surfaces are vital.

RECOMMENDED for cleaning, sanitizing and deodorizing food handling equipment in food, meat, milk and beverage processing plants, restaurants and farms. Such equipment would include blanchers, evaporators, homogenizers, holding tanks, pipes, valves, utensils, etc. All equipment should be flushed with clear potable water prior to use.

In use dilutions, this product can be used on all hard inanimate surfaces not harmed by contact with water.

DANGER:

KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes eye damage. May cause skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

CONTROL
NUMBER
E. P. A. Reg. No. 2155-67

CONT
GAL.

ACCEPTED WITH COMMENTS