

USE DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR CLEANING

Lightly Soiled Areas: Surfaces to be cleaned should be mopped or brushed with a solution containing 4 ounces of this product per gallon of water. Rinse cleaned area with fresh water.

Heavily Soiled Areas: Mop or brush soiled surface with a solution containing 6-8 ounces of this product per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 4 ounces of this product per gallon of water. Surfaces that are heavily soiled should be cleaned with 6-8 ounces of this product per gallon of water then disinfected.

To disinfect locker rooms, shower stalls, walkways, around pools and other areas where fungical action is required, mop area with solution containing 4 ounces per gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 4 ounces of this product per gallon of water. Those surfaces, that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 6-8 ounces of this product per gallon of water before disinfection.

SANITATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 4 ounces of this product per gallon of water. If surface is heavily soiled, use this product at a rate of 6-8 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 4 ounces of this product per gallon of water.

(Continued to right panel)

LEMONENE

DISINFECTANT / CLEANER / SANITIZER FUNGICIDE / DEODORANT

ACTIVE INGREDIENTS:

Sodium salt of o-phenylphenol	2.16%
Sodium salt of ortho-benzyl-para-chlorophenol	1.65%
Sodium salt of para-tertiary-amyphenol	1.09%

INERT INGREDIENTS: 95.10%

TOTAL 100.00%

(Flash Point Greater than 73° F.)

KEEP OUT OF REACH OF CHILDREN

WARNING:

See Right Panel for Additional Precautions.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR
SALE TO, USE, AND STORAGE BY SERVICE PERSONS

MANUFACTURED BY
I. SCHNEID INC.
1429 FAIRMONT AVE., NW
ATLANTA, GA 30381

PM 22 2155-71 7
12-31-89

(Continued from left panel)

To deodorize surfaces during cleaning, mop or brush with a solution containing 4 ounces of this product per gallon of water. This product is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, this product will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. (See left panel for directions)

WARNING

Keep out of reach of children. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Not Reviewed. Registrant claims to be in accordance with

Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

CONTROL
NUMBER

NET CONTENTS
GALLON

USE DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR CLEANING

Lightly Soiled Areas: Surfaces to be cleaned should be mopped or brushed with a solution containing 4 ounces of this product per gallon of water. Rinse cleaned area with fresh water.

Heavily Soiled Areas: Mop or brush soiled surface with a solution containing 6-8 ounces of this product per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, restrooms and other public areas, mop or brush surface to be treated with a solution containing 4 ounces of this product per gallon of water. Surfaces that are heavily soiled should be cleaned with 6-8 ounces of this product per gallon of water then disinfected.

To disinfect locker rooms, shower stalls, walkways, around pools and other areas where fungicidal action is required, mop area with solution containing 4 ounces per gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 4 ounces of this product per gallon of water. Those surfaces, that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 6-8 ounces of this product per gallon of water before disinfection.

SANITATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 4 ounces of this product per gallon of water. If surface is heavily soiled, use this product at a rate of 6-8 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 4 ounces of this product per gallon of water.

(Continued to right panel)

2155-71 12-82-89

LEMONENE

DISINFECTANT / CLEANER / SANITIZER FUNGICIDE / DEODORANT

ACTIVE INGREDIENTS:

Sodium salt of o-phenylphenol 2.16%

Sodium salt of ortho-benzyl-para-chlorophenol 1.65%

Sodium salt of para-tertiary-amylphenol 1.09%

INERT INGREDIENTS: 95.10%

TOTAL 100.00%

(Flash Point Greater than 73° F.)

KEEP OUT OF REACH OF CHILDREN

WARNING:

See Right Panel for Additional Precautions.

FOR COMMERCIAL AND INDUSTRIAL USE ONLY, OR FOR
SALE TO, USE, AND STORAGE BY SERVICE PERSONS

MANUFACTURED BY
I. SCHNEID INC.
1427 FAIRMONT AVE., NW
ATLANTA, GA 30381

PM-32

(Continued from left panel)

To deodorize surfaces during cleaning, mop or brush with a solution containing 4 ounces of this product per gallon of water. This product is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, this product will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. (See left panel for directions)

WARNING

Keep out of reach of children. Causes eye or skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

CONTROL
NUMBER

NET CONTENTS
GALLONS