

#### **DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This product is used to control algae, bacteria and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algae growth, microbiological slime and other deposits. An initial slug application of 13.5 to 36.3 fluid ounces of concentrate per 1,000 gallons of water to provide a concentration of 96 to 240 parts per million of this product based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 3.6 to 36.3 fluid ounces of concentrate per 1,000 gallons of water (24 to 240 parts per million of concentrate) should be employed every 2 to 5 days as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Stug additions should be made in the sump of water cooling towers.

## **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer sys terns without previously notifying the local sewage treatment plant authority. For guidance contact your State Water or Regional Office of the LPA.

# FISH AND/OR WILDLIFE PRECAUTIONS


This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

E.P.A. Rea. No. 2155-76 E.P.A. Est. No. 2155-GA.-1

MANUFACTURED BY:

**T** LSchneid

Under the Federal Insectionle Truspoide, and



PERCENT BY WEIGHT ACTIVE INGREDIENT ..... Poly [oxyethylene (dimethyliminio)ethylene (dimethylaminio)-ethylene dichloride | Weight per gollon ...... 8.39 lbs. Weight of active ingredient per gallon 0.42 lb.

- No foam, low odor
- Kills a wide range of bacteria and algae

CAUTION: KEEP OUT OF REACH OF CHILDREN SEE RIGHT SIDE PANEL FOR OTHER PRECAUTIONARY STATEMENTS

NOT FOR SALE TO OR USE BY HOMEOWNERS


### **CAUTION: KEEP OUT OF REACH OF CHILDREN**

### **FIRST AID**

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison contol center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

### **HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. FOR INFORMATION ON THIS PESTICIDE PRODUCT (INCLUDING HEALTH CONCERNS, MEDICAL EMERGENCIES, OR PESTICIDE INCIDENTS), CALL THE NATIONAL PESTICIDE TELECOMMUNICATIONS NETWORK AT 1-800-858-7378.

#### STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Metal Containers— Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers— Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONTROL NUMBER	NET CONTENTS GALLONS		