




Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 6-30-90.

		United States Environmental Protection Agency Office of Pesticide Programs (TS-767) Washington, DC 20460		OPP Identifier Number 148031																				
Application for Pesticide: <input checked="" type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment																								
Section I																								
1. Company/Product Number 2155-78	2. Date 1 September 1995	3. Product Manager 32	4. Proposed Classification <input checked="" type="checkbox"/> General <input type="checkbox"/> Restricted																					
5. Name and Address of Applicant (Include ZIP Code) I. Schneid, Inc. 1429 Fairmont Avenue, N. W. Atlanta, Georgia 30318-4153																								
<input type="checkbox"/> Check if this is a new address																								
6. Product Name Towicide 10																								
Section II - Amendment Information																								
1. Subject <input type="checkbox"/> Resubmission in response to Agency letter <input type="checkbox"/> Final printed label in response to Agency letter <input checked="" type="checkbox"/> Other (explain below)				Date of Letter 1 Sept 1995																				
This is a notification that changes consistent with PR 95-1 have been made on our label. See attached certification.																								
BEST COPY AVAILABLE																								
<table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> Plastic</td> </tr> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> Glass</td> </tr> <tr> <td>Unit package wgt</td> <td>No. per container</td> <td>Package weight</td> <td>1-p. per container</td> <td><input type="checkbox"/> Paper</td> </tr> <tr> <td colspan="4"></td> <td><input type="checkbox"/> Other (Specify)</td> </tr> </table>					<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Plastic	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Glass	Unit package wgt	No. per container	Package weight	1-p. per container	<input type="checkbox"/> Paper					<input type="checkbox"/> Other (Specify)
<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Plastic																				
<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Glass																				
Unit package wgt	No. per container	Package weight	1-p. per container	<input type="checkbox"/> Paper																				
				<input type="checkbox"/> Other (Specify)																				
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container																						
5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On material accompanying product		6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled																						
Section IV																								
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).																								
Name John J. Walker, Ph. D.																								
Title Director of Research		Telephone No. (Include Area Code) (404) 351-4705		6. Date Application Received (Stamped)																				
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.																								
2. Signature 		3. Title Director of Research																						
4. Typed Name John J. Walker, Ph. D.		5. Date Signed 1 September 1995																						

2 7 6

I certify that this notification is consistent with PR 95-1 and EPA regulations at 40 CFR 152.46 and that no other changes have been made to the labeling of this product. I further understand that if this notification is not consistent with the terms of PR Notice 95-1 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



John J. Walker, Ph. D.
Director of Research

BEST COPY AVAILABLE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is used to control algae, bacteria and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algae growth, microbiological slime and other deposits. An initial slug application of 6.13 to 15.32 fluid ounces of concentrate per 1,000 gallons of water to provide a concentration of 48 to 120 parts per million of this product based on total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.53 to 15.32 fluid ounces of concentrate per 1,000 gallons of water (12 to 120 parts per million of concentrate) should be employed every 2 to 5 days as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. This product should not be discharged to surface water if the receiving water body is not listed on the NPDES permit. If there is no NPDES permit for this product, do not discharge to surface water. For more information, contact your local Water or Regional Office of the EPA.

Apply this product only as specified on this label.

45480, 1195

NET CONTENTS
GALLONS

TOWERCIDE

Active ingredient
Poly [oxyethylene (dimethyliminic) ethylene (dimethyliminic)-ethylene dichloride]
Inert ingredient
Weight per gallon
Weight of active ingredient per gallon

Source: U.S. Department of Commerce, Bureau of Economic Analysis, *Survey of Current Business*, February 1997, Table 1.10. Panel B for Other Frequent and Significant Items.

NOT TO BE USED BY HOMEOWNERS
(Manufacturer's Use)

1501 N. W. 10TH AVE.
N.W. 10TH AVENUE, NW
ATLANTA, GEORGIA 30318-4153

BEST COPY AVAILABLE

I. Schneid, Inc.
1429 Fairmont Avenue, N. W.
Atlanta, Georgia 30318-4153

☐ Check if this is a new address

6. Product Name

Towareid 10 (Fountain Algicide)

Section II - Amendment Information

1. Subject

☐ Resubmission

☐ In response to Agency letter

☐ Final printed label

☐ In response to Agency letter

☒ Other (explain below)

Date of letter

1 Sept 1995

This is a notification that changes consistent with PR 95-1 have been made on our label. See attached certification.

☐ Yes ☐ No

If "Yes,"

in "Yes,"

Unit per container

No. per container

Net weight

No. per container

Plastic

Glass

Paper

Other (Specify)

3. Location of Net Contents Information

☐ Label

☐ Container

4. Size(s) of Retail Container

5. Location of Label Directions

☐ On Label

☐ On material accompanying product

6. Manner in Which Label is Affixed To Product

☐ Lithograph

☐ Paper glued

☐ Stenciled

☐ Other (Specify)

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).

Name

John J. Walker, Ph. D.

Title

Director of Research

Telephone No. (Include Area Code)

(404) 351-4705

6. Date Application Received

(Stamp)

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

John J. Walker

3. Title

Director of Research


4. Typed Name

John J. Walker, Ph. D.

5. Date Signed

1 September 1995 (88-0-200) 1-9/95

I certify that this notification is consistent with PR 95-1 and EPA regulations at 40 CFR 152.46 and that no other changes have been made to the labeling of this product. I further understand that if this notification is not consistent with the terms of PR Notice 95-1 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



John J. Walker, Ph. D.
Director of Research

BEST COPY AVAILABLE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DECORATIVE FOUNTAINS: This product is used to control the growth of algae in decorative fountains. Fountains containing a heavy growth of algae should be cleaned prior to using this product. Decorative fountains having visible algae growth require an initial dose of 8 to 12 fluid ounces of product per 1000 gallons of water. Subsequent additions of 1 to 3 fluid ounces of product should be made every 5 to 7 days after initial treatment for maintenance. This product is compatible with those chemicals normally used to treat decorative fountains and is effective at both acid and alkaline pH. This product can be used in decorative fountains treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix this product with concentrated dry or liquid chlorine products.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, rivers or creeks, or into navigable waters in accordance with Federal Clean Water Act and National Pollutant Discharge Elimination Act (CWA) permit and the permitting authority. Do not discharge effluent containing this product into lakes, streams, ponds, rivers or creeks, or into navigable waters in accordance with Federal Clean Water Act and National Pollutant Discharge Elimination Act (CWA) permit and the permitting authority. Do not discharge effluent containing this product into lakes, streams, ponds, rivers or creeks, or into navigable waters in accordance with Federal Clean Water Act and National Pollutant Discharge Elimination Act (CWA) permit and the permitting authority.

FISH AND/OR WILDLIFE PRECAUTIONS

This product is toxic to fish and other aquatic life. Do not discharge where it will enter lakes, streams, ponds or public waters. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

FOUNTAIN ALGAEICIDE

Active ingredient..... Poly [oxyethylene (dimethyliminio)ethylene(dimethyliminio)-ethylene dichloride]
Inert ingredient.....
Weight per gallon..... 8.49
Weight of active ingredient per gallon..... 0.85

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

See label for other

DO NOT USE BY HOME

Manufacturer

I. SCHNEID, INC.

1440 FOUNTAIN AVENUE, N.E.
ATLANTA, GEORGIA 30318-4153

BEST COPY AVAILABLE